



HOW DO NORTON FLOOR PADS STACK UP AGAINST THE COMPETITION? **BETTER.**

Thicker pad with open web structure for longer life and less loading.

Manufacturing process efficiencies for increased tensile strength and uniform grain distribution.

Breadth of line for broadest application coverage.



Contact us to see how Norton pads stack up for you.

NORTON

THE **MUSCLE**
BEHIND THE MACHINE™

www.nortonprocleaning.com

GENERAL INFORMATION

FLOOR PAD APPLICATION RECOMMENDATION CHART					
APPLICATION	RPM	MACHINE	CHEMICAL/WET OR DRY	PAD RECOMMENDATION	RESULTS
STRIPPING	175+	Electric & Auto Scrub	Strip Solution/Wet	Ultra Blue Stripper	Strips even the most severe floors quickly and effectively.
				High Productivity Black Stripping	Removes tough finishes and extreme wax build up.
				Black Super Strip	Provides uniform finish removal in wet stripping applications.
SCRUBBING	175+	Electric & Auto Scrub	Cleaner/Wet	Green Super Scrub	Removes the toughest scuff marks in heavily soiled areas.
				Blue Super Clean	Scrubs dirt and grime in heavy spray cleaning applications.
SPRAY BUFFING	175+	Electric	Spray Buff Solution/Wet	Red Buffer	Produces a high gloss finish when dry or spray buffing.
	350-1200	Electric	Spray Buff Solution	Grizzly Bear Lite	Creates a high luster finish on soft and flexible surfaces.
	1200+	Electric	Spray Buff Solution/Mop On Restorer	Ultra Grizzly Bear	Quickly removes scratches and marks to leave a glistening finish.
BUFFING & POLISHING	175+	Electric	Dry or Restoration Process	White Super Gloss	Produces a mirror gloss shine during low speed polishing.
	350-1200	Propane	Dry or Restoration Process	Champagne Polish & Burnish	Creates the highest gloss of any pad on the market.
				Grizzly Bear Lite	Restores a high luster shine quickly and easily.
				Aqua Ultra High Speed Burnish	Produces a “wet-look” shine on soft to medium hard finishes.
BURNISHING	1500-3000	Propane	Dry or Restoration Process	Pink “Topshine” Burnish	Revives the gloss to dull floors on hard finishes only.
				Ultra Grizzly Bear	Removes marks and scratches on medium to hard finishes.
				Grizzly Bear Lite	Produces a high luster shine on soft to medium finishes.
				Mint Soft Burnish	Maintains a high luster “wet-look” on soft to medium finish.
				Aqua Ultra High Speed Burnish	Produces the “wet-look” shine on soft, medium and metal-free finishes.
				Lite Blue Burnish	Delivers a deep gloss shine on soft to medium finishes.
	1000-2000	Electric & Battery	Dry or Restoration Process	Thermal Burnish	Produce an outstanding shine on soft to medium finishes.
	1000-3000	Electric & Battery	Dry or Restoration Process	Pink “Topshine” Burnish	Revives the gloss to dull floors on hard finishes only.
				Ultra Grizzly Bear	Removes marks and scratches on medium to hard finishes.
				Grizzly Bear Lite	Produces a high luster shine on soft to medium finishes.
			Aqua Ultra High Speed Burnish	Produces “wet-look” shine on soft to medium and metal-free finishes.	
			Mint Soft Burnish	Maintains a high luster “wet-look” on soft to medium finish.	
	1500-2000	Electric & Battery	Dry or Restoration Process	Champagne Polish & Burnish	Creates the highest gloss of any pad on the market.



AT THE END OF THE DAY
NORTON GETS THE JOB DONE.

GENERAL INFORMATION

GENERAL INFORMATION

FLOOR PAD PERFORMANCE

GENERAL PURPOSE THICK LINE PADS



ULTRA HIGH SPEED FINISHING PADS

PAD / MACHINE / FINISH RECOMMENDATIONS

	PROPANE BURNISHER 2000-3000 RPM			PROPANE STRIPPING 175-350 RPM			BATTERY BURNISHER 1500-2500 RPM			ELECTRIC 1500+ RPM			ELECTRIC BURNISHER 1000 RPM			ELECTRIC SWING 175-350 RPM			AUTOSCRUB 500 RPM		
	FINISH			FINISH			FINISH			FINISH			FINISH			FINISH			FINISH		
	SOFT	MED	HARD	SOFT	MED	HARD	SOFT	MED	HARD	SOFT	MED	HARD	SOFT	MED	HARD	SOFT	MED	HARD	SOFT	MED	HARD
GENERAL PURPOSE PADS																					
ULTRA BLUE STRIPPER				X	X	X										X	X	X	X	X	X
HIGH PRO BLACK STRIP				X	X	X										X	X	X	X	X	X
BLACK SUPER STRIP				X	X	X										X	X	X	X	X	X
GREEN SUPER SCRUB																X	X	X	X	X	X
BLUE SUPER CLEAN																X	X	X	X	X	X
RED BUFFER																X	X	X	X	X	X
WHITE SUPER GLOSS	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ULTRA HIGH SPEED BURNISHING PADS																					
PINK TOPSHINE			X					X			X										
ULTRA GRIZZLY		X	X					X	X	X	X		X	X							
GRIZZLY BEAR LITE	X	X					X	X		X	X		X	X							
THERMAL BURNISH							X	X		X	X		X	X							
AQUA UHS	X	X					X	X		X	X		X	X							
MINT SOFT BURNISH	X	X					X	X		X	X		X	X							
LITE BLUE BURNISH	X	X					X	X		X	X		X	X							
CHAMPAGNE BURNISH										X			X								



PRO CLEANING PRODUCTS SALES SUPPORT



FLOOR PAD RAINBOW KITS

17" Low Speed Rainbow Pack

Includes: Ultra Blue Stripper, High Pro Black Strip, Black Super Strip, Green Super Scrub, Blue Super Clean, Red Buffer, White Super Gloss

#662610 51639

20" Low Speed Rainbow Pack

Includes: Ultra Blue Stripper, High Pro Black Strip, Black Super Strip, Green Super Scrub, Blue Super Clean, Red Buffer, White Super Gloss

#662610 51638

20" High Speed Rainbow Pack

Includes: Champagne Polish & Burnish, Lite Blue Burnish, Mint Soft Burnish, Aqua UHS, Thermal Burnish, Grizzly Bear Lite, Ultra Grizzly Bear, and Pink "Topshine" Burnish

#662610 51636

24" High Speed Rainbow Pack

Includes: Champagne Polish & Burnish, Lite Blue Burnish, Mint Soft Burnish, Aqua UHS, Grizzly Bear Lite, Ultra Grizzly Bear and Pink "Topshine" Burnish

#662610 19931

27" High Speed Rainbow Pack

Includes: Champagne Polish & Burnish, Lite Blue Burnish, Mint Soft Burnish, Aqua UHS, Grizzly Bear Lite, Ultra Grizzly Bear and Pink "Topshine" Burnish

#662610 19932



BEAR-TEX UTILITY PADS RAINBOW PACK

5 Pads
#662610 14575



BEAR-TEX HAND PAD & SPONGE KIT

7 Pads / 2 Sponges
#662610 14576



FLOOR PAD SAMPLE CHAIN

Two chains per box
#076607 02796

FLOOR PAD WALL SIGNS



(23-1/2" high x 32" wide)

General Purpose Pads

#076607 03972

High Speed Pads

#076607 03973



COMPETITIVE CROSS REFERENCE

NORTON	3M	CONTINENTAL/ GLIT	ETC.	AMERICO	ACS/SCRUBBLE
GENERAL PURPOSE PADS					
Ultra Blue Stripper	N/A	Emerald Stripper	Diamondback Extreme	Dominator	N/A
High Productivity Black Strip	7300 High Productivity	Safire Stripper	Razorback	HP500 Heavy Duty Stripping	Type 73 Emerald Hy-Pro
Black Super Strip	7200 Black Stripper	Black Strip	Black Strip/Boss Hawg	Black Stripping	Type 72 Black Strip
Green Super Scrub	5000 Topline Pre-Burnish	Green Scrub	Green Scrub	Green Scrub	Type 55 Green Scrubber
Blue Super Clean	5300 Blue Cleaner	Blue Cleaner	Blue Cleaner	Blue Cleaner	Type 53 Blue Cleaner
Red Buffer	5100 Red Buffer	Red Buff	Red Buff	Red Spray Buff	Type 51 Red Buffer
White Super Polish	4100 White Super Polish	White Super Polish	White Polish	White Polish	Type 41 White Polishing
Tan Buffer	N/A	Tan Buff	Tan Buff	Tan Buffing	Type 34 Tan Buffer
BURNISHING PADS					
Pink Topshine Burnish	3600 Eraser	Peach Buffing	N/A	Remover Burnishing	Type 36 Pink Burnishing
Ultra Grizzly Bear	3500 Natural Blend Tan	Buckaroo	Gorilla	Porko Plus	Type 37 Hair Blend Ex Heavy
Grizzly Bear Lite	3300 Natural Blend White	Jackaroo Lite	Gorilla Lite	Combo	Type 33 Hair Blend Light
Thermal Burnish	3400 Tan Burnish	Beige Poly Thermal	Super Speed Rubberized	Image Beige Burnishing	Type 42 Beige Poly Thermal
Aqua Ultra High Speed Burnish	3100 Aqua Burnish	UHS Aqua Burnishing	Aqua Plus	N/A	Type 31 Aqua Burnishing
Mint Soft Burnish	N/A	Joey Specialty	N/A	N/A	N/A
Lite Blue Burnish	3200 Topline Speed Burnish	Blue Ice	Blue Ace	Luster Lite	Type 52 Blue Velvet
Champagne Polish & Burnish	4200 Beige Buffer	Champagne	The Cure	Champagne Burnishing	N/A



Stripping Pads

No matter how severe the floor is you are stripping, Norton has a pad that will work for you. Each stripping pad is durable, long lasting, and designed with open construction to allow finish and stripping solutions to flow through and to resist clogging.



Ultra Blue Stripper

For use on the most severe floors. This pad has extra heavy duty fibers, more abrasive grain and an open weave designed to strip floors quickly and effectively, reducing labor costs.



High Productivity Black Strip

For floors with extreme wax buildup, this pad will cut away old finish quickly with its tough, porous construction.



Black Super Strip

A thick pad for wet stripping applications that is aggressive, durable and consistent.



Ultra Blue Stripper

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 14180	6-1/2"	5
NS 662610 14181	7-3/4"	5
NS 662610 14182	9"	5
NS 662610 14183	9-1/2"	5
NS 662610 14184	10"	5
NS 662610 14185	11"	5
NS 662610 14186	12"	5
662610 14187	13"	5
662610 14188	14"	5
662610 14189	15"	5
662610 14190	16"	5
662610 14191	17"	5
662610 14192	18"	5
662610 14193	19"	5
662610 14194	20"	5
NS 662610 14195	20" (1/4" hole)	5
662610 14196	21"	5
NS 662610 14197	21" (1/4" hole)	5
NS 662610 14198	22"	5
NS 662610 14199	22" (1/4" hole)	5
NS 662610 14200	23"	5
NS 662610 14201	24"	5
NS 662610 14202	24" (1/4" hole)	5
NS 662610 14203	25"	5
NS 662610 14204	26"	5
NS 662610 14205	27"	5
NS 662610 14206	27" (1/4" hole)	5
NS 662610 14207	28"	5
NS 662610 14208	31"	5
NS 662610 14209	32"	5
NEW Rectangular Pads		
NS 662610 59425	14" x 20"	5
NS 699573 97738	14" x 28"	5
NS 699573 97739	14" x 32"	5

High Productivity Black Strip

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 10508	6-1/2"	5
NS 662610 00614	7-3/4"	5
NS 662610 *	9"	5
NS 662610 00615	9-1/2"	5
NS 662610 00616	10"	5
NS 662610 00617	11"	5
NS 662610 00618	12"	5
662610 00452	13"	5
662610 00453	14"	5
662610 51612	15"	5
662610 52001	16"	5
662610 52002	17"	5
662610 52003	18"	5
662610 52004	19"	5
662610 52005	20"	5
NS 662610 *	20" (1/4" hole)	5
662610 51885	21"	5
NS 662610 *	21" (1/4" hole)	5
NS 662610 00919	22"	5
NS 662610 *	22" (1/4" hole)	5
NS 662610 00736	23"	5
NS 662610 00965	24"	5
NS 662610 *	24" (1/4" hole)	5
NS 662610 05089	25"	5
NS 662610 05090	26"	5
NS 662610 05091	27"	5
NS 662610 13248	27" (1/4" hole)	5
NS 662610 05092	28"	5
NS 662610 05093	31"	5
NS 662610 05094	32"	5
NEW Rectangular Pads		
NS 662544 37378	14" x 20"	5
NS 699573 97632	14" x 28"	5
NS 699573 97633	14" x 32"	5

Black Super Strip

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 01833	6-1/2"	5
NS 662610 00467	7-3/4"	5
NS 662610 03015	9"	5
NS 662610 00212	9-1/2"	5
662610 00466	10"	5
NS 662610 00695	11"	5
662610 00728	12"	5
662610 54223	13"	5
662610 54224	14"	5
662610 54225	15"	5
662610 54226	16"	5
662610 54227	17"	5
662610 54228	18"	5
662610 54229	19"	5
662610 54230	20"	5
NS 662610 *	20" (1/4" hole)	5
662610 54231	21"	5
NS 662610 *	21" (1/4" hole)	5
662610 54232	22"	5
NS 662610 *	22" (1/4" hole)	5
662610 00727	23"	5
NS 662610 00213	24"	5
NS 662610 *	24" (1/4" hole)	5
NS 662610 05095	25"	5
NS 662610 05096	26"	5
NS 662610 05097	27"	5
NS 662610 13248	27" (1/4" hole)	5
NS 662610 05098	28"	5
NS 662610 05099	31"	5
NS 662610 05100	32"	5
NEW Rectangular Pads		
NS 699573 99170	14" x 20"	5
NS 699573 97630	14" x 28"	5
NS 699573 97631	14" x 32"	5

NS NON-STOCK ITEM
* ALSO AVAILABLE AS A NON-STOCK ITEM

tip For cost savings, pads can be cleaned and re-used. Clean by using a high pressure spray nozzle to remove fresh debris. Pads may be soaked in detergent or diluted stripping solution to dissolve heavy embedded soil or finish.

FOR ALL PADS ON PAGES 6 - 9:
9-1/2" DIAMETER AND SMALLER HAVE 2-3/4" REMOVAL CENTERPIECE.
UNLESS OTHERWISE INDICATED, ALL OTHER DIAMETERS HAVE A 3-1/4" REMOVAL CENTERPIECE.



Scrubbing and Cleaning Pads

For general scrubbing and cleaning applications, Norton offers two pads that will remove surface dirt and grime to get your floor back in shape before re-coating or buffing.



Green Super Scrub

A heavy-duty wet scrubbing pad that will remove the toughest scuff marks in heavily soiled traffic areas.



Blue Super Clean

For general duty scrubbing or heavy spray cleaning jobs.



GENERAL PURPOSE PADS

Green Super Scrub

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 07446	6-1/2"	5
NS 662610 51605	7-3/4"	5
NS 662610*	9"	5
NS 662610 00030	9-1/2"	5
NS 662610 51607	10"	5
NS 662610 51898	11"	5
NS 662610 51602	12"	5
662610 54257	13"	5
662610 54258	14"	5
662610 54259	15"	5
662610 54260	16"	5
662610 54261	17"	5
662610 54262	18"	5
662610 54263	19"	5
662610 54264	20"	5
NS 662610*	20" (1/4"hole)	5
662610 54265	21"	5

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610*	21" (1/4"hole)	5
662610 54266	22"	5
NS 662610*	22" (1/4"hole)	5
NS 662610 51601	23"	5
NS 662610 00655	24"	5
NS 662610*	24" (1/4"hole)	5
NS 662610 05101	25"	5
NS 662610 05102	26"	5
NS 662610 05103	27"	5
NS 662610*	27" (1/4"hole)	5
NS 662610 05104	28"	5
NS 662610 05105	31"	5
NS 662610 05106	32"	5
NS 662544 37375	14" x 20"	5
NS 662544 37373	14" x 28"	5
NS 662544 37372	14" x 32"	5

Blue Super Clean

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 07445	6-1/2"	5
NS 662610 51604	7-3/4"	5
NS 662610 03014	9"	5
NS 662610 00015	9-1/2"	5
NS 662610 51606	10"	5
NS 662610 51897	11"	5
662610 51899	12"	5
662610 54240	13"	5
662610 54241	14"	5
662610 54242	15"	5
662610 54243	16"	5
662610 54244	17"	5
662610 54245	18"	5
662610 54246	19"	5
662610 54247	20"	5
NS 662610*	20" (1/4"hole)	5
662610 54248	21"	5

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 *	21" (1/4"hole)	5
NS 662610 54249	22"	5
NS 662610 *	22" (1/4"hole)	5
NS 662610 00002	23"	5
NS 662610 00656	24"	5
NS 662610 *	24" (1/4"hole)	5
NS 662610 05107	25"	5
NS 662610 05108	26"	5
NS 662610 05109	27"	5
NS 662610 *	27 (1/4"hole)	5
NS 662610 05110	28"	5
NS 662610 05111	31"	5
NS 662610 05112	32"	5
NEW Rectangular Pads		
NS 662611 93207	14" x 20"	5
NS 699573 97628	14" x 28"	5
NS 699573 97629	14" x 32"	5

Buffing and Polishing Pads

Designed to achieve a consistent finish with a mirror gloss shine.



Red Buffer

Generally used where a high gloss finish is desired when dry or spray buffing. It can also be used for light cleaning applications.



White Super Gloss

A non-abrasive polishing/buffing pad, used dry or with a fine mist to yield a mirror gloss shine.



Red Buffer

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 08438	6-1/2"	5
NS 662610 00546	7-3/4"	5
NS 662610 03013	9"	5
NS 662610 00248	9-1/2"	5
NS 662610 54284	10"	5
662610 00565	11"	5
662610 00566	12"	5
662610 54272	13"	5
662610 54273	14"	5
662610 54274	15"	5
662610 54275	16"	5
662610 54276	17"	5
662610 54277	18"	5
662610 54278	19"	5
662610 54279	20"	5
NS 662610*	20" (1/4"hole)	5
662610 54280	21"	5

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610*	21" (1/4"hole)	5
662610 54281	22"	5
NS 662610*	22" (1/4"hole)	5
NS 662610 00567	23"	5
NS 662610 00249	24"	5
NS 662610 00936	24" (1/4"hole)	5
NS 662610 05113	25"	5
NS 662610 05114	26"	5
NS 662610 05115	27"	5
NS 662610 09917	27" (1/4"hole)	5
NS 662610 05116	28"	5
NS 662610 05117	31"	5
NS 662610 05118	32"	5
NEW Rectangular Pads		
NS 662611 93014	14" x 20"	5
NS 699573 97578	14" x 28"	5
NS 699573 97625	14" x 32"	5

White Super Gloss

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 08823	6-1/2"	5
NS 662610 00214	7-3/4"	5
NS 662610 09708	9"	5
NS 662610 00028	9-1/2"	5
NS 662610 51628	10"	5
NS 662610 00207	11"	5
662610 00176	12"	5
662610 54205	13"	5
662610 54206	14"	5
662610 54207	15"	5
662610 54208	16"	5
662610 54209	17"	5
662610 54210	18"	5
662610 54211	19"	5
662610 54212	20"	5
NS 662610 11167	20" (1/4"hole)	5
662610 54213	21"	5

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 17228	21" (1/4"hole)	5
NS 662610 54214	22"	5
NS 662610 04703	22" (1/4"hole)	5
NS 662610 00027	23"	5
662610 00003	24"	5
NS 662610 04723	24" (1/4"hole)	5
NS 662610 05119	25"	5
NS 662610 05120	26"	5
662610 05121	27"	5
NS 662610 05480	27" (1/4"hole)	5
NS 662610 05122	28"	5
NS 662610 05123	31"	5
NS 662610 05124	32"	5
NEW Rectangular Pads		
NS 662611 93022	14" x 20"	5
NS 699573 97626	14" x 28"	5
NS 699573 97627	14" x 32"	5

NS NON-STOCK ITEM

* ALSO AVAILABLE AS A NON-STOCK ITEM

ULTRA HIGH SPEED BURNISHING PADS



ULTRA HIGH SPEED BURNISH


Application

Burnishing pads for light scuff removal to renewing that wet-look finish. Engineered with fibers that are durable enough to clean and use again, yet resilient enough to conform to the floor surface for better coverage. This pad-to-floor coverage equates to less labor time and overall performance use of the pad. These pads help to prolong re-coating applications and maintain a high facility image.



Pink "Topshine" Burnish

Multi-purpose pad for ultra high-speed machines. Revives gloss on dull floors in a single pass. This totally synthetic pad works best when floors have a good base coat of finish and can be substituted for natural hair pads in health care facilities. For hard finishes only.



Ultra Grizzly Bear

Special blend of synthetic and natural hair fibers with the highest hair content for more aggressive burnishing. Quickly removes scratches and marks to leave floors glistening.



Grizzly Bear Lite

For a lighter blend of natural hair, the Grizzly Bear Lite produces an exceptional high luster to finishes, especially on soft and flexible surfaces. The natural and synthetic fibers combined with a soft resin, helps restore a high luster shine, quickly and easily.



Thermal Burnish

A unique, rubberized binder formulation provides outstanding results on soft to medium hardness finishes.



Pink "Topshine" Burnish

PART NUMBER	SIZE	PADS/CASE
Round Pads		

NS 662610*	6-1/2"	5
NS 662610*	7-3/4"	5
NS 662610*	9"	5
NS 662610*	9-1/2"	5
NS 662610 08505	10"	5
NS 662610*	11"	5
NS 662610*	12"	5
NS 662610 05660	13"	5
NS 662610 06112	14"	5
NS 662610 05661	15"	5
NS 662610 05321	16"	5
NS 662610 05662	17"	5
NS 662610 06336	18"	5
662610 05479	19"	5
662610 05155	20"	5
NS 662610 05169	20" (1/4"hole)	5
662610 05156	21"	5
NS 662610 05170	21" (1/4"hole)	5
NS 662610 05568	22"	5
NS 662610 05171	22" (1/4"hole)	5
NS 662610 10837	23"	5
662610 05168	24"	5
NS 662610 05157	24" (1/4"hole)	5
NS 662610 05125	25"	5
NS 662610 05126	26"	5
662610 05127	27"	5
NS 662610 05158	27" (1/4"hole)	5
NS 662610 05128	28"	5
NS 662610 05129	31"	5
NS 662610 05130	32"	5

Rectangular Pads NEW

NS 662544 37380	14" x 20"	5
NS 662610 52768	14" x 28"	5
NS 662610 52769	14" x 32"	5

Ultra Grizzly Bear

PART NUMBER	SIZE	PADS/CASE
Round Pads		

662610 15254	6-1/2"	5
NS 662610 02980	7-3/4"	5
NS 662610*	9"	5
NS 662610*	9-1/2"	5
NS 662610 08503	10"	5
NS 662610 11520	11"	5
NS 662610 00609	12"	5
NS 662610 57800	13"	5
NS 662610 00610	14"	5
NS 662610 51600	15"	5
NS 662610 57816	16"	5
662610 57801	17"	5
662610 57802	18"	5
662610 57803	19"	5
662610 57804	20"	5
NS 662610 03540	20" (1/4"hole)	5
662610 57805	21"	5
NS 662610 03325	21" (1/4"hole)	5
662610 51626	22"	5
NS 662610 04705	22" (1/4"hole)	5
NS 662610 00611	23"	5
662610 51627	24"	5
NS 662610 03326	24" (1/4"hole)	5
NS 662610 05149	25"	5
NS 662610 05150	26"	5
662610 05151	27"	5
662610 02788	27" (1/4"hole)	5
NS 662610 05152	28"	5
NS 662610 05153	31"	5
NS 662610 05154	32"	5

NS NON-STOCK ITEM
* ALSO AVAILABLE AS A NON-STOCK ITEM

Grizzly Bear Lite

PART NUMBER	SIZE	PADS/CASE
Round Pads		

NS 662610*	6-1/2"	5
NS 662610 15506	7-3/4"	5
NS 662610*	9"	5
NS 662610*	9-1/2"	5
NS 662610 09297	10"	5
NS 662610 08871	11"	5
NS 662610*	12"	5
NS 662610 10124	13"	5
NS 662610 10125	14"	5
NS 662610 09791	15"	5
NS 662610 09792	16"	5
662610 07792	17"	5
NS 662610 07793	18"	5
662610 07794	19"	5
662610 07795	20"	5
NS 662610 08588	20" (1/4"hole)	5
662610 07796	21"	5
NS 662610 08126	21" (1/4"hole)	5
NS 662610 08148	22"	5
NS 662610*	22" (1/4"hole)	5
NS 662610 10126	23"	5
662610 07797	24"	5
NS 662610 08127	24" (1/4"hole)	5
NS 662610*	25"	5
NS 662610 09160	26"	5
662610 07798	27"	5
662610 07799	27" (1/4"hole)	5
NS 662610 10643	28"	5
NS 662610 13859	31"	5
NS 662610*	32"	5

Thermal Burnish

PART NUMBER	SIZE	PADS/CASE
Round Pads		

NS 662610 15318	6-1/2"	5
NS 662610 03863	7-3/4"	5
NS 662610*	9"	5
NS 662610*	9-1/2"	5
NS 662610 19133	10"	5
NS 662610*	11"	5
NS 662610 07687	12"	5
NS 662610 55348	13"	5
NS 662610 05948	14"	5
NS 662610 03350	15"	5
NS 662610 02037	16"	5
662610 55347	17"	5
NS 662610 03332	18"	5
662610 55346	19"	5
662610 55345	20"	5
NS 662610 11237	20" (1/4"hole)	5
662610 55343	21"	5
NS 662610 05360	21" (1/4"hole)	5
NS 662610 55341	22"	5
NS 662610 05828	22" (1/4"hole)	5
NS 662610 10833	23"	5
NS 662610 55340	24"	5
NS 662610 07874	24" (1/4"hole)	5
NS 662610 05143	25"	5
NS 662610 05144	26"	5
662610 05145	27"	5
NS 662610 05827	27" (1/4"hole)	5
NS 662610 05146	28"	5
NS 662610 05147	31"	5
NS 662610 05148	32"	5



ULTRA HIGH SPEED BURNISHING PADS



Aqua Ultra High Speed Burnish

Engineered to produce the "wet-look" shine on soft to medium hardness finishes. This pad is an excellent general purpose pad and works especially well on metal-free finishes.



Mint Soft Burnish

The ultimate pad for top dressing floors to maintain the high luster "wet-look". Works exceptionally well for daily burnishing soft to medium floors in traffic areas.



Lite Blue Burnish

Flexible fibers and soft binders allow the pad to follow the contour of the floor, producing a high luster shine on soft to medium finishes.



Champagne Polish and Burnish

Soft binders combined with fine fibers create the highest gloss of any pad on the market. Use on machines 1500-2000 RPM on soft to medium finishes.



Aqua Ultra High Speed Burnish

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610*	6-1/2"	5
NS 662610 03864	7-3/4"	5
NS 662610*	9"	5
NS 662610*	9-1/2"	5
NS 662610 08504	10"	5
NS 662610 05736	11"	5
NS 662610 04868	12"	5
NS 662610 02551	13"	5
NS 662610 06080	14"	5
NS 662610 02552	15"	5
NS 662610 02553	16"	5
662610 02554	17"	5
NS 662610 02555	18"	5
662610 02556	19"	5
662610 02557	20"	5
NS 662610 03541	20" (1/4"hole)	5
662610 02558	21"	5
NS 662610 04890	21" (1/4"hole)	5
NS 662610 03048	22"	5
NS 662610 05828	22" (1/4"hole)	5
NS 662610 09696	23"	5
662610 04247	24"	5
NS 662610 04248	24" (1/4"hole)	5
NS 662610 05131	25"	5
NS 662610 05132	26"	5
662610 05133	27"	5
662610 02560	27" (1/4"hole)	5
NS 662610 05134	28"	5
NS 662610 05135	31"	5
NS 662610 05136	32"	5

Mint Soft Burnish

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 14150	6-1/2"	5
NS 662610 14151	7-3/4"	5
NS 662610 14152	9"	5
NS 662610 14153	9-1/2"	5
NS 662610 14154	10"	5
NS 662610 14155	11"	5
NS 662610 14156	12"	5
NS 662610 14157	13"	5
NS 662610 14158	14"	5
NS 662610 14159	15"	5
NS 662610 14160	16"	5
662610 14161	17"	5
NS 662610 14162	18"	5
662610 14163	19"	5
662610 14164	20"	5
NS 662610 14165	20" (1/4"hole)	5
662610 14166	21"	5
NS 662610 14167	21" (1/4"hole)	5
NS 662610 14168	22"	5
NS 662610*	22" (1/4"hole)	5
662610 14170	23"	5
662610 14171	24"	5
NS 662610 14172	24" (1/4"hole)	5
NS 662610 14173	25"	5
NS 662610 14174	26"	5
662610 14175	27"	5
NS 662610 14176	27" (1/4"hole)	5
NS 662610 14177	28"	5
NS 662610 14178	31"	5
NS 662610*	32"	5

Light Blue Burnish

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610 19258	6-1/2"	5
NS 662610 19259	7-3/4"	5
NS 662610 19260	9"	5
NS 662610 19261	9-1/2"	5
NS 662610 19262	10"	5
NS 662610 19263	11"	5
NS 662610 19264	12"	5
NS 662610 19265	13"	5
NS 662610 19266	14"	5
NS 662610 19267	15"	5
NS 662610 19268	16"	5
662610 19269	17"	5
NS 662610 19270	18"	5
662610 19271	19"	5
662610 19272	20"	5
NS 662610 19273	20" (1/4"hole)	5
662610 19274	21"	5
NS 662610 19275	21" (1/4"hole)	5
NS 662610 19276	22"	5
NS 662610 19277	22" (1/4"hole)	5
NS 662610 19278	23"	5
662610 19279	24"	5
NS 662610 19280	24" (1/4"hole)	5
NS 662610 19281	25"	5
NS 662610 19282	26"	5
662610 19283	27"	5
NS 662610 19284	27" (1/4"hole)	5
NS 662610 19285	28"	5
NS 662610 19286	31"	5
NS 662610 19287	32"	5

Champagne Polish and Burnish

PART NUMBER	SIZE	PADS/CASE
Round Pads		
NS 662610*	6-1/2"	5
NS 662610 03865	7-3/4"	5
NS 662610*	9"	5
NS 662610 10319	9-1/2"	5
NS 662610 51656	10"	5
NS 662610 05537	11"	5
NS 662610 51625	12"	5
NS 662610 57600	13"	5
NS 662610 00603	14"	5
NS 662610 57601	15"	5
NS 662610 57604	16"	5
662610 57607	17"	5
662610 57609	18"	5
662610 57610	19"	5
662610 57611	20"	5
NS 662610 05523	20" (1/4"hole)	5
662610 57612	21"	5
NS 662610 06385	21" (1/4"hole)	5
NS 662610 00604	22"	5
NS 662610 04704	22" (1/4"hole)	5
662610 00605	23"	5
662610 00606	24"	5
NS 662610 05527	24" (1/4"hole)	5
NS 662610 05137	25"	5
NS 662610 05138	26"	5
662610 05139	27"	5
NS 662610 57618	27" (1/4"hole)	5
NS 662610 05140	28"	5
NS 662610 05141	31"	5
NS 662610 05142	32"	5


NS NON-STOCK ITEM

* ALSO AVAILABLE AS A NON-STOCK ITEM

FOR ALL PADS ON PAGES 6 - 9:

9-1/2" DIAMETER AND SMALLER HAVE 2-3/4" REMOVAL CENTERPIECE.

UNLESS OTHERWISE INDICATED, ALL OTHER DIAMETERS HAVE A 3-1/4" REMOVAL CENTERPIECE.



tip Swirling and powdering are the result of a floor pad that is too aggressive for the floor finish. Move to a softer, less aggressive floor pad. If scuff marks and scratches are not being removed, move to a more aggressive pad.



Conditioning Pads

These 1/4" thick pads are manufactured with the finest fibers, resins and abrasives to allow multiple levels of surface blending of waterbased urethanes on hardwood floors.



Maroon Heavy Duty Pad

Aggressive pad designed for surface smoothing of wood fibers raised by waterbased sealers and finishes.



Dark Maroon General Purpose Pad

Designed for deburring, smoothing, cleaning and general surface conditioning of wood floor surfaces between coats of waterbased or solvent-based finishes.



Gray Light Buffing Pad

Ultra fine for cleaning and light conditioning prior to final coating.



White Super 54 Pad

A non-abrasive pad used as a general purpose driver pad on orbital sanders, usually with PSA sanding sheets or screens. Due to the softness of the pad, abrasive products leave less of a scratch pattern.



Available in our Dark Maroon Conditioning pads. Get more with this perforated pad. The 7" disc is easily removed for use on a edger machine or simply as a hand pad, while the 16" pad is used on standard floor machines.

Round Pads

PART NUMBER	GRIT	PADS/CASE
16" Diameter		
662610 02056	Medium/Maroon	10
662610 02055 P	Very Fine/Dark Maroon	10
662610 02054	Ultra Fine/Gray	10
18" Diameter		
NS 662610 02220	Medium/Maroon	10
662610 02218 P	Very Fine/Dark Maroon	10
662610 02217	Ultra Fine/Gray	10
20" Diameter		
NS 662610 15689	Medium/Maroon	10
662610 14691 P	Very Fine/Dark Maroon	10
662610 15083	Ultra Fine/Gray	10

P PERFORATED PADS

Rectangular Pads

PART NUMBER	GRIT	PADS/CASE
12" x 18" (Squar-Buff, Clarke, Deva, Silverline)		
662610 06547	White Super 54	5
662610 09217	Very Fine/Dark Maroon	10
662610 09218	Ultra Fine/Gray	10
14" x 20"		
NS 662610 48383	Medium/Maroon	10
NS 662611 89205	Very Fine/Dark Maroon	10
NS 662611 89206	Ultra Fine/Gray	10

NS NON-STOCK ITEM
OTHER SIZES AVAILABLE, CONTACT CUSTOMER SERVICE

PART NUMBER	GRIT	PADS/CASE
14" x 28"		
NS 662610 48390	Medium/Maroon	10
NS 662610 52644	Very Fine/Dark Maroon	10
NS 662610 52646	Ultra Fine/Gray	10
14" x 32"		
NS 662610 69740	Medium/Maroon	10
NS 662610 52645	Very Fine/Dark Maroon	10
NS 662610 52647	Ultra Fine/Gray	10

Maroon Enviro Stripping Pads

These 1/4" pads are designed with a flexible web allowing more pad-to-surface contact. The high-quality abrasive grain provides a uniform cut to remove old finish with minimal work. This fiber and abrasive combination, when used with only water, creates the perfect green solution to stripping applications.



Strips with Water

Resilient construction, with a uniform web for consistent strip pattern. Premium aluminum oxide grain lasts longer and cuts faster. Ideal for residential and institutional areas concerned with use of conventional toxic chemical strippers.

NEW



Round Pads

PART NUMBER	SIZE	GRIT	PADS/CASE
NS 662610 67531	12"	Very Fine	10
NS 662610 69129	13"	Very Fine	10
NS 662610 69130	14"	Very Fine	10
NS 662610 69131	17"	Very Fine	10
NS 662610 69132	20"	Very Fine	10

Rectangular Pads

PART NUMBER	SIZE	GRIT	PADS/CASE
NS 662610 65892	14 x 20"	Very Fine	10
NS 662610 65894	14 x 28"	Very Fine	10
NS 662610 65896	14 x 32"	Very Fine	10

NS NON-STOCK ITEM
OTHER SIZES MAY BE AVAILABLE. CONTACT CUSTOMER SERVICE.



HAND AND UTILITY PADS



Non-Woven Hand Pads

A complete offering from non-abrasive polishing pads to aggressive, heavy duty cleaning pads. Hand and utility pads are made from a non-woven, nylon fiber web that can be surface coated or completely impregnated with abrasive grain and bonded with synthetic resins. The unique manufacturing process produces a uniform dispersment of abrasive grain throughout the web for consistent coverage.



Perforated for convenience. Use in palm size or full size. No cutting is required – just tear along the perforation.

Non-Woven Utility Pads

Tough and resilient, Norton utility pads resist snagging or tearing and will not shred. Additionally, they can be used wet or dry, will not rust, oxidize or cause metal contamination.



HAND AND UTILITY PADS

HAND PAD RECOMMENDATIONS

LEAST AGGRESSIVE



White: 98/456 Cleaning Pad / Light Duty

The mildest acting, non-abrasive pad for cleaning sinks, tubs, showers, porcelain bowls, countertops, vinyl and plastic upholstery.



Green: 96/668 Clean and Scour / General Purpose

A medium grade pad used for scouring pots, pans, broilers and ovens; removing rust and corrosion; and cleaning persistent marks from walls and baseboards.



Dark Green: 86/616 Clean and Scour / Heavy Duty

Excellent coarse grade pad for removing excessive grease and burned-on foods from pots, pans, ovens and broilers, as well as removing rust and corrosion.



Black: 614 Stripping Pad/Heavy Duty

Extremely aggressive coarse grade pad ideal for baseboard cleaning of wax build-up. Also good for cleaning griddles and other heavy duty jobs.



Maroon: 707 General Duty

Heavy-duty fine grade pad used when industrial solvents are needed when cleaning, i.e. MEK.

MOST AGGRESSIVE

Hand Pads

PART NUMBER	PAD NO.	PADS/CASE
6" x 9" x 1/4"		
662610 59384	98/456	60 (6 boxes of 10)
662610 59395	96/668	60 (6 boxes of 10)
662610 52208	96/668	60 (bulk packed)
662610 59393	86/616	60 (6 boxes of 10)
662610 52209	614	60 (6 boxes of 10)
662610 59400	707	60 (3 boxes of 20)
4" x 25" x 1/4"		
NS 662610 52210	Stripping	25 (1 box of 25)

NS NON-STOCK ITEM



Hand Pad Holder

PART NUMBER	DESCRIPTION	QTY/CASE
662610 47583	Holder	10

UTILITY PAD RECOMMENDATIONS

LEAST AGGRESSIVE



White

Light cleaning applications – non-abrasive



Red

General purpose cleaning pad



Blue

Designed for medium duty cleaning



Black

Stripping of light finish buildup and scuff or heel marks



Ultra Blue Striper

For very aggressive stripping in less time

MOST AGGRESSIVE

Utility Pads

PART NUMBER	COLOR	PADS/CASE
4-5/8" x 10"		
662610 59413	White	20 (4 Boxes of 5)
662610 59381	Red	20 (4 Boxes of 5)
662610 59382	Blue	20 (4 Boxes of 5)
662610 52211	Black	20 (4 Boxes of 5)
662610 52207	Black Hi-Pro	20 (4 Boxes of 5)
662610 17424	Ultra Blue Striper	20 (4 Boxes of 5)



Utility Pad Holders / Kit

PART NUMBER	DESCRIPTION	QTY/CASE
Utility Pad Holder		
662610 59431	Swivel Attachment	10
Utility Pad Kit		
662610 59411	Pad Swivel Holder Kit 1 Swivel Holder, 1 Black Pad and 1 White Pad	4

Micro-Fiber Products

Use the micro-fiber products dry for general cleaning. To remove spills, stains or grime, lightly dampen the product for best results. All micro-fiber products can be used with or without chemicals. Micro-fiber products can be washed up to 300+ times without losing cleaning and trapping abilities. Micro-fiber products save you labor time and additional costs of multiple cleaning products and chemicals.



Cleaning Cloth (Blue)

Used for general wet or dry applications. Works best when sprayed with a light water mist to deep clean.

Dry Tack/Dusting Cloth (Red)

Low profile to resist snagging and help pick up embedded debris. This cloth is used in a dry dusting application.

Polishing Cloth (Yellow)

Streak-free cleaning of mirrors, optical lens and high polishing items.



Mop Kit

Makes conventional mops outdated! Using the micro-fiber mop and floor cleaner as a cleaning system after floor installations provides the best, most cost effective way to remove grease, oil and dirt to leave wood floors with a glistening shine. Also ideal for ongoing daily cleaning of dust and spills.



Floor Cleaner



Unique formula dries fast with no residue on hardwood, laminate and tile. Rejuvenates shine and protects floor from dulling in high traffic areas.



Carpet Spin Bonnets – Double-Sided

These pads are super absorbent and can be used on both sides for longer lasting use before laundering. Recommended on low speed machines of 175-350 RPM. With the multiple washings abilities, these products will outlast their traditional counterparts.

WHILE SUPPLIES LAST!



Micro-fiber is a single fiber with a thickness less than a human hair that has been split 16 times and woven into various products. The surface area of the micro-fiber product is increased over 15 times, creating millions of spaces between the fibers which trap dirt, grime or liquids, making this product one of the most absorbent materials.

These "V" shape splits, while less than a micron in size, have edges that collect debris as opposed to pushing debris away. The particles are trapped in between the fibers and can be rinsed or machine washed to release heavily embedded particles.

Micro-Fiber Cloths

PART NUMBER	SIZE	QTY
Cleaning Cloth (Blue)		
076607 03883	16" x 16"	12
076607 05300	16" x 16"	20
DryTack Cloth (Red)		
076607 06038	16" x 16"	12
076607 04025	16" x 16"	20
Polishing Cloth (Yellow)		
076607 03885	16" x 16"	12
076607 05301	16" x 16"	20

Micro-Fiber Mop

PART NUMBER	SIZE	QTY
Mop Kit		
662610 15395	4" x 16"	9
Kit contains swivel/ threaded telescopic aluminum pole, mop head, micro-fiber pad and floor cleaner.		
Refill Pad		
662610 15394	5" x 18"	10

Floor Cleaner

PART NUMBER	SIZE	QTY
076607 04152	32 oz.	6

Carpet Spin Bonnets

PART NUMBER	SIZE	QTY
662610 15385	17"	2
662610 15386	19"	2
662610 15387	20"	2



tip

Micro-fiber is virtually scratch resistant but may pick up debris that can scratch. Clean micro-fiber products often for best results.



Commercial Cellulose Sponges

Cellulose sponges are made of durable, high quality cellulose. These sponges will hold many times their own weight in liquids, which gives you maximum absorbency for spills or carrying cleaning solutions. Sponges are available in three convenient sizes for any application.



2-in-1 Erasing/Cleaning Pad

One side white melamine foam to clean virtually any surface of marks or scuffs without chemicals or sprays - ink, crayon, soap scum, etc. One side blue polyester foam to wipe away residue. Toss when melamine is degraded.

Non-Woven Sponges



#63/875 Clean 'N Sponge Light Duty

Cellulose sponge carries water or cleaning solution to the job and later wipes up residue. Excellent for cleaning vitreous china sinks, tubs, toilets, ceramic, plastic and rubber, tile countertops, desks, screens, etc. Non-woven material has gentle cleaning action.



#74/893 Scour 'N Sponge General Purpose

Cellulose sponge carries water or detergent to the job surface. Extra strong non-woven material scours, scrubs and cleans the area. Sponge carries residue away. Excellent for cleaning stoves, counters, cooking utensils, ceilings and walls.

Commercial Cellulose Sponges

PART NUMBER	SIZE	PADS/CASE
662610 14640	6" x 3-1/2" x 1"	24
662610 14641	6" x 3-1/2" x 1"	48
662610 14643	6" x 4-1/4" x 1-1/2"	24
662610 14642	6" x 4-1/4" x 1-1/2"	48
662610 14644	7" x 4-1/4" x 2"	24
662610 14645	7" x 4-1/4" x 2"	48

Erasing / Cleaning Pad

PART NUMBER	SIZE	PADS/CASE
076607 05407	4-1/2" x 2-1/2" x 1-1/4" Melamine	6
076607 05406	4-1/2" x 2-1/2" x 1-1/4" Melamine	20

Non-Woven Sponge Pads

PART NUMBER	SIZE	PADS/CASE
Clean 'N Sponge Light Duty		
662610 59402	3-1/4" x 6-1/4" x 1" White	40 (4 Boxes of 10)
Scour 'N Sponge General Purpose		
662610 59403	3-1/4" x 6-1/4" x 1" Green	40 (4 Boxes of 10)

SCRUBBING PADS



Pot and Pan Scrubber 881

The pot and pan scrubber utilizes heavy fibers and an open weave to help create an aggressive pad for cleaning stubborn baked-on messes.



Fine Cleaning Pad 9031

The thick, non-abrasive, fine cleaning pad is designed for gentle cleaning of delicate surfaces.



Stainless Steel Scrubber SS50G

A #300 series scrubber of the longest lasting stainless steel that will not rust or splinter.



Easy Cleaner Sponge 340

Plastic coated sponge with mildly aggressive scrubbing action for cleaning non-stick pans, sinks and appliances.

Grill/Griddle Screen, Pad and Holder



Open Mesh Griddle Screen

Ideal for use during heavy-duty cleaning of burnt on grease and food build-up.

Griddle Pad 464

Used in conjunction with the griddle screen and plastic holder for added life to the screen. Polishes grills when used without griddle screen.

Heat-Resistant Holder

Designed specifically for use with the griddle screen and polishing pad.

Heavy Duty Pot and Pan Scrubber 881

PART NUMBER	SIZE	PADS/CASE
662610 55388	3-1/2" x 5"	40

Fine White Cleaning Pad 9031

PART NUMBER	SIZE	PADS/CASE
662610 15346	3-1/2" x 5"	40

Stainless Steel Scrubber SS50G

PART NUMBER	SIZE	PADS/CASE
662610 16505	3" Diameter	72

Easy Cleaner Sponge 340

PART NUMBER	SIZE	PADS/CASE
662610 17182	3" x 4-3/4"	24

Grill/Griddle Screen, Pad and Holder

PART NUMBER	SIZE	PADS/CASE
Grill/Griddle Screen		
076607 03201	4" x 5-1/2"	100
Grill/Griddle Polishing Pad 464		
662610 16497	4" x 5-1/4"	40
Grill/Griddle Screen Holder		
662610 47583	3-1/4" x 5-1/2"	10



NEW

Large Diameter Screen Discs

Screen products can be used on a variety of surfaces such as hardwood floors, natural stone surfaces, and concrete. They may be used wet or dry and are recommended for use on low speed machines which operate at 175 – 350 RPM. The uniform open mesh construction of our screen products combined with our superior coating and bonding technologies, helps produce an exceptional finished product with long life and better performance.




Norton SG Red Heat

100% patented SG (Seeded Gel) ceramic alumina grain combined with long life provides a consistent cut and finish over the life of the screen, virtually eliminating the risk of burnishing the wood.



Durite

100% silicon carbide grain bonded to an inter-woven polyester knit backing provides increased durability and life. Full resin bond provides excellent grain retention.



Silicon Carbide

Silicon carbide abrasive in a cost effective design offers outstanding combination of performance and value.



Screen Driver Pads

Designed specifically for driving sanding screens. Unique design prevents slippage for improved product life, cut, and finish. Minimizes dish out of soft grain. Use the pad by itself to buff on stain under a rotary buffer as the pad will hold and disperse stain evenly over the floor without slinging.

Features and Benefits

- Tough screen backing
- Extremely fast cut rate
- Extremely long life
- Coarse grits available in 80 to 150 grits
- Can use both sides of disc – rinse and reuse until worn.



SCREEN DISC PERFORMANCE GUIDE

PRODUCT	PERFORMANCE
Norton SG Red Heat	Best choice for maximum life and productivity with exclusive product technology
Durite	Better choice for superior performance at conventional market price
Silicon Carbide	Good choice for quality and value with consistent performance and low initial price



tip

Screens can be rinsed and reused to prolong sanding life. Rinsing the screens removes any debris or build up in the screen, exposing a fresh cutting surface.



Norton SG Red Heat Round Discs

PART NUMBER	GRIT	PKG / CASE
15" Diameter		
662610 26292	150	10
662610 26293	120	10
662610 26295	100	10
662610 26296	80	10
16" Diameter		
662610 26297	150	10
662610 26299	120	10
662610 26300	100	10
662610 26301	80	10
17" Diameter		
662610 26302	150	10
662610 26303	120	10
662610 26304	100	10
662610 26305	80	10
18" Diameter		
662610 26306	150	10
662610 26307	120	10
662610 26308	100	10
662610 26309	80	10
20" Diameter		
662610 26311	150	10
662610 26312	120	10
662610 26313	100	10
662610 26314	80	10

Screen Driver Pads

PART NUMBER	COLOR	PKG / CASE
15" x 1/4" Diameter		
662610 18833 NS	White	10
16" x 1/4" Diameter		
662610 16968 NS	White	10
17" x 1/4" Diameter		
662610 17116 NS	White	10
18" x 1/4" Diameter		
662610 18834 NS	White	10
19" x 1/4" Diameter		
662610 17117 NS	White	10
20" x 1/4" Diameter		
662610 17118 NS	White	10

Durite Round Discs

PART NUMBER	GRIT	PKG / CASE
15" Diameter		
662611 21490	220	10
662611 20508	180	10
662611 20509	150	10
662611 20510	120	10
662611 20511	100	10
662611 20512	80	10
662611 20513	60	10
16" Diameter		
662611 23032	220	10
662611 20514	180	10
662611 20515	150	10
662611 20516	120	10
662611 20517	100	10
662611 20518	80	10
662611 20519	60	10
17" Diameter		
NS 662611 31726	220	10
662611 20520	180	10
662611 20521	150	10
662611 20522	120	10
662611 20523	100	10
662611 20524	80	10
662611 20525	60	10
18" Diameter		
662611 31727	220	10
662611 20526	180	10
662611 20527	150	10
662611 20528	120	10
662611 20529	100	10
662611 20530	80	10
662611 20531	60	10
19" Diameter		
NS 662611 20532	180	10
NS 662611 20533	150	10
662611 20534	120	10
662611 20535	100	10
662611 20536	80	10
662611 20537	60	10
20" Diameter		
NS 662611 20538	180	10
662611 20539	150	10
662611 20540	120	10
662611 20541	100	10
662611 20542	80	10
662611 20543	60	10

Silicon Carbide Round Discs

PART NUMBER	GRIT	PKG / CASE
15" Diameter		
662611 57321	120	10
662611 57320	100	10
662611 57319	80	10
662611 57318	60	10
16" Diameter		
662611 48894	220	10
662611 48895	180	10
662611 48896	150	10
662611 48897	120	10
662611 48898	100	10
662611 48899	80	10
662611 48900	60	10
17" Diameter		
662611 48901	180	10
662611 48902	150	10
662611 48903	120	10
662611 48904	100	10
662611 48905	80	10
662611 48906	60	10
18" Diameter		
662611 57331	120	10
662611 48907	100	10
662611 48908	80	10
662611 48909	60	10
19" Diameter		
662611 57335	120	10
662611 57334	100	10
662611 57333	80	10
662611 57332	60	10
20" Diameter		
662611 48910	120	10
662611 48911	100	10
662611 48912	80	10
662611 48913	60	10

Silicon Carbide Rectangular Sheets

PART NUMBER	GRIT	PKG / CASE
14" x 20"		
NS 662544 48368	400	10
NS 662544 48367	320	10
NS 662544 48365	220	10
NS 662544 48365	180	10
NS 662611 99170	150	10
NS 662611 99169	120	10
NS 662611 99168	100	10
NS 662611 99167	80	10
NS 662611 99166	60	10
14" x 28"		
NS 662611 83314	400	10
NS 662611 83313	320	10
NS 662611 83312	220	10
NS 662611 83311	180	10
NS 662611 83310	150	10
NS 662611 83309	120	10
NS 662611 83308	100	10
NS 662611 83307	80	10
NS 662611 83306	60	10
14" x 32"		
NS 662611 83323	400	10
NS 662611 83322	320	10
NS 662611 83321	220	10
NS 662611 83320	180	10
NS 662611 83319	150	10
NS 662611 83318	120	10
NS 662611 83317	100	10
NS 662611 83316	80	10
NS 662611 83315	60	10

ADDITIONAL SIZES AVAILABLE AS NON-STOCK. PLEASE INQUIRE.
12", 13", 14", 21" AND 22" DIAMETER

NS NON-STOCK ITEM



tip BUFFING ON STAIN

Buffing on stain is a technique that is gaining in popularity due to the time savings over traditional methods and the use of fewer materials, like rags and stain.

Our screen driver pads in tandem with our maroon conditioning pads create the perfect system for applying stain with a rotary buffer. The unique design of the screen driver pad allows it to hold and apply stain evenly on the floor without slinging.

The maroon pad (with 7" center removed) is placed on top of the screen driver pad. This center hole creates a "trough" where the stain is poured. This system is then driven with either a screen driver or maroon pad on the buffer drive plate. The screen driver and maroon pad remain on the floor during the process. The operator only needs to tip back the buffer to add more stain to the "trough." This makes for less mess.

Typical Process

- Edges are cut in and wiped off by hand in appropriate size section of floor
- Stain is applied to main section of floor with buffer
- A clean screen driver pad is put on the buffer to buff off excess stain left on floor
- Move to next section of floor

Note:

- Not all stain can be applied with this method, check with stain manufacturer
- Do not work to large of an area to avoid lap marks
- Dispose of used pads properly, they are flammable

BETWEEN COATS

Don't over use your abrasive product when abrading between coats of finish. A worn out abrasive will still dull the surface, but it may not be putting the proper scratch into the finish to get a good mechanical bond for the next coat of finish. If the surface isn't abraded properly, you can wind up with finish peeling, flaking and chipping. It's a lot less expensive to use a few more abrasive products on the job than to go and re-sand a job because of finish failure.



NEW

Floor Diamond Maintenance Pads

Offer a variety of uses on concrete and natural stone floors. From deep cleaning to regular maintenance cleaning, these pads are the answer to your floor finishing issues. Made with a robust interlocking web, they are designed to withstand the harsh applications of concrete and natural stone floor maintenance. Available in a wide grit range permitting light maintenance to a final shine for most routine maintenance programs on all machine types. High quality diamond and a supreme bonding system allow the pads to take a dull floor and pop a mirror gloss shine.



Coarse

Perfect for cleaning and resurfacing concrete or natural stone floors. Works very well on floors that are very dirty with light surface scratches. The coarse grit pad should be followed by the medium pad.



Medium

The second step to resurfacing a natural stone or concrete floor following the coarse pad. It can also be the starting pad if the floor is slightly dirty with faint surface scratches.



Fine

The third step in the resurfacing of a natural stone or concrete floor following the medium grit. Can also be used as a maintenance pad on most surfaces to keep the shine of the floor on a regular basis.



Very Fine

The final step in the resurfacing of a natural stone or concrete floor following the fine grit. Is also recommended for ongoing maintenance of the floor to maintain a regular shine.

Diamond pads are back-printed with grit and number sequence.

Features and Benefits

- No harsh chemicals required
- System can be used with an auto scrubber, even dry
- No need for specialized contractors to perform the cleaning process
- Provides a more consistent finish on a variety of surfaces
- Minimizes heat build-up on dry applications resulting in a higher gloss



DIAMOND PAD PERFORMANCE DATA

PAD	GRIT	TIME LASTED	AREA POLISHED
Coarse	500	3 hrs 30 min	23,589 sq. ft
Medium	1000	6 hrs 50 min	48,589 sq. ft
Fine	1500	9 hrs 10 min	64,777 sq. ft
Very Fine	3000	9 hrs 10 min	64,777 sq. ft

INTERNAL TESTING PERFORMED ON A POLISHED CONCRETE FLOOR.

DEEP OR REGULAR CLEANING

After cleaning the floor by normal wet/dry method, the condition of the floor will determine the coarseness of the diamond pad to use. If the floor is very dirty with several surface scratches, the coarse diamond pad should be used to work across the floor. It may take four or five passes for lighter machines and possibly less with heavier machines, depending on the floor. If the floor is only slightly dirty with light/minimal surface scratches, start with the medium diamond pad, following the same process above, and scratches should become significantly reduced with a smoother, cleaner finish.

SHINE AND MAINTENANCE

The desired level of shine will determine the proper pad selection. To achieve a gloss finish, choose the fine diamond pad on a high speed buffer machine. To achieve a high-gloss mirror-finish, choose the very fine diamond pad. To maintain the desired shine level, use the final grit diamond maintenance pad on a regular basis on your auto scrubber or buffer machine. This could be as little as once per week, depending upon the level of traffic, and should be done in conjunction with your normal cleaning process.

Coarse

PART NUMBER	SIZE	PADS/CASE
701846 29540	7"	5
701846 29544	13"	5
701846 29548	14"	5
701846 28568	16"	5
701846 28569	17"	5
701846 28570	18"	5
701846 28571	20"	5
701846 28572	24"	5
701846 29009	27"	5

Medium

PART NUMBER	SIZE	PADS/CASE
701846 29541	7"	5
701846 29545	13"	5
701846 29549	14"	5
701846 28573	16"	5
701846 28574	17"	5
701846 28575	18"	5
701846 28576	20"	5
701846 28577	24"	5
701846 29010	27"	5

Fine


PART NUMBER	SIZE	PADS/CASE
701846 29542	7"	5
701846 29546	13"	5
701846 29550	14"	5
701846 28578	16"	5
701846 28579	17"	5
701846 28580	18"	5
701846 28581	20"	5
701846 28582	24"	5
701846 29011	27"	5

Very Fine

PART NUMBER	SIZE	PADS/CASE
701846 29543	7"	5
701846 29547	13"	5
701846 29551	14"	5
701846 28583	16"	5
701846 28584	17"	5
701846 28585	18"	5
701846 28586	20"	5
701846 28587	24"	5
701846 29012	27"	5



tip Floor Diamond Maintenance Pads are ideal on marble and terrazzo for both deep cleaning/renovating and standard maintenance to keep the shine. However, these pads are not recommended for granite.



NEW

Surface Strip and Prep Pad

This floor pad is specifically designed for removing existing finishes or creating a “bite” surface for a new sealer. A specialized manufacturing process allows the abrasive grain and bond to be evenly dispersed throughout the web, enhancing pad life under extreme conditions of hard floor surface cleaning. The self-cleaning high quality abrasive grain combination allows the pad to evenly clean and strip while producing a floor surface that is ready for specified finish. Increase production by using in conjunction with diluted stripping products.



Strip/Prep

Tough web construction for removal of heavy grime or light surface grinding with lower overall cost compared to normal floor pad usage and performance. Can be used wet or dry.



NATURAL STONE CARE

FOR USE ON CONCRETE ONLY


Surface Strip and Prep Pad

PART NUMBER	SIZE	PADS/CASE
NS 662611 98600	17"	5
NS 662611 98602	20"	5


FLOOR MAINTENANCE RECOMMENDATIONS

Recommendations on cleaning and polishing are based on average results and may vary based on machine pressure and floor condition. Adjust as needed for job at hand.


STEP 1

DESCRIPTION	MACHINE	APPLICATION
 <p>COARSE DIAMOND PAD 500 grit</p> <p>MEDIUM DIAMOND PAD 1000 grit</p>	Weighted or standard slow speed	Initial restoration steps for natural stone and concrete
		Wet or dry (wet reduces dust) Start with Coarse Pad if floors are very dirty and have light surface scratches Start with Medium Pad if floors are slightly dirty and have only surface scratches

STEP 2


 <p>FINE DIAMOND PAD 1500 grit</p> <p>VERY FINE DIAMOND PAD 3000 grit</p>	Weighted or standard high speed	Final gloss Scheduled maintenance
	Auto scrubber	Wet or dry (dry produces best shine) Fine Diamond Pad to achieve satin or gloss finish Very Fine Diamond Pad to achieve mirror gloss finish

STEP 3

 <p>RESTORER Chemical Polish</p> <p>REFURBISHER Mop 'N Buff Treatment</p>	Weighted or standard high speed	Use of chemicals will help enhance, protect and maintain floor even better than polishing with diamond pads alone RESTORER: Helps Restore the “Wet Look” to floors that have previously been polished REFURBISHER: Maintenance Product that helps to maintain final shine
	Auto scrubber	

SEE PAGE 18 FOR FLOOR CHEMICAL PRODUCT OFFERING.

PREPARATION FOR CONCRETE FLOORS ONLY

 <p>SURFACE STRIP & PREP PAD 36 grit</p>	Weighted slow speed	Removal of topical floor coatings for restoration Paints, epoxy, crystallizers, and mastic Wet or dry (wet reduces dust)
--	---------------------	--



NEW

Floor Coatings

Norton Abrasives has partnered with Convergent Concrete Technologies to enhance our Natural Stone Care product line by introducing a line of co-branded floor coatings. They are environmentally-friendly and require no special or hazardous disposal methods. Each unique formula configuration provides a finish that protects against stains and surface wear, prolonging the life of the floor.



Impregnator (HD)

Hardener/Densifier for use in the grinding and polishing process (metal/resin bonded abrasives) of concrete and terrazzo surfaces. Ideal for repolishing and restoring worn and damaged surfaces.



Impregnator Plus (HDS)

Color shielding hardener/densifier/sealer for polishing and/or high speed burnishing of integrally colored concrete, dyed and acid-stained concrete.



Protector (Pourous)

Advanced, high gloss, stain and wear protection surface hardener for porous, semi-honed surfaces (250-800 grit profiles). Provides an attractive, high-gloss finish on semi-polished concrete, factory-finished stone and terrazzo floors.



Protector (Non-Porous)

Advanced, high gloss, stain and wear protection finish for non-porous, highly polished surfaces (1500 grit profiles and above). Great for protecting newly polished concrete, factory-finished stone and terrazzo floors.




Refurbisher (Mop 'N Buff)

High speed microfiber mop-down gloss treatment for use with diamond-impregnated pads.



Restorer (Chemical Polish)

High gloss protective stain treatment that delivers a rapid shine development with increased abrasion and stain protection. Restores the "wet look" to polished or finished concrete floors.



One of the industry's most environmentally-friendly coatings. They conform to "Green Leaf/ LEED Qualifying." No special or hazardous disposal methods are required.



tip

Chemicals need to be applied in thin even layers on the floor surface. Depending on coverage area, you may want to apply chemical with pump up or low pressure sprayer. We recommend that once the chemical is sprayed on to the floor, that a predampened micro-fiber pad is used to ensure that the surface is completely covered and chemical is spread consistently and evenly on floor surface.

Impregnator (HD)

PART NUMBER	SIZE	QTY
701846 30564	1 Gallon	1
701846 30565	5 Gallon	1

Impregnator Plus (HDS)

PART NUMBER	SIZE	QTY
701846 30566	1 Gallon	1
701846 30567	5 Gallon	1

Protector (Porous)

PART NUMBER	SIZE	QTY
701846 30568	1 Gallon	1
701846 30569	5 Gallon	1

Protector (Non-Porous)

PART NUMBER	SIZE	QTY
701846 30570	1 Gallon	1
701846 30571	5 Gallon	1

Refurbisher (Mop 'N Buff)

PART NUMBER	SIZE	QTY
701846 30572	1 Gallon	1
701846 30573	5 Gallon	1

Restorer (Chemical Polish)

PART NUMBER	SIZE	QTY
701846 30574	1 Gallon	1
701846 30575	5 Gallon	1





NEW

Resin Bonded Diamond Tools

Norton offers three quality tiers of resin bonded tools. The 6 Dot are an economical solution for both price and performance. T2 perform excellently on floors already leveled leaving a matte finish with reduced polishing steps. And our High Performance tooling is far more superior to anything in the market today for achieving a mirror shine. Whether you are doing a weekend project at home or a professional contractor, Norton has a diamond tool to meet your expectations.



6 Dot Tools

The 6 Dot Resin bonded diamond tools are our standard offering for concrete polishing. Offered in 100 – 1500 grit these tools will provide a superior finish and long life. The 6 Dot are also very good for harder aggregates with the unit pressure of the tools polish even the hardest floors.



T2 Polishing Tools

T2 tools are a combination of metal and resin bonded diamond. They will both grind and polish the floor simultaneously. Ideal for jobs where the floor is very good condition or an ultra shine is not necessary. The T2 allows you to grind and polish the floor in fewer steps than the conventional system.



High Performance Tools

The High Performance Resin bonded tools offer superior gloss and product life. The unique all resin/diamond construction of the High Performance tooling allows you to polish at the highest speeds on the heaviest machines. You can polish faster with gloss results second to none.



5" Resin Bonded Edging Tools

The 5" hook & loop resin bonded edging discs are ideal for hard to reach areas and outer perimeters of the job. Offered in grits 60 – 3000 the discs will provide same finish as our 6 Dot and High Performance tooling.



PVC Conversion Plate

The hook & loop conversion pad is designed to take either the 6 Dot or High Performance resin bonded tooling. With hook material on the back of the conversion plate it can be attached to any machine that uses a hook & loop system for applying resin bonded tools.



NATURAL STONE CARE

RESIN BONDED TOOL GRIT SIZES

GRIT / COLOR	APPLICATION
6 DOT TOOLS AND HIGH PERFORMANCE TOOLS	
100 Grit (Black)	Initial grit after 120 grit grinding stage. Leaves a matte finish.
200 Grit (Blue)	Follows the 100 grit and leaves a closed matte finish.
400 Grit (Red)	Follows the 200 grit and will leave a honed/silk finish.
800 Grit (White)	Follows the 400 grit and will leave an economical, light reflective finish most popular in large area industrial and commercial applications.
1500 Grit (Yellow)	Follows the 800 grit, producing a clear reflective shine, with reduced swirl effect. Ideal for decorative surfaces.
T2 POLISHING TOOLS	
40 Grit (Gray)	Initial polishing following coarse metal bond tool.
80 Grit (Orange)	Initial polishing following 40 grit metal bond tool or first cut on smooth concrete floor.
120 Grit (Black)	Initial polishing tool following 80 Grit metal bond tool or first cut on smooth concrete floor.

6 Dot Tools

PART NUMBER	GRIT/COLOR	QTY
701846 28551	100 / Black	9
701846 28552	200 / Blue	9
701846 28553	400 / Red	9
701846 28554	800 / White	9
701846 28555	1500 / Yellow	9

T2 Polishing Tools

PART NUMBER	GRIT/COLOR	QTY
701846 28548	40 / Gray	9
701846 28549	80 / Orange	9
701846 28550	120 / Black	9

High Performance Tools

PART NUMBER	GRIT/COLOR	QTY
701846 28556	100 / Black	9
701846 28557	200 / Blue	9
701846 28558	400 / Red	9
701846 28559	800 / White	9
701846 28560	1500 / Yellow	9

5" Edging Tools

PART NUMBER	GRIT	QTY
701846 28561	60	1
701846 28562	100	1
701846 28563	200	1
701846 28564	400	1
701846 28565	800	1
701846 28566	1500	1
701846 28567	3000	1

PVC Conversion Plate

PART NUMBER	SIZE	QTY
701846 29013	270 x 5mm	1



NEW

NATURAL STONE CARE

Metal Bonded Grinding Tools

Norton offers a full line of metal bonded diamond tools for grinding and flattening any hardness of concrete. The tools have been designed to work together with the Norton resin polishing tools to give the finest polished surface possible with maximum tool life.




Extremely Hard Surface

Ideal for grinding floors that contain very hard aggregate such as flint, granite and chert and/or have very high in PSI rating. The focused contact pressure helps the tools utilize the diamond to its fullest capacity on these hard, dense surfaces.



Very Hard Surface

The 2 segment metal bonded diamond tools are perfect for concrete with the hardest aggregates. The focused unit pressure per tool makes the diamond matrix cut aggressively in the most challenging applications.



Medium / Hard Surface

The 3 segment metal bonded diamond tools work very well on medium to hard concrete. The lighter unit pressure allows the tooling to cut freely while not removing excess material too quickly.



Soft Surface

The 4 segment metal bonded tools offer the lightest unit pressure for softer concrete applications. In areas with very soft aggregates this tooling will grind the surface flat without prematurely wearing away due to the abrasiveness of the softer concrete.



METAL BONDED TOOL GRIT SIZES

GRIT / COLOR	APPLICATION
30 Grit (Gray)	Coating removal of 0.5 - 10 mm. First-stage tool for polishing a rough concrete slab.
80 Grit (Orange)	Initial polishing tool for new concrete. Will prepare surface for acid staining or thin sealants.
120 Grit (Black)	The final grit prior to changing to resin polishing tools or where a smooth open concrete surface is required.

Extremely Hard Surface

PART NUMBER	GRIT	QTY
701846 30043	30	9
701846 30044	80	9
701846 30045	120	9

Very Hard Surface

PART NUMBER	GRIT	QTY
701846 28535	30	9
701846 28536	80	9
701846 28537	120	9

Medium / Hard Surface

PART NUMBER	GRIT	QTY
701846 28538	30	9
701846 28539	80	9
701846 28540	120	9

Soft Surface

PART NUMBER	GRIT	QTY
701846 28541	30	9
701846 28542	80	9
701846 28543	120	9



Edge Grinding Disc

The 7" Edger Pad is manufactured with the same diamond content and bond system as our large machine tooling and is ideal for perimeter work and hard-to-reach areas. The 5/8-11 arbor fits most 7" right angle grinders.



PCD Tool

The ultra aggressive PCD tool is designed for the removal of coatings and adhesives prior to coating or polishing. The tool is designed with a depth plate to prevent the PCD from gouging the floor.



Conversion Plate

The unique metal bonded conversion plate is machined to securely hold our tooling without the use of screws or other mechanical devices. Simply slide the tool into the plate from the inside out. Easy removal with a simple tap from a rubber mallet. The conversion plate arbor configuration fits many machine models on the market. We have also included three mounting holes in the plate so it can be fastened to the bottom of the machine mechanically.

Edge Grinding Disc

PART NUMBER	GRIT	QTY
701846 28545	30	1
701846 28546	80	1
701846 28547	120	1

PCD Tool

PART NUMBER	QTY
701846 28544	9

Conversion Plate

PART NUMBER	QTY
701846 28588	9



tip Remember to utilize our conversion plates so the diamond tooling can be inserted and removed easily without the use of screws.



PART TO PAGE REFERENCE

PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE
076607 03201	13	662610 02556	9	662610 05133	9	662610 09217	10	662610 14204	6	662610 26297	15	662610 54231	6
076607 03883	12	662610 02557	9	662610 05134	9	662610 09218	10	662610 14205	6	662610 26299	15	662610 54232	6
076607 03885	12	662610 02558	9	662610 05135	9	662610 09297	8	662610 14206	6	662610 26300	15	662610 54240	7
076607 04025	12	662610 02560	9	662610 05136	9	662610 09696	9	662610 14207	6	662610 26301	15	662610 54241	7
076607 04152	12	662610 02788	8	662610 05137	9	662610 09708	7	662610 14208	6	662610 26302	15	662610 54242	7
076607 05300	12	076607 02796	5	662610 05138	9	662610 09791	8	662610 14209	6	662610 26303	15	662610 54243	7
076607 05301	12	662610 02980	8	662610 05139	9	662610 09792	8	662610 14575	5	662610 26304	15	662610 54244	7
076607 05406	13	662610 03013	7	662610 05140	9	662610 09917	7	662610 14576	5	662610 26305	15	662610 54245	7
076607 05407	13	662610 03014	7	662610 05141	9	662610 10124	8	662610 14640	13	662610 26306	15	662610 54246	7
076607 06038	12	662610 03015	6	662610 05142	9	662610 10125	8	662610 14641	13	662610 26307	15	662610 54247	7
662544 37372	7	662610 03048	9	662610 05143	8	662610 10126	8	662610 14642	13	662610 26308	15	662610 54248	7
662544 37373	7	662610 03325	8	662610 05144	8	662610 10319	9	662610 14643	13	662610 26309	15	662610 54249	7
662544 37375	7	662610 03326	8	662610 05145	8	662610 10508	6	662610 14644	13	662610 26311	15	662610 54257	7
662544 37378	6	662610 03332	8	662610 05146	8	662610 10643	8	662610 14645	13	662610 26312	15	662610 54258	7
662544 37380	8	662610 03350	8	662610 05147	8	662610 10833	8	662610 14691	10	662610 26313	15	662610 54259	7
662544 48365	15	662610 03540	8	662610 05148	8	662610 10837	8	662610 15083	10	662610 26314	15	662610 54260	7
662544 48365	15	662610 03541	9	662610 05149	8	662610 11167	7	662610 15254	8	662610 47583	11	662610 54261	7
662544 48367	15	662610 03863	8	662610 05150	8	662610 11237	8	662610 15318	8	662610 47583	13	662610 54262	7
662544 48368	15	662610 03864	9	662610 05151	8	662610 11520	8	662610 15385	12	662610 48383	10	662610 54263	7
662610 00002	7	662610 03865	9	662610 05152	8	662610 13248	6	662610 15386	12	662610 48390	10	662610 54264	7
662610 00003	7	076607 03972	5	662610 05153	8	662610 13248	6	662610 15387	12	662610 51600	8	662610 54265	7
662610 00015	7	076607 03973	5	662610 05154	8	662610 13859	8	662610 15394	12	662610 51601	7	662610 54266	7
662610 00027	7	662610 04247	9	662610 05155	8	662610 14150	9	662610 15395	12	662610 51602	7	662610 54272	7
662610 00028	7	662610 04248	9	662610 05156	8	662610 14151	9	662610 15506	8	662610 51604	7	662610 54273	7
662610 00030	7	662610 04703	7	662610 05157	8	662610 14152	9	662610 15689	10	662610 51605	7	662610 54274	7
662610 00176	7	662610 04704	9	662610 05158	8	662610 14153	9	662610 15848	13	662610 51606	7	662610 54275	7
662610 00207	7	662610 04705	8	662610 05168	8	662610 14154	9	662610 16497	13	662610 51607	7	662610 54276	7
662610 00212	6	662610 04723	7	662610 05169	8	662610 14155	9	662610 16505	13	662610 51612	6	662610 54277	7
662610 00213	6	662610 04868	9	662610 05170	8	662610 14156	9	662610 16968	15	662610 51625	9	662610 54278	7
662610 00214	7	662610 04890	9	662610 05171	8	662610 14157	9	662610 17116	15	662610 51626	8	662610 54279	7
662610 00248	7	662610 05089	6	662610 05321	8	662610 14158	9	662610 17117	15	662610 51627	8	662610 54280	7
662610 00249	7	662610 05090	6	662610 05360	8	662610 14159	9	662610 17118	15	662610 51628	7	662610 54281	7
662610 00452	6	662610 05091	6	662610 05479	8	662610 14160	9	662610 17182	13	662610 51636	5	662610 54284	7
662610 00453	6	662610 05092	6	662610 05480	7	662610 14161	9	662610 17228	7	662610 51638	5	662610 55340	8
662610 00466	6	662610 05093	6	662610 05523	9	662610 14162	9	662610 17424	11	662610 51639	5	662610 55341	8
662610 00467	6	662610 05094	6	662610 05527	9	662610 14163	9	662610 18833	15	662610 51656	9	662610 55343	8
662610 00546	7	662610 05095	6	662610 05537	9	662610 14164	9	662610 18834	15	662610 51885	6	662610 55345	8
662610 00565	7	662610 05096	6	662610 05568	8	662610 14165	9	662610 19133	8	662610 51897	7	662610 55346	8
662610 00566	7	662610 05097	6	662610 05660	8	662610 14166	9	662610 19258	9	662610 51898	7	662610 55347	8
662610 00567	7	662610 05098	6	662610 05661	8	662610 14167	9	662610 19259	9	662610 51899	7	662610 55348	8
662610 00603	9	662610 05099	6	662610 05662	8	662610 14168	9	662610 19260	9	662610 52001	6	662610 55388	13
662610 00604	9	662610 05100	6	662610 05736	9	662610 14170	9	662610 19261	9	662610 52002	6	662610 57600	9
662610 00605	9	662610 05101	7	662610 05827	8	662610 14171	9	662610 19262	9	662610 52003	6	662610 57601	9
662610 00606	9	662610 05102	7	662610 05828	8	662610 14172	9	662610 19263	9	662610 52004	6	662610 57604	9
662610 00609	8	662610 05103	7	662610 05828	9	662610 14173	9	662610 19264	9	662610 52005	6	662610 57607	9
662610 00610	8	662610 05104	7	662610 05948	8	662610 14174	9	662610 19265	9	662610 52207	11	662610 57609	9
662610 00611	8	662610 05105	7	662610 06080	9	662610 14175	9	662610 19266	9	662610 52208	11	662610 57610	9
662610 00614	6	662610 05106	7	662610 06112	8	662610 14176	9	662610 19267	9	662610 52209	11	662610 57611	9
662610 00615	6	662610 05107	7	662610 06336	8	662610 14177	9	662610 19268	9	662610 52210	11	662610 57612	9
662610 00616	6	662610 05108	7	662610 06385	9	662610 14178	9	662610 19269	9	662610 52211	11	662610 57618	9
662610 00617	6	662610 05109	7	662610 06547	10	662610 14180	6	662610 19270	9	662610 52644	10	662610 57800	8
662610 00618	6	662610 05110	7	662610 07445	7	662610 14181	6	662610 19271	9	662610 52645	10	662610 57801	8
662610 00655	7	662610 05111	7	662610 07446	7	662610 14182	6	662610 19272	9	662610 52646	10	662610 57802	8
662610 00656	7	662610 05112	7	662610 07687	8	662610 14183	6	662610 19273	9	662610 52647	10	662610 57803	8
662610 00695	6	662610 05113	7	662610 07792	8	662610 14184	6	662610 19274	9	662610 52768	8	662610 57804	8
662610 00727	6	662610 05114	7	662610 07793	8	662610 14185	6	662610 19275	9	662610 52769	8	662610 57805	8
662610 00728	6	662610 05115	7	662610 07794	8	662610 14186	6	662610 19276	9	662610 54205	7	662610 57816	8
662610 00736	6	662610 05116	7	662610 07795	8	662610 14187	6	662610 19277	9	662610 54206	7	662610 59381	11
662610 00919	6	662610 05117	7	662610 07796	8	662610 14188	6	662610 19278	9	662610 54207	7	662610 59382	11
662610 00936	7	662610 05118	7	662610 07797	8	662610 14189	6	662610 19279	9	662610 54208	7	662610 59384	11
662610 00965	6	662610 05119	7	662610 07798	8	662610 14190	6	662610 19280	9	662610 54209	7	662610 59393	11
662610 01833	6	662610 05120	7	662610 07799	8	662610 14191	6	662610 19281	9	662610 54210	7	662610 59395	11
662610 02037	8	662610 05121	7	662610 07874	8	662610 14192	6	662610 19282	9	662610 54211	7	662610 59400	11
662610 02054	10	662610 05122	7	662610 08126	8	662610 14193	6	662610 19283	9	662610 54212	7	662610 59402	13
662610 02055	10	662610 05123	7	662610 08127	8	662610 14194	6	662610 19284	9	662610 54213	7	662610 59403	13
662610 02056	10	662610 05124	7	662610 08148	8	662610 14195	6	662610 19285	9	662610 54214	7	662610 59411	11
662610 02217	10	662610 05125	8	662610 08438	7	662610 14196	6	662610 19286	9	662610 54223	6	662610 59413	11
662610 02218	10	662610 05126	8	662610 08503	8	662610 14197	6	662610 19287	9	662610 54224	6	662610 59425	6
662610 02220	10	662610 05127	8	662610 08504	9	662610 14198	6	662610 19931	5	662610 54225	6	662610 59431	11
662610 02551	9	662610 05128	8	662610 08505	8	662610 14199	6	662610 19932	5	662610 54226	6	662610 65892	10
662610 02552	9	662610 05129	8	662610 08588	8	662610 14200	6	662610 26292	15	662610 54227	6	662610 65894	10
662610 02553	9	662610 05130	8	662610 08823	7	662610 14201	6	662610 26293	15	662610 54228	6	662610 65896	10
662610 02554	9	662610 05131	9	662610 08871	8	662610 14202	6	662610 26295	15	662610 54229	6		

PART TO PAGE REFERENCE

PART TO PAGE REFERENCE

PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE	PART NO.	PAGE
662610 69130	10	662611 20533	15	662611 48908	15	662611 83320	15	701846 28535	20	701846 28564	19	701846 29013	19
662610 69131	10	662611 20534	15	662611 48909	15	662611 83321	15	701846 28536	20	701846 28565	19	701846 29540	16
662610 69132	10	662611 20535	15	662611 48910	15	662611 83322	15	701846 28537	20	701846 28566	19	701846 29541	16
662610 69740	10	662611 20536	15	662611 48911	15	662611 83323	15	701846 28538	20	701846 28567	19	701846 29542	16
662611 20508	15	662611 20537	15	662611 48912	15	662611 89205	10	701846 28539	20	701846 28568	16	701846 29543	16
662611 20509	15	662611 20538	15	662611 48913	15	662611 89206	10	701846 28540	20	701846 28569	16	701846 29544	16
662611 20510	15	662611 20539	15	662611 57318	15	662611 93014	7	701846 28541	20	701846 28570	16	701846 29545	16
662611 20511	15	662611 20540	15	662611 57319	15	662611 93022	7	701846 28542	20	701846 28571	16	701846 29546	16
662611 20512	15	662611 20541	15	662611 57320	15	662611 93207	7	701846 28543	20	701846 28572	16	701846 29547	16
662611 20513	15	662611 20542	15	662611 57321	15	662611 98600	17	701846 28544	20	701846 28573	16	701846 29548	16
662611 20514	15	662611 20543	15	662611 57331	15	662611 98602	17	701846 28545	20	701846 28574	16	701846 29549	16
662611 20515	15	662611 21490	15	662611 57332	15	662611 99166	15	701846 28546	20	701846 28575	16	701846 29550	16
662611 20516	15	662611 23032	15	662611 57333	15	662611 99167	15	701846 28547	20	701846 28576	16	701846 29551	16
662611 20517	15	662611 31726	15	662611 57334	15	662611 99168	15	701846 28548	19	701846 28577	16	701846 30043	20
662611 20518	15	662611 31727	15	662611 57335	15	662611 99169	15	701846 28549	19	701846 28578	16	701846 30044	20
662611 20519	15	662611 48894	15	662611 83306	15	662611 99170	15	701846 28550	19	701846 28579	16	701846 30045	20
662611 20520	15	662611 48895	15	662611 83307	15	699573 97578	7	701846 28551	19	701846 28580	16	701846 30564	18
662611 20521	15	662611 48896	15	662611 83308	15	699573 97625	7	701846 28552	19	701846 28581	16	701846 30565	18
662611 20522	15	662611 48897	15	662611 83309	15	699573 97626	7	701846 28553	19	701846 28582	16	701846 30566	18
662611 20523	15	662611 48898	15	662611 83310	15	699573 97627	7	701846 28554	19	701846 28583	16	701846 30567	18
662611 20524	15	662611 48899	15	662611 83311	15	699573 97628	7	701846 28555	19	701846 28584	16	701846 30568	18
662611 20525	15	662611 48900	15	662611 83312	15	699573 97629	7	701846 28556	19	701846 28585	16	701846 30569	18
662611 20526	15	662611 48901	15	662611 83313	15	699573 97630	6	701846 28557	19	701846 28586	16	701846 30570	18
662611 20527	15	662611 48902	15	662611 83314	15	699573 97631	6	701846 28558	19	701846 28587	16	701846 30571	18
662611 20528	15	662611 48903	15	662611 83315	15	699573 97632	6	701846 28559	19	701846 28588	20	701846 30572	18
662611 20529	15	662611 48904	15	662611 83316	15	699573 97633	6	701846 28560	19	701846 29009	16	701846 30573	18
662611 20530	15	662611 48905	15	662611 83317	15	699573 97738	6	701846 28561	19	701846 29010	16	701846 30574	18
662611 20531	15	662611 48906	15	662611 83318	15	699573 97739	6	701846 28562	19	701846 29011	16	701846 30575	18
662611 20532	15	662611 48907	15	662611 83319	15	699573 99170	6	701846 28563	19	701846 29012	16		



Trademarks in this catalog are property of Saint-Gobain Abrasives unless otherwise indicated.

Blue Magnet™
Durite®
Green Tag™

The Norton logo®
NorZon Plus®
Norton SG® Red Heat

The Muscle Behind the Machine™
All the Muscle You Need™

Following are trademarks of Convergent Concrete Technologies, LLC. Used with permission to Saint-Gobain.

Mop 'N Buff™
Impregnator Plus™
Protector®



THE MUSCLE BEHIND THE MACHINE™

AT THE END OF THE DAY, NORTON MAKES CLEAN-UP EASIER!

Our food service product line just got bigger.

Offering everything from hand pads, scrubbers, griddle screens, sponges, micro-fiber and more.

Make us your next call.



NORTON

ALL THE **MUSCLE**
YOU NEED™

www.nortonprocleaning.com

THE MUSCLE BEHIND THE MACHINE



Enviro Stripping Pads

Strips with Just Water!

Quality abrasive grain provides uniform cut for removal of finishes with minimal work and no use of harmful chemicals.



Norton SG Red Heat Screens

Exclusive Technology Unrivaled Performance

Extremely sharp and fast cutting ceramic abrasive grain with exceptional life. Produces a finer scratch pattern for better results.



Diamond Floor Maintenance Pads

Superior Shine


Withstands the harsh cleaning and maintenance of concrete and natural stone to provide a high shine.



Floor Pads

The Right Pad for the Job

Tough, quality floor pads are manufactured to be thicker, with an open web structure for longer life and less loading. Each pad is designed for specific application needs.



Floor Coatings

Ultimate Protection

Unsurpassed technology makes these coatings superior floor surface treatment for natural stone and concrete floors.



Saint-Gobain Abrasives, Inc.
2770 West Washington Street
Stephenville, TX 76401-3799
Phone: (254) 918-2307
Fax: (254) 918-2309

www.nortonprocleaning.com

engineering for gold

Primary Sponsor of
USA Luge Team



© Saint-Gobain Abrasives, Inc. December 2009
FORM #460 REV. 12/09

