



VIPER PRESTIGE

Solvent-Based Impregnating Sealer

	Concrete, Grout	Granite	Limestone, Travertine	Marble	Flagstone, Slate
Water Repellency	+++	+++	+++	+++	+++
Oil Repellency	+++	+++	+++	+++	+++
	+++ Excellent	++ Good	+ Satisfactory		



Solvent-based sealer slows down the penetration of liquid and especially oils, yet water vapor permeable to allow moisture in the substrate to evaporate.

FOR PROFESSIONAL USE ONLY.

RTU pH - N/A

- Fluoro-chemical technology provides maximum protection against spots and spills
- Protects without affecting slip resistance
- Preserves the natural look of stone and can be applied to interior surfaces
- Ideal solvent based sealer for prestigious stones like marble, granite, limestone, and travertine.

DIRECTIONS FOR USE:

Before Application

SHAKE THOROUGHLY BEFORE EACH USE! Test for suitability in an inconspicuous area, especially for polished marble and extremely porous surfaces. Ensure that the area is well-ventilated during application and until the surface is dry. Keep children and pets out of the area until foot traffic resumes. Sealer may be applied to damp surfaces one hour after standing water has been removed. Surface temperature should be between 50°F and 80°F. Mask any surfaces not intended to be treated.

Contents: One U.S. Quart (.94 Litres)

Cleaning Is Necessary

Surface must be cleaned and thoroughly rinsed to neutralize pH and remove residues. Dry stone enables the best penetration into the surface of stone. Make sure that there are no puddles in grout lines and use air movers to speed the drying of the stone and grout lines before application.

Dilution Instructions

Do not dilute. The product is ready to use. Coverage should be between 300 and 1200 sq. ft. per gallon depending on the porosity of the surfaces and the coverage required.

Application Methods

Stone Application

For entire floor application, spray on sealer then spread with a brush with synthetic fibers. For best results, Prestige should be applied using a low-pressure airless sprayer (less than 60 psi). Care must be exercised when spraying on finishes susceptible to harm by solvents. Wear NIOSH/MSHA approved respiratory protection. An alternative and sometimes preferred application method is to liberally apply an even coat using a paint pad, roller or brush. Allow sealer to penetrate the surface for 15-30 minutes. During this time, distribute sealer over entire area to ensure even penetration. Stone density will vary over the same stone so more may be necessary in some areas and less in other areas. Remove excess sealer by wiping entire surface thoroughly with clean, dry towels. A second coat may be necessary after 1 hour. Place drop of water on newly sealed stone and see if it absorbs into grout or stone. If it does absorb readily, then a second coat is necessary.

Post Application Precautions

Floor is typically walkable in 3 to 4 hours, ready for use after 8 to 12 hours, and completely cured in 24 hours. After 6 to 18 months, reapplication may be necessary, depending upon the traffic level, maintenance procedures and the type of surface sealed.

Ingredient Disclosure:

C10-11 Synthetic Isoparaffin, Butyl Acetate, 2-Hydroxyethyl Methacrylate.

IMPORTANT NOTICE TO PURCHASER: Seller's and manufacturer's liability for any and all losses or damages resulting from any cause whatsoever shall in no event exceed the purchase price of this product, with respect to which losses or damages are claimed. Before using, the user shall determine the suitability of this product for its intended use, and user assumes all risk and liability whatsoever in connection therewith. Go to www.hydroforce.com/sds for additional safety, regulatory and liability information.

DANGER!

Keep out of reach of children.



HAZARD STATEMENTS:

Flammable liquid and vapor. May be fatal if swallowed and enters airways. Causes skin irritation. Causes eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS:

Wash face, hands and any exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/ physician if you feel unwell. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Remove/ Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

PELIGRO!

Mantener fuera del alcance de los niños.



INDICACIONES DE PELIGRO:

Líquido y vapores inflamables. Puede ser mortal en caso de ingestión y penetración en las vías respiratorias. Provoca irritación cutánea. Provoca irritación ocular. Puede irritar las vías respiratorias. Puede provocar somnolencia o vértigo.

CONSEJOS DE PRUDENCIA:

Lavarse la cara, las manos y la piel concienzudamente tras la manipulación. Utilizar únicamente en exteriores o en un lugar bien ventilado. Usar guantes/ ropa de protección/ equipo de protección para los ojos/ la cara. EN CASO DE CONTACTO CON LA PIEL: Lavar con agua y jabón abundantes. EN CASO DE INHALACIÓN: Transportar a la víctima al aire libre y mantenerla en reposo en una posición que le facilite la respiración. EN CASO DE CONTACTO CON LOS OJOS: Aclarar cuidadosamente con agua durante varios minutos. Quitar las lentes de contacto, si lleva y resulta fácil. Seguir aclarando. Llamar un CENTRO DE TOXICOLOGÍA o a un médico si la persona se encuentra mal. En caso de irritación cutánea: consultar a un médico. Si la irritación ocular persiste, consultar a un médico. Quitarse inmediatamente las prendas contaminadas. Lavar las prendas contaminadas antes de volver a usarlas.

DANGER!

Tenir hors de portée des enfants.



MENTIONS DE DANGER:

Liquide et vapeurs inflammables. Peut être mortel en cas d'ingestion et de pénétration dans les voies respiratoires. Provoque une irritation cutanée. Provoque une irritation des yeux. Peut irriter les voies respiratoires. Peut provoquer somnolence ou vertiges.

CONSEILS DE PRUDENCE:

Se laver le visage, les mains et toute surface de peau exposée soigneusement après manipulation. Utiliser seulement en plein air ou dans un endroit bien ventilé. Porter des gants de protection/ des vêtements de protection/ un équipement de protection des yeux/ du visage. EN CAS DE CONTACT AVEC LA PEAU: laver abondamment à l'eau et au savon. EN CAS D'INHALATION: Transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer. EN CAS DE CONTACT AVEC LES YEUX: rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer. Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise. En cas d'irritation cutanée: Consulter un médecin. Si l'irritation oculaire persiste: Consulter un médecin. Enlever immédiatement les vêtements contaminés. Laver les vêtements contaminés avant réutilisation.

Made in the USA with globally sourced materials.
Hecho en los USA con materiales de origen mundial.
Fabriqué aux USA avec des matériaux provenant du monde entier.

See Safety Data Sheet (SDS):
www.hydroforce.com/sds
for additional safety and regulatory information.

Another fine product from
Hydro-Force Manufacturing
4282 South 590 West, Salt Lake City, UT 84123
1-3680 Odyssey Drive, Mississauga, ON L5M 0Y9
www.hydroforce.com | 800-658-5314

