



- 220 Head & Face Protection**
- 233 Ear Protection**
- 236 Eye Protection**
- 244 Respiratory Protection**
- 254 Fall Protection**
- 268 First Aid**
- 276 Foot Protection**
- 277 Knee Pads**
- 278 Gloves**
- 293 Clothing**
- 299 Traffic Safety**
- 304 Barricade Tape**
- 305 Signs Lockouts & Locks**

Safety

The Peak A79

- ➔ A versatile and dependable design, with grooved HDPE outer shell, rain trough and accessory slots.
- ➔ 4-point, nylon web or plastic suspension, with pin lock or ratchet size adjustment.
- ➔ All suspension choices feature 3-level height adjustment.
- ➔ Shell:
- ➔ Type:



SKU	Suspension	Shell	Adjustment	Type	Weight
A79	4-Point	HDPE	Pin Lock	ANSI/CSA	10.4 oz.
A79R	4-Point	HDPE	Ratchet	ANSI/CSA	11.6 oz.

The Matterhorn A89

ANSI Type II Class E and CSA

Type 2 Class E

- ➔ All-purpose lateral impact hard hat with foam liner, HDPE outer shell grooved for rigidity, rain trough and accessory slots.
- ➔ Choice of unique quick fit or ratchet suspension, both with forehead comfort band and crown pad, offering workers greater choice and comfort.
- ➔ Both suspensions feature a 4-point nylon web cradle with three-level height adjustment.



SKU	Suspension	Shell	Adjustment	Type	Weight
A89	4-Point	HDPE	Quick Fit	ANSI/CSA	14.7 oz.
A89R	4-Point	HDPE	Ratchet	ANSI/CSA	15.6 oz.

SHORT PEAK WELDER'S A29SRW

ANSI Type I Class E and CSA Type

1 Class E

- ➔ Features a molded outer shell to withstand heat and sparks.
- ➔ Lighter and more comfortable than comparable fiberglass or polycarbonate products.
- ➔ The short peak brings the welding helmet closer to the worker's face, for a wider view through the window glass.
- ➔ Ratchet suspension for a firm and comfortable fit (Shown here with North welding helmet A606 and special visor bracket CP5007SP).



SKU	Suspension	Shell	Adjustment	Type
A29SRW	4-Point	PA	Ratchet	ANSI/CSA



The EVEREST A49

ANSI Type I Class E and CSA Type

1 Class E

- ➔ Wide brim HDPE hard hat for protection from the sun's harmful UV rays, rain and falling debris.
- ➔ Ideal for mining, forestry, utilities, the oil industry and other demanding environments.
- ➔ Accessory slots make this the first wide brim hard hat to accept face and hearing protection accessories for the fullest available protection.
- ➔ Choice of high quality suspensions designed for comfort, with forehead comfort band and crown pad, 2-level height adjustment and self centering.



SKU	Suspension	Shell	Adjustment	Type	Weight
A49	4-Point	HDPE	Pin Lock	ANSI/CSA	14.7 oz.
A49R	6-Point	HDPE	Ratchet	ANSI/CSA	15.4 oz.

The EVEREST A119R W/Foam Liner

ANSI Type II Class E and CSA

Type 2 Class E

- ➔ All the protective features of the A49R, plus a foam liner for lateral impact protection.
- ➔ Ideal for workers who are exposed to the risk of a blow to the side, front or rear of the head, along with the hazard of falling debris, rain, or the sun's UV rays.
- ➔ The 6-point nylon web suspension, with ratchet size adjustment, forehead comfort band and crown pad, 2-level height adjustment and self centering, provides comfort and stability.



SKU	Suspension	Shell	Adjustment	Type	Weight
A119R	6-Point	HDPE	Ratchet	ANSI/CSA	17.4 oz.

Suspension Styles

Pin lock Adjustment:

Sturdy, easy to use, 4-point pin lock headband.



Ratchet Adjustment: The

ratchet adjustment headband offers a firmer and more comfortable fit.



Quick Fit Adjustment:

Sturdy, easy to use, 4-point headband.





Hard Hats – Part of Your Image!

Show your colors with custom imprints.

Two ways of personalizing your hard hat



Pad Printing (High Definition)

→ Using a flexible rubber pad that can fit the exact shape of the hat, we use a highly resistant ink to print your logo on any part of the shell.



Hot Stamping


→ Using a hot metal die we engrave your logo in color in the hat material.



Both methods offer lasting results you will be proud to wear.

CHOOSE FROM OUR WIDE SELECTION OF COLORS

Available colors of HDPE hard hats.



Available colors for A29SRW.



Cap Style Hard Hats

- ➔ Sensor Multi-Directional Protective Cap with impact Energy Control System and 8 Pt. Suspension.
- ➔ CSA Type 2.

	Ratchet	Ratchet Quick-Lok
Blue	SE2BL	SE2QBL
Grey	SE2GRY	SE2QGRY
Yellow	SE2YEL	SE2QYEL
Red	SE2RED	SE2QRED
Green	SE2GRE	SE2QGRE
White	SE2WHT	SE2QWHT
Orange	SE2ORG	



SUPEREIGHT® Series Hard Hats

- ➔ Fibre Metal SuperEight hard hats are the most sophisticated head protection system available.
- ➔ They have a padded headband for exceptional comfort.
- ➔ The exclusive smooth crown design contains a technically advanced suspension with eight load-bearing points to stabilize and balance the hard hat during everyday wear.
- ➔ On impact the SuperEight Impact Energy Control System dissipates force by reducing it to smaller increments and spreading it over a greater area.
- ➔ SuperEight Thermoplastic protective hats and caps are SEI certified to ANSI Z89.1-2003.



	Ratchet	Ratchet Quick-Lok	Swingstrap	Swingstrap Quick-Lok
Blue	E2RWBL	E2QRWBL	E2SWBL	E2QSWBL
Grey	E2RWGRY	E2QRWGRY	E2SWGRY	E2QSWGRY
Yellow	E2RWYEL	E2QRWYEL	E2SWYEL	E2QSWYEL
Red	E2RWRED	E2QRWRED	E2SWRED	E2QSWRED
Green	E2RWGRE	E2QRWGRE	E2SWGRE	E2QSWGRE
White	E2RWWHT	E2QRWWHT	E2SWWHT	E2QSWWHT
Black	E2RWBLK	E2QRWBLK	E2SWBLK	E2QSWBLK
Pink	E2RWPNK			
Orange	E2RWORG	E2QRWORG	E2SWORG	E2QSWORG
Tan	E2RWTAN	E2QRWTAN		

FMX Full Graphic Protective Caps

- ➔ Ratchet Suspension
- ➔ Exclusive overlay designs; heat and scratch resistant
- ➔ Smooth thermoplastic crown deflects impacting objects
- ➔ Exclusive Eight-point suspension disperses impact energy
- ➔ Adjustable non-slip/non-strip ratchet headgear for ultimate comfort and fit
- ➔ Lifetime Limited Warranty: shell/headgear



SKU	Description
E2RWX1	FMX Flame
E2RWX2	FMX Demon
E2RWX3	FMX Wire Burner



Hard Hats

- ➔ Shell constructed from High Density Polyethylene materials
- ➔ Low Profile design
- ➔ Rain trough on sides and back of helmet channel moisture away.
- ➔ Universal accessory slots fit cap mounted ear muffs and chin straps.
- ➔ Ratchet suspension is easy to adjust and allows the wearer to modify the fit while wearing hard hats.
- ➔ Meets ANSI Z89.1-2009 Standards, Type I, Class C, G, and E
- ➔ CSA Z94.1-05
- ➔ Soft brow pad is replaceable and washable
- ➔ Replacement suspensions and headbands available.
- ➔ 4 Point Ratchet Suspension



SKU	Color
HP14110	White
HP14111	Black
HP14112	Gray
HP14120	Red
HP14130	Yellow
HP14135	Green
HP14140	Orange
HP14141	Hi Vis Orange
HP14160	Blue
HP14165	Dark Blue



Reflective Stripe

- ➔ Tough outer vinyl omni angular North-Brite reflective tape, 1"x4", 100% fluorescent, resistant to abrasion, excellent performances at dawn and dusk.
- ➔ Available in 3 colors.



SKU	Color
TVP1X4/YLW	Yellow
TVP1X4/ORG	Orange
TVP1X4/WHT	White



SUPEREIGHT® Series Hard Hat

- ➔ Full graphic design protective hats and caps raise head protection aesthetics to a new level.
- ➔ The full graphic process, developed and perfected by Fibre-Metal, produces complex, colorful designs that won't chip, fade or peel.



E2RW00A389



Whistler

PROUDLY DESIGNED & MADE IN CANADA BY CANADIANS FOR CANADIANS



CSA TYPE 1 CLASS E Z94.1-05 AND ANSI TYPE I CLASS E Z89.1-2009

Sleek & modern style lightweight high density polyethylene hard hat to give you and your company the ideal choice in CSA Type 1 head protection. Rain trough & slotted design shell to accommodate all the latest accessories such as hearing protection, face shields, forestry kits or welding protection. Also attachment points for chin straps etc. Comfortable 4-point nylon webbing suspensions with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment to properly fit all head sizes large or small. Large printing surfaces for company logo's on front, sides & back.

- ➔ Sleek & Attractive Design High Density Polyethylene Shell
- ➔ Shell Has Rain Trough For Extra Convenience
- ➔ Large Printing Surfaces For Great Custom Logo's on Front, Sides & Back
- ➔ Comfortable Pin Lock Or Exclusive "SURE-LOCK" Ratchet Adjustment Suspensions
- ➔ Accessory Slots & Chin Strap Attachments
- ➔ CSA certified Type 1 Class E Z94.1-05
- ➔ Meets ANSI Type I Class E Z89.1-2009
- ➔ 4-point, nylon "Sure-Lock" Ratchet

SKU	Color
HP241R-1	White
HP241R-2	Yellow
HP241R-3	Orange
HP241R-4	Dark Green
HP241R-5	Hi-Viz
HP241R-6	Sky Blue
HP241R-7	Navy Blue
HP241R-8	Grey
HP241R-9	Black
HP241R-10	Red
HP241R-11	Royal Blue

ASK US ABOUT CUSTOM LOGOS

Dom

PROUDLY DESIGNED & MADE IN CANADA BY CANADIANS FOR CANADIANS!



CSA TYPE 1 CLASS E Z94.1-05 AND ANSI TYPE I CLASS E Z89.1-2009

Smooth dome shape is ideal for welding applications & attachments. Rain trough & slotted design high density polyethylene shell to accommodate all the latest accessories such as hearing protection, face shields, forestry kits or welding protection. Also attachment points for chin straps etc. Comfortable 4-point nylon webbing suspensions with pin-lock or our exclusive "SURE-LOCK" ratchet adjustment to properly fit all head sizes large or small. Large printing surfaces for company logo's on front, sides & back.

- ➔ Smooth dome shape is ideal for welding applications & attachments
- ➔ Shell Has Rain Trough For Extra Convenience
- ➔ Large Printing Surfaces For Great Custom Logo's on Front, Sides & Back
- ➔ Comfortable Pin Lock Or Exclusive "SURE-LOCK" Ratchet Adjustment Suspensions
- ➔ Accessory Slots & Chin Strap Attachments
- ➔ CSA certified Type 1 Class E Z94.1-05
- ➔ Meets ANSI Type I Class E Z89.1-2009
- ➔ 4-point, nylon "Sure-Lock" Ratchet

SKU	Color
HP341R-1	White
HP341R-2	Yellow
HP341R-3	Orange
HP341R-4	Dark Green
HP341R-5	Hi-Viz
HP341R-6	Sky Blue
HP341R-7	Navy Blue
HP341R-8	Grey
HP341R-9	Black
HP341R-10	Red
HP341R-11	Royal Blue

ASK US ABOUT CUSTOM LOGOS



Replacement Suspensions



SKU	Description
3RW2	Ratchet Headband (E1, E2 and P2)
3SW2	Patented Swingstrap™ (E1, E2 and P2)



Head Gear

ALUMINUM HARD HAT ADAPTER

- Constructed from lightweight aluminum
- Universal sizing fits on the brim of most hard hats and accommodates a variety of faceshields



HHAA

ALUMINUM HARD HAT ADAPTER

- Deluxe aluminum construction
- Designed to fit more rounded cap style hard hats
- Accommodates a variety of faceshields



HHAAD

ALUMINUM HARD HAT ADAPTER

- Full brim style
- Deluxe aluminum construction
- Designed to fit full brim style hard hats
- Universal sizing fits on the brim of most hard hats and accommodates a variety of faceshields



HHAAW



Suspensions

A49RS2

- Replacement ratchet 6-point nylon suspension, includes additional strap for A49R.



A79S1

- Replacement pin lock 4-point nylon suspension for A79.



A79RS2

- Replacement ratchet 4-point nylon suspension for A79R, A29R, A29SPR, A29SRW.



A89S2

- Replacement Quick Fit 4-point nylon suspension for A89.



A89RS3

- Replacement ratchet 4-point suspension for A89R.



A99RS2

- Replacement ratchet 6-point nylon suspension for A99R and A119R.



Headgear

- ➔ Accepts a wide range of faceshield styles
- ➔ Large sparkguard provides excellent protection
- ➔ Cross strap adjusts to allow an exceptional fit
- ➔ Full floating mount sparkguard provides comfortable wear even with heavy faceshield and continuous use
- ➔ 4000 Series comes with quick-change system for holding faceshield
- ➔ 5000 Series comes with protected holding system for faceshield
- ➔ KHG Series comes with SmoothLok ratchet adjustment for quick, easy and perfect fit

SKU	Adjustment	Fit System
KHG4001	Ratchet	Quick



KHG5001	Ratchet	Protected
----------------	---------	-----------



Faceshields

- ➔ All the screens and faceshields offer the multi-fit attachment pattern (or *universal fit*). This pattern consists of 7 slots strategically located to fit a wide variety of headgear and brackets
- ➔ 2 types of material are available at all times: PETG and Polycarbonate.
- ➔ 3 thicknesses of material are available: .040, .060 and .080

SKU	Material	Thickness	Size	Color
Flat				
A 8150/40, A8150/60	PETG	.040 or .060	8" x 15-1/2"	Clear
A 8152/40, A8152/60	Polycarbonate	.040 or .060	8" x 15-1/2"	Clear
A 0150/40	PETG	.040	10" x 15-1/2"	Clear
Pre-Formed				
A 8154	Polycarbonate	.040	8" x 15-1/2"	Clear
A 8154G	Polycarbonate	.040	8" x 15-1/2"	Green
A 8155	Polycarbonate	.040	6-1/4" x 15-1/2"	Clear
A 8156	Polycarbonate	.060	8" x 15-1/2"	Clear



FACESHIELD/SCREEN SELECTION CHART

PETG Faceshield: For heat generating applications when not exceeding 140°F (60°C), good chemical resistance



Wire Screen: For use in high heat and outdoor applications



Polycarbonate Faceshield: Extreme impact strength, non glare finish, excellent weathering and heat resistance (up to 250°F - 121°C), high clarity



FMX Full Graphic Faceshield



- ➔ Exclusive overlay designs; heat and scratch resistant
- ➔ Oversized 7" heat resistant crown for extra protection
- ➔ Cam-locking channel grip design seals against sparks and debris
- ➔ Accommodates Fibre-Metal window sizes up to 19" x 9.75"
- ➔ Adjustable non-slip /non-strip ratchet headgear
- ➔ Lifetime Limited Warranty : visor /headgear

SKU	Description
F500X1	FMX Flame
F500X3	FMX Wire Burner



Faceshields for All Headgear

→ 8" x 15-1/2"

SKU	Material	Thickness	Color
A8150/40	PETG	.040	Clear
A8150/60	PETG	.060	Clear
A8152/40	Polycarbonate	.040	Clear
A8152G/40	Polycarbonate	.040	Green
A8152/60	Polycarbonate	.060	Clear
A8152G/60	Polycarbonate	.060	Green

Brackets

SKU	Description
CP5002	Aluminum brackets "High Heat Resistant"
CP5004	Aluminum brackets "High Heat Resistant"
CP5005	Plastic brackets made from Nylon
CP5005SP	Plastic brackets made from Nylon
CP5006	Plastic brackets made from Nylon
CP5007	Plastic brackets "Heat Resistant"
CP5007SP	Plastic brackets "Heat Resistant"

Hard Hat Series	CP5002	CP5004	CP5005	CP5005SP	CP5006	CP5007	CP5007SP
THE PEAK Series A59, A69, A79		•	•			•	
THE K2 SHORT PEAK Series A29		•		•			•
THE K2 Series A29		•	•			•	
EVEREST Series A49, A119					•		
SUMMIT Series A99	•		•			•	
MATTERHORN Series A89		•	•			•	

Faceshields and Screens (requiring brackets)

SKU	Description
FS01	7" x 15-1/2" Black metal screen
FS01S	7" x 15-1/2" Stainless steel screen
A8151	6" x 15-1/2" Special clear flat die-cut polycarbonate 40mm window with nose-cut
A8150/40	8" x 15-1/2" Clear flat die-cut PETG copolyester .40mm window

Screens (not requiring brackets)

SKU	Description
FS03	7" x 15-1/2" Black metal screen with integrated adapters
FS03/FV	7" x 15-1/2" Black metal screen with integrated adapters and sun visor
FS03S	7" x 15-1/2" Stainless steel screen with integrated adapters
FS03S/FV	7" x 15-1/2" Stainless steel screen with integrated adapters and sun visor
FV01	Sun visor for FS03, FS03S or FS04



High Performance Crown Protectors



- ➔ Made from NORYL, they are stronger, more durable and more heat resistant than ordinary faceshields.
- ➔ Contain our exclusive Channel Grip System, which mounts windows and locks them in place in a deep recessed channel to form a perfect seal from dust, dirt and debris.

➔ Crown protectors shown with Face Shields – Sold Separately

SKU	Ref	Description
F300CSA	A	3" Crown protector complete with 3SR Headgear
F400CSA	B	4" Crown protector complete with 3-C Headgear
F500CSA	C	7" Crown protector complete with 3-C Headgear
F5400	D	4" Crown protector complete with Speedy Loop
F5500	D	7" Crown protector complete with Speedy Loop
F4400	D	4" Crown protector complete with Quick-Lok
F4500	D	7" Crown protector complete with Quick-Lok

Dual Crown Faceshield

- ➔ F-400 4" dual crown with 6750-C clear window & chin guard complete, 3-C ratchet headgear
- ➔ Made from NORYL, they are stronger, more durable and more heat resistant than ordinary faceshields.
- ➔ They contain our exclusive Channel Grip System, which mounts windows and locks them in place in a deep recessed channel to form a perfect seal from dust, dirt and debris.



FM400DCCLC

Arc Flash Series Dual Crown Protective Mask

- ➔ 25 cal window Cap style - Includes E2RW01A000
- ➔ Full face and neck protection
- ➔ Broader, deeper 4" crown and chin protectors
- ➔ Crown and chin protectors molded from NORYL
- ➔ Available in dual crown ratchet headgear model or dual channel cap peak mounting bracket with chin protector
- ➔ High performance injection molded, preformed optically correct proplonate windows with 25 cal ratings when used as tested
- ➔ Both models meet CSA and NFPA 70E, category 1 or 2



FM70DCAF25E2

Faceshield Windows

- ➔ Fibre-Metal faceshield windows are injection molded from propionate, which is superior to other window materials in every significant performance characteristic.
- ➔ They are preformed at the factory to the exact curve of our crown protectors for easy installation, an exact fit and a perfect seal against dust, dirt and debris.
- ➔ All HIGH PERFORMANCE windows are .060" thick for an extra margin of protection.

SKU	Color	Size	FaceShield Series							
			F300CSA	F400CSA	F500CDA	F5400	F5500	F4400	F4500	
4118CL	Clear	8" x 11"	.							
4178CL	Clear	8" x 16-½"	
4199CL	Clear	9-¾" x 19"	
4118DGN	Dark Green	8" x 11"	.							
4178DGN	Dark Green	8" x 16-½"	
4199DGN	Dark Green	9-¾" x 19"	
4178IRUV3	IR3.0	8" x 16-½"	
4199IRUV3	IR3.0	9-¾" x 19"	
4178IRUV5	IR5.0	8" x 16-½"	
4199IRUV5	IR5.0	9-¾" x 19"	
4178IRUV8	IR8.0	8" x 16-½"	
4178GD	Gold	8" x 16-½"	
4199GDTVGY	Gold	9-¾" x 19"	



Uvex Bionic® face Shield



- ➔ Enhanced protection from airborne debris
- ➔ Excellent optics and increased visibility
- ➔ Easily replaceable visor with dual position choices
- ➔ Secure visor attachment
- ➔ Lightweight and balanced, ergonomic design for extended use
- ➔ Comfortable cell foam on back of headgear
- ➔ Breathable, removable, washable headband
- ➔ Black matte finish
- ➔ Comfortably worn with most goggles and respirators
- ➔ Face shield offers secondary protection and must be worn with spectacles or goggles
- ➔ Perfect for workers exposed to falling or flying objects, impact, chemical splash, and airborne debris
- ➔ Hard hat accessory is compatible with multiple hard hats and was tested with Sperian® as well as major competitor styles
- ➔ Meets ANSI Z87+ (High Impact) and CSA Z94.3 standards

SKU	Visor Tint/Visor Coating	Description
S8500	Clear Polycarbonate/Uncoated	Black Matte Face Shield
S8510	Clear Polycarbonate/Anti-fog/Hardcoat	Black Matte Face Shield

Face Shield Accessories

Replacement Visors

SKU	Description
S8550	Clear Polycarbonate Uncoated
S8555	Clear Polycarbonate Anti-fog/Hardcoat
S8560	Shade 3.0 Polycarbonate Uncoated
S8565	Shade 5.0 Polycarbonate Uncoated

Accessories

SKU	Description
S8580	Replacement Sweatband
S8590	Hard Hat Adapter
S8595	Bionic Ratchet Suspension



Sweat/Comfort Bands

FOREHEAD COMFORT BAND

- ➔ Replacement forehead comfort band to fit all safety helmets except: A49, A49R, A99R, A119R.
- ➔ Package of 10.



SB79

FOAM SWEAT BAND

- ➔ With laminated terry cloth on one side and brushed nylon on the other. Washable, package of 10



SB460

- ➔ For hats A79, A69, regular or ratchet.

SB461

- ➔ For hats A99R, A119R.

TERRY CLOTH SWEAT BAND

- ➔ With velcro closure.
- ➔ Washable, universal fit.



SB470

FOAMSWEATBANDS

- ➔ With elastic.
- ➔ Package of 25.



4505B



Sweat Bands

- ➔ Circulating air evaporates sweatband moisture for cooling effect.

FM44T

Soft terry cloth



FM67

Soft grain leather



Chill-Its® Wrist Sweatband

- ➔ Thick soft terry keeps perspiration away from hands for safety & productivity.
- ➔ Thick, absorbent cotton terry
- ➔ Elastic maintains snug fit
- ➔ Lime, White, Black, Red, Navy
- ➔ One size

6500



Chill-Its® Head Sweatband

- ➔ Thick soft terry keeps perspiration away from eyes and face for safety & productivity.
- ➔ Thick, absorbent cotton terry
- ➔ Elastic maintains snug fit
- ➔ Lime, White, Black, Red, Navy
- ➔ One size


6550



Chill-Its® Sponge Sweatband

- ➔ Low-tech moisture management. Keeps sweat out of eyes for comfort & safety.
- ➔ Cellulose, absorbent sponge band
- ➔ Elasticized back for a great fit
- ➔ Hand wash
- ➔ One size

6607



Chill-Its® Evaporative Cooling Bandana

- ➔ Activated polymers bring cooling power where you need it most.
- ➔ Hook & loop closure
- ➔ Red Western, Navy Western, Canadian Flag

6705



Chill-Its® Evaporative Cooling Hard Hat Liner

- ➔ Attaches to standard hard hat headband.
- ➔ Lightweight, cooling acrylic polymers
- ➔ Hook & loop closures
- ➔ Conveniently attaches to hard hat suspension headband
- ➔ Solid blue

6716



Chill-Its® Evaporative Cooling Hard Hat Pad

- ➔ Attaches to standard hard hat headband.
- ➔ Lightweight, cooling acrylic polymers
- ➔ Hook & loop closures
- ➔ Conveniently attaches to hard hat suspension headband
- ➔ Solid blue
- ➔ One size

6715



Chill-Its® Cooling Hard Hat Pad w/ Neck Shaded

- ➔ Pad with long shade that protects against UV.
- ➔ Lightweight, cooling acrylic polymers
- ➔ Hook & loop closures
- ➔ Protects neck from harmful UV rays
- ➔ Conveniently attaches to hard hat suspension headband
- ➔ Solid blue
- ➔ One size

6717



Chill-Its® Cotton Dew Rag

- ➔ Elastic head band with terry front keeps these on your head and absorbs sweat. Cool!
- ➔ Moisture absorbing cotton body
- ➔ Absorbent terry headband
- ➔ Elastic band for secure fit
- ➔ Comfortable to wear under hats, helmets or alone
- ➔ Blue, Stars & Stripes, Universal Digital Camouflage, Barbed Wire, Mexican Flag, Canadian Flag, Navy Western, Red Western, Skulls, and Flames
- ➔ One size

6610



Hard Hat Winter Liners

WINTER LINER WITH OUT FACE WARMER

→ Winter liner, dielectric outer shell, Kasha flannel inner lining, velcro attachment, black.

WL1



ECONO WINTER LINER FIRE RETARDANT

→ Winter liner, yellow twill outer shell, flannel lining, dielectric, velcro attachment, fire retardant.

WL3



DELUXE WINTER LINER FIRE RETARDANT

→ Deluxe winter liner, quilted green tricot outer shell, heavy red fleece lining, dielectric, velcro attachment, fire retardant.

WL4



KASHA WINTER LINER

→ Winter liner, Kasha inner lining, velcro attachment, with zipper allowing the lower part to be removed.

WL6



Hard Hat Sock Type Winter Liners

WL20

→ Sock type winter liner, fits snugly over hat brim and top of head, 100% stretch nylon, red or blue. To fit regular hard hats.

WL20XL

→ Same as above for wide brim hard hats.
→ Red



NORTH
by Honeywell

Deluxe Hard Hat Winter Liners

WL12FP

→ 100% fire retardant cotton winter liner with long neck outer shell, with face warmer.



WL12

→ Same as above, without face warmer

WL40/1RBSP

→ 100% Nomex outer shell winter liner with heavy quilted lining.
→ Without face warmer.



WL41RBSP

→ Westex Proban outer shell winter liner, with heavy quilted lining, available with face warmer.

NORTH
by Honeywell

Balaclava, One Hole

→ Flame Retardant, 1dozen / case

666
NOMEX III

C125
NOMEX III Light knit



NOMEX III NECK WARMER

→ Natural colour, 6dz/cs

C207



JARVIS
imports

FACE PROTECTORS, BALACLAVAS & TUQUES

FACE PROTECTOR

- Thermal face protector 100% stretch acrylic.
- Warm
- Washable

FM10



BALACLAVA

- 100% stretch acrylic.
- Warm
- Washable

WL600



TUQUE

- Snug fit tuque.
- 100% acrylic.
- Warm
- Washable

WL50



FIREFIGHTER BALACLAVA

- Short Nomex Balaclava.
- Warm
- Washable
- Fire Retardant

FH157



FIREFIGHTER BALACLAVA

- Long Nomex Balaclava.
- Warm
- Washable
- Fire Retardant

FH257



Welder's Caps

WC70

- Welder's skull cap, 100% cotton, navy blue



WC85

- Welder's cap with neck protector, 100% cotton, navy blue.



WC80

- Same as above, white color

WC75

- Welder's cap with neck protector, Westex Proban fire retardant cotton, lime green.



Beanie

- 100% Cotton Beanie

FMBEANIE/007



Acrylic Neck Warmer

- Double Knit Windguard
- Bound Edge
- Red

90-0-500



Acrylic Balaclava

- C-40 Thinsulate with Brushed Cotton Lining
- 1-Hole Knit
- Black

90-0-615



Acrylic Balaclava

- C-40 Thinsulate with Brushed Cotton Lining
- Black
- 3-Hole Knit

90-0-616



Acrylic Balaclava

- Black
- 1-Hole Double knit

90-0-510



Acrylic Balaclava

- Black
- 3-Hole Double Knit

90-0-520



Wool Balaclava

- Black
- 1-Hole Double knit

90-0-710



Wool Balaclava

- Black
- 3-Hole Double Knit

90-0-720



Cotton Hard Hat Liner

- Brushed Quilted Cotton Lining
- Velcro Chin Strap
- Navy Outer Shell

90-0-400



Cotton Hard Hat Liner

- Brushed Quilted Cotton Lining
- Velcro Chin Strap
- Navy Outer Shell
- Breathable Face Mask

90-0-410



DeciDamp²™

- ➔ Expands to fit ear canal – Maximizes wearer protection.
- ➔ Foam Construction – One size fits most. Lightweight, soft and comfortable. Non-toxic and non-irritating, disposable.
- ➔ Sealed Pouches – Available in cellophane and degradable paper. Maximum cleanliness, assures employees that plugs are unused.
- ➔ Available with Cord – More convenient to use, visible for safety checks.
- ➔ NRR: 29dB



SKU	Description	Packaging
280005	Corded 1 pair per cellophane pouch	200 pairs/carton
282505	Corded 1 pair per degradable paper pouch	200 pairs/carton
280006	Uncorded 1 pair per plastic pouch	100 pairs/carton

DECI 4200™

- ➔ Soft Polyurethane Foam – Expands to fit ear canal Maximizes noise protection. Non-toxic and non-irritating, comfortable, flexible, easy to wear.
- ➔ Sealed Pouches – Available in cellophane and degradable paper in uncorded only Minimizes contamination.
- ➔ Available with Cord – Visible for safety checks, reduces incidence of lost plugs.
- ➔ NRR: 33dB



SKU	Description	Packaging
284200UO	Uncorded 1 pair per cellophane pouch	200 pairs/carton
284240CO	Corded 1 pair per plastic pouch	100 pairs/carton

Mustang Ear Muffs

Designed For Protection

- ➔ No snag band - low profile for model EM4155
- ➔ Unique tension adjustability of EM4157 arms
- ➔ Unique cup design
- ➔ Good attenuation
- ➔ Durable
- ➔ Maximum comfort
- ➔ Soft sealing cushions
- ➔ Lightweight
- ➔ Dielectric



SKU	Description	Weight
EM4155	Head Band Earmuff 23dB NRR	209 g / 7.4 oz
EM4157	Cap Mounted Earmuff 20dB NRR	284 g / 9.3 oz



HURRICANE Ear Muffs

The Ultimate in Low Profile & Comfort

- ➔ Unique cup design
- ➔ Attractive beige color
- ➔ Comfortable cushions
- ➔ Slim and tapered for use with hard hat and face protection equipment
- ➔ Individual spring band wire
- ➔ Comfortable alignment and pressure equalization due to the two low mounting points
- ➔ Universal adapter for cap mounted muffs



SKU	Description	Weight
EM4231	Neck Band Earmuff 22dB NRR	171 g / 6 oz
EM4232	Head Band Earmuff 22dB NRR	180 g / 6.4 oz
EM4236	Cap Mounted Earmuff 20dB NRR	260 g / 9.2 oz

STEALTH Ear Muffs

Superior Protection

- ➔ Unique cup design
- ➔ Large, soft and comfortable sealing cushions
- ➔ Extremely good attenuation at low and high frequency
- ➔ Individual spring band wire
- ➔ Two low mounting points for even, comfortable alignment
- ➔ Padded head band on EM1282
- ➔ Easy mounting of arms & slots for cap muff EM1286
- ➔ Universal slot adapters



SKU	Description	Weight
EM1281	Neck Band Earmuff 24dB NRR	208 g / 7.3 oz
EM1282	Head Band Earmuff 25dB NRR	220 g / 7.8 oz
EM1286	Cap Mounted Earmuff 24dB NRR	287 g / 10.5 oz

HURRICANE Ear Muffs

Ultimate Protection

- ➔ Unique cup design
- ➔ Exceptional performance
- ➔ Large, flexible and comfortable cushions offering equal distribution of pressure
- ➔ Head band is made of individual spring band wire with a soft padded cushion easily adapting to the head
- ➔ Two low mounting anchor points on each side of the cup for even pressure and comfortable alignment
- ➔ First class comfort at all times



SKU	Description	Weight
EM7202	Head Band Earmuff 28dB NRR	231 g / 8.1 oz
EM7206	Cap Mounted Earmuff 27dB NRR	290 g / 10 oz
EM7209	Cap Mounted Earmuff for Full Brim Hat 24dB NRR	305 g / 11.2 oz

H10 Series – Extreme Performance Earmuffs



➔ The H10 Series represents the ultimate in earmuff technology by providing one of the highest protection levels in the industry coupled with Peltor's extensive list of performance and comfort features. The Best of the best.

SKU	Description
H10A	Headband NRR 30 dB
H10B	Earmuff Behind-the-Head NRR 29 dB
H10P3K	Helmet Attachable NRR 27 dB

H7 Series – Deluxe Earmuffs



➔ With a wide protection range that covers both severe and high noise levels, the H7 earmuffs are versatile enough to meet the protection requirements of almost any working environment.

SKU	Description
H7A	Headband NRR 27 dB
H7B	Earmuff Behind-the-Head NRR 26 dB
H7P3K	Helmet Attachable NRR 24 dB
H7F	Folding Earmuff NR 26 dB

H9 Series – Select Performance Earmuffs



➔ These universal protectors are lightweight, comfortable, and effective enough to meet most workplace requirements and one of the most affordable earmuff choices in the industry today.

SKU	Description
H9A	Headband NRR 25 dB
H9B	Earmuff Behind-the-Head NRR 25 dB
H9P3K	Helmet Attachable NRR 23 dB

H6 Series – Low Profile Earmuffs



➔ These slim design muffs were specially engineered for high comfort and continuous wear. There are four different models to meet a variety of needs and all are manufactured to Peltor's highest standards.

SKU	Description
H6A	Headband NRR 21 dB
H6B	Earmuff Behind-the-Head NRR 21 dB
H6P3K	Helmet Attachable NRR 21 dB
H6F	Folding Earmuff NR 21 dB



E-A-R® Classic® Plugs in Pillow Packs

- ➔ The E-A-R® Yellow color is your assurance of proven protection
- ➔ Moisture resistant dermatologically safe foam is not irritating
- ➔ Most popular earplug in the world
- ➔ NRR 29dB
- ➔ 200 pairs per box in poly bag



310-1001

Uncorded in pillow pack

312-1201

Uncorded in poly bag

E-A-Rsoft™ Yellow Neon Blasts™

- ➔ NRR 33dB-Highest NRR available
- ➔ The world's softest earplugs
- ➔ Self-adjusting foam provides low pressure with excellent attenuation
- ➔ Dermatologically safe foam is non-irritating to the skin
- ➔ 200 pairs per box in poly bag



311-1252

"Regular Size" Corded

312-1252

"Regular Size" Uncorded

E-A-R® TaperFit® 2

- ➔ NRR 32dB
- ➔ Self-adjusting foam provides low pressure with excellent attenuation
- ➔ The E-A-R® Yellow color is your assurance of proven protection
- ➔ Softest and smoothest earplugs available today
- ➔ Dermatologically safe foam is non-irritating to the skin
- ➔ 200 pairs per box in poly bag



312-1223

"Regular Size" Corded

312-1219

"Regular Size" Uncorded

E-A-R® E-Z-Fit™ Plugs

- ➔ NRR 28dB
- ➔ Self-adjusting foam provides low pressure with excellent attenuation
- ➔ The E-A-R® Yellow color is your assurance of proven protection
- ➔ Softest and smoothest earplugs available today
- ➔ Dermatologically safe foam is non-irritating to the skin
- ➔ 200 pairs per box in poly bag



312-1208

Uncorded

312-1222

Corded

EARsoft® FX™

- ➔ NRR 33dB
- ➔ Shaped design helps fit ear more effectively
- ➔ The softest & most comfortable
- ➔ Flanged end for easy insertion & removal
- ➔ 200 pairs per box in poly bag



312-1261

Uncorded

312-1260

Corded



MAX®

- ➔ NRR 33 dB Preshaped foam earplugs
- ➔ Smooth skinned, tapered and preshaped
- ➔ Follows the contour of the ear canal
- ➔ Easy insertion and natural seal
- ➔ Flared end promotes optimum insertion, depth and easy removal
- ➔ The foaming material combined with its shape makes it the highest rated earplug



MAX1

Uncorded 200/box

MAX30

Corded 100/bx

MAXLITE®

- ➔ NRR 30 dB Low pressure foam ear plugs
- ➔ Long term user comfort
- ➔ Non-irritating, non-allergenic, self-adjusting foam
- ➔ Ideal with users with smaller ear canals



LFP1

Uncorded 200/box

LFP30

Corded 100/bx

LASERLITE®

- ➔ NRR 32 dB Non-irritating, non-allergenic, self-adjusting foam
- ➔ Ideal with users with smaller ear canals
- ➔ Brite multi colored design



OLL1

Uncorded 200/box

LL30

Corded 100/bx

LL1DBK

Uncorded 500 Pr Bulk

Leight® Source 500

- ➔ The Leight Source 500 provides a highly visible, user-friendly, permanent hearing protection center.
- ➔ Built with heavy-duty anodized aluminum and designed for wall installation, the Leight Source 500 dispenses earplugs with a simple turn of the handle, providing a hygienic and economical source for earplugs.
- ➔ The Leight Source 500 is ideal for large factories and process industries that have zero tolerance for packaging waste.
- ➔ Holds 500 pairs

LS-500



North Eye & Face Protection Technical Data

NORTH'S EXCLUSIVE 4A COATING

A permanently bonded coating that offers excellent anti-fog, antiscratch, anti-static and anti-UV properties.



Anti-Fog: Resists fogging and improves vision in humid environments



Anti-Scratch: Extends lens life in abrasive environments



Anti-Static: Reduces dust and particulate attraction



Anti-UV: Absorbs more than 99.9% of harmful ultraviolet radiation



NORTH'S EXCLUSIVE 3A COATING

A permanently bonded hardcoat that reduces surface lens scratching. The North 3A coating will extend the life of the lens.



Anti-Scratch: Extends lens life in abrasive environments



Anti-UV: Absorbs more than 99.9% of harmful ultraviolet radiation



Anti-Static: Reduces dust and particulate attraction



LENS SELECTION CHART

Color	Description
Clear	For indoor or outdoor applications where impact protection is required.
Amber	For low light applications where contrast enhancement is required.
Vermillion	For indoor applications where contrast enhancement may be required. Reduces glare from fluorescent and halogen lighting.
Blue	For work areas with high levels of yellow light such as semi-conductor facilities using sodium vapor lighting.
Smoke	
Green	For outdoor applications where sunlight and glare cause eye strain and fatigue. Not for use when infrared protection is required.
Brown	
Mirror	
I/O Light Gray Mirror	For indoor/outdoor applications. Reduces glare from scattered light.
IR Filters Consult the filter selection tables in CSA Z94.3, ANSI Z87.1 or ANSI Z49.1 for proper filters for specific applications.	
Shade 1.7 To 3	Torch brazing or torch soldering, light cutting
Shade 5 To 8	Light brazing, cutting and gas welding
Shade 9 To 14	Arc welding

N-Vision™ T5650 Series



T5650 & T5655 Series

- ➔ Black/Gray Frame
- ➔ Modern ergonomic design for comfort and fit
- ➔ Easy lens replacement system
- ➔ Frame made of new Elasto LT chemical resistant material
- ➔ Comfortable straight and curved temple ends
- ➔ The lenses are protected with North's exclusive
- ➔ 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static
- ➔ Meets and/or exceeds ANSI Z87.1 and CSA Z94.3 requirements



T5655 Series Only

- ➔ Optional RX Insert available (65RX)
- ➔ Provided with two Flexi-Fit soft nose-pieces (regular and narrow) for comfort and adaptability

Color	T5650 Series	T5655 Series
Clear	T56505B	T56555B
Smoke	T56505BS	T56555BS
Amber	T56505BA	T56555BA
*Mirror	T56515BM	T56565BM
*I/O Mirror	T56515BTCG	T56565BTCG

*Mirror and Indoor/Outdoor Light Gray Mirror lenses are not anti-fog

RX INSERT

- ➔ Will fit all T5655 Series glasses

65RX



THE EDGE™ T5605 SERIES



- ➔ State-of-the-art protective eyewear that rivals the hottest new sport-look sunglasses on the market
- ➔ Single-piece polycarbonate lens with a 9-based curve for maximum peripheral vision
- ➔ Comes complete with 2 sets of temple ends: Stylish straight ends plus ear hugging curved ends
- ➔ The lenses are protected with North's exclusive 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static



Color	Black Frame	Replacement Lenses
Clear	T56005B	443RL
Smoke	T56005BS	444RL
Amber	T56005BA	445RL
*Mirror	T56005BM	445RL

*Mirror lenses are not anti-fog

PULSAR™ T8000 SERIES



- ➔ Stylish European shape
- ➔ 8.50 base curve dual lens design for wrap-around coverage
- ➔ Adjustable soft nosepiece for increased comfort
- ➔ Adjustable length temple arms
- ➔ Lenses are protected by North's exclusive 3A coating (Anti-Scratch, Anti-UV and Anti-Static)



Color	Burgundy Frame	Translucent Gray Frame
Clear	T80005BU	T80005TK
Smoke	T80005BUS	T80005TKS
Amber	T80005BUA	T80005TKA
I/O Mirror	T80005BUTCG	T80005TKTCG

TRITON™ T1200 SERIES



- ➔ Wide field uni-lens design offering unobstructed vision
- ➔ Made of very lightweight high impact resistant Polycarbonate
- ➔ Attractive translucent grey temples
- ➔ Meets ANSI Z87.1 and is certified by CSA to current Z94.3 standards
- ➔ Affordably priced



Color	Translucent Gray Temple
Clear	T12005
Smoke	T12005S
I/O Mirror	T12005TCG



SQUIRE™ T1605 SERIES



- ➔ Lightweight 100% nylon wrap-around frame
- ➔ One piece polycarbonate lens with integrated sideshields
- ➔ Wide angle vision and total protection
- ➔ Adjustable temple for maximum fit
- ➔ Lenses are protected by North's exclusive 3A coating (Anti-Scratch, Anti-UV and Anti-Static)



Color	Black Frame	Replacement Lenses
Clear	T16055	446RL
Smoke	T16055S	448RL
Amber	T16055A	449RL

ILLUSION™ T1500 SERIES

- ➔ Full coverage spectacles
- ➔ Attractive low profile uni-lens shape
- ➔ Made of lightweight high impact resistant materials
- ➔ Lenses are protected by North's exclusive 4A coating (*anti-fog, anti-scratch, anti-UV, anti-static*)



Color	SKU	Temple Color
Clear	T15005	Black
Smoke	T15005S	Black
Amber	T15005A	Black
*Mirror	T15005M	Black
*IR 3.0	T15005IR3.0	Black
*IR 5.0	T15005IR5.0	Black

*Mirror and IR lenses are not anti-fog

180 SLIMLINE™ T1300 SERIES

- ➔ Popular low profile shape
- ➔ High 9 base curve for better coverage and wide field of view
- ➔ Made of lightweight non-conductive high impact polycarbonate material
- ➔ Soft temple pads for better comfort
- ➔ Absorbs more than 99.9% of harmful UV light



Color	SKU	Temple Pad Color
Clear	T1300	Blue
Smoke	T1301	Hi-Viz Orange
Amber	T1302	Gray

OG T1100 SERIES

- ➔ Over the glasses type spectacles
- ➔ Fits over most prescription eyewear
- ➔ Also can be worn as regular safety glasses
- ➔ Offers very good coverage
- ➔ Wide field of view
- ➔ Lenses are protected by North's exclusive 4A coating (*anti-fog, anti-scratch, anti-UV, anti-static*)



Color	SKU	Sideshields Color
Clear	T11005	Clear
Smoke	T11005S	Smoke
Amber	T11005A	Amber



Royal Uv50™ Series

- ➔ Maximum panoramic and peripheral field of vision
- ➔ Large frame designed to fit over protective or prescription eyewear
- ➔ Soft, flexible PVC frame provides comfort, fit and seal
- ➔ Neoprene strap for better resistance to solvents and chemicals
- ➔ The lenses are protected with North's exclusive 4A Coating: Anti-Fog, Anti-Scratch, Anti-UV 99.9%, Anti-Static
- ➔ Clear lens and frame



UV50C/N

PRINCE 4015™

- ➔ Soft, lightweight PVC frame
- ➔ 4 cap vents provide indirect ventilation
- ➔ Fog free lens
- ➔ Neoprene straps
- ➔ Clear lens and Green frame



4015

PROTECTOR 300™

- ➔ Large comfortable soft frame
- ➔ Direct ventilation
- ➔ Wide one piece lens
- ➔ Clear lens and Green frame



300

SAFESPLASH 315™





- ➔ Large comfortable soft frame
- ➔ Indirect ventilation (*Cap vented*)
- ➔ Chemical splash protection
- ➔ Clear lens and Green frame



315

ITEk™ Glasses

- ➔ Newly designed ventilated nosepiece allows heat to dissipate from nose bridge to reduce fogging.
- ➔ Soft dual injected rubber temple tips and flexible nosepiece provide non-slip comfort.
- ➔ 9.75 base curved lens provides excellent side protection against airborne particles.
- ➔ Lightweight, frameless protection is ideal for all-day wear.

SKU	Description	
S5810ST	Clear Lens with Clear Temples	
S5820ST	Gray Lens with Gray Temples	
S5830S	Amber Lens with Amber Temples	
S5880S	Indoor/Outdoor Mirror Lens with I/O Mirror Temples	

ZTEk® Glasses

- ➔ Economical wrap-around single lens provides full panoramic view
- ➔ Soft non-slip rubber temple tips provide non-binding fit.
- ➔ Integrated nose piece.
- ➔ Provides 99% protection from harmful UV-A and UV-B rays.
- ➔ Scratch-resistant lenses

SKU	Description	
S2510ST	Clear Lens with Clear Frame	
S2520ST	Gray Lens with Gray Frame	
S2530S	Amber Lens with Amber Frame	
S2580S	I/O Mirror Lens with Indoor/Outdoor Mirror Frame	



V2G® Goggles

- ➔ 9.75 base curved lens provides full side protection.
- ➔ Lenses are treated to prevent fogging and self seal small scratches
- ➔ Lens and frame are vented to increase air flow.
- ➔ Offers protection from excessive glare.
- ➔ Headband features ratchet adjustment for perfect fit.
- ➔ Foam padding forms a perfect seal to keep out dust and airborne particles.
- ➔ Headband features quick fit retainer.
- ➔ Interchangeable temples/headband included with each pair of V2G

SKU	Description	
GD1810ST	Clear Lens with Black Strap/Temples Anti Fog	
GD1820ST	Gray Lens with Black Strap/Temples Anti Fog	
GD1830ST	Amber Lens with Black Strap/Temples Anti Fog	
GD1880ST	I/O Mirror Lens with Black Strap/Temples Anti Fog	





XSG™ Goggles

- ➔ Flame resistant foam padding forms seal to keep out dust and particles.
- ➔ Interchangeable temple/strap included with each pair.
- ➔ Strap has Quick Fit retainer for easy on/off.
- ➔ Design allows air to flow freely reducing heat.

SKU	Description	
GB4010ST	Clear Lens with Black Strap/Temples Anti Fog	
GB4020ST	Gray Lens with Black Strap/Temples Anti Fog	
GB4080ST	I/O Mirror Lens with Black Strap/Temples Anti Fog	

Intruder™ Glasses

- ➔ Economical lightweight glass offers superior protection
- ➔ Offers protection from excessive glare.
- ➔ Scratch-resistant lenses

SKU	Description	
S4110ST	Clear Lens with Clear Frame	
S4120S	Gray Lens with Gray Frame	
S4160S	Blue Lens with Blue Frame	
S4180S	I/O Mirror Lens with Indoor/Outdoor Mirror Frame	

B52 UNIVERSAL SIDE SHIELDS

- ➔ Adds the exclusive SAFETYWING® to its impressive list of patented protected features. It is easily adjustable for universal attachment to the broad spectrum of safety frames found in the real world workplace, large-medium and small.
- ➔ The SAFETYWING®: provides additional vertical and horizontal coverage and prevents impact related injuries by dispersing the kinetic energy over the entire wing surface, protecting the orbiting facial area from lacerations and fractures.
- ➔ The COMFORT CUSHIONS® enhance facial conformity and permit shield customization to block entry of foreign debris into the ocular region and will dramatically reduce foreign body eye injuries.
- ➔ The patented LIVING HINGES allow simple adjustment of either the upper or lower quadrants of the shield so as to easily adapt to any frame shape.
- ➔ For larger glasses



B52

B26 Universal Sideshield

- ➔ Meets all of the compliance issues of ANSI Z87.1-2003 on small to medium safety frames.
- ➔ Custom facial fitting (CC-26 comfort cushions, installation optional) minimizes injuries from windblown particles.
- ➔ Visual comfort and productivity is increased through glare reduction by the Glacier Clear Tint of these side shields.



B26

B-53+ Sun-Mate®

- ➔ Universal side shields w/ smoke lens
- ➔ Attenuates harmful UV Rays up to 380 nanometers.
- ➔ Sun-Mate® tint is exclusively for Glare Protection from the Sun.



B53

B-27+ Sun-Mate®

- ➔ Universal side shields w/ smoke lens for smaller lenses
- ➔ Attenuates harmful UV Rays up to 380 nanometers.
- ➔ Sun-Mate® tint is exclusively for Glare Protection from the Sun.



B27

UNIVERSAL SIDE SHIELDS by Safety Optical Service

The exclusive SAFETYWING has been added to the remarkable listing of patented protected features of the new B-52+PLUS. Easily adjustable for attachment to the extensive variety of safety frames used in many types of work environments, the B-52+ is one of our most popular side shields. It comes in clear tint lens.

Safeguard

- ➔ Molded from impact resistant polycarbonate. Impact tested to ANSI Z87 specifications on both metal and plastic frames. Complies with DOL, OSHA Rule 29 CFR Part 1910.133 Effective July 5, 1994.

Now Equipped With UV Shield

- ➔ Our exclusive UVS additive provides an ultraviolet barrier which effectively reduces UV up to 380 nanometers.

Quick Change

- ➔ This exceptional side shield can be easily installed or removed without tools.

Widespread Conformity

- ➔ Patented design adapts to a large variety of frame shapes



B22MHS® Sideshields



- ➔ Compliments the Safety Optical B52+® and B26+® line of Universal Sideshields.
- ➔ The B22MHS® Multi-Hazard-Shield® utilizes pliable FDA approved polymers that provide expanded coverage, protection and comfort for extended wear in the Medical, Personal and Industrial Hazard Environments.
- ➔ Narrow frames demand additional side and frontal coverage. The B22+® Auto adjusts to fit any frame shape (small, medium or large) while self adapting to unique individual facial features.
- ➔ Clear

B22



Patented Hinge system is engineered for all sizes and shapes of frames.
Molded from high impact and UV protective Polycarbonate

Uvex Astro OTG® 3001

- ➔ Same features as the Uvex Astropec 3000 with attractive OTG (*over-the-glass*) styling.
- ➔ Contemporary, lightweight unilens offers panoramic vision.
- ➔ Adjustable lens inclination and temple length.
- ➔ Duoflex temples slip on smoothly while allowing for individual customization and comfort.
- ➔ Meets ANSI Z87+ and CSA Z94.3 standards.
- ➔ Made in USA.



SKU	Frame Color/Lens Tint	Lens Coating
S2500	Black/Clear	Ultra-dura
S2500C	Black/Clear	Uvextreme
S2504	Black/Gray	Ultra-dura
S2504C	Black/Gray	Uvextreme
S2509	Black/Shade 5.0 Infra-dura	Ultra-dura

Uvex FitLogic® Reading Magnifiers

- ➔ Individual bifocal readers molded directly into a clear lens
- ➔ Offers increased magnification for reading, inspection, and fine detail work
- ➔ +1.5, +2.0, and +2.5 diopter strengths available for workers who have difficulty reading smaller print
- ➔ Extended wrap-around lens design provides extra cheek and side coverage
- ➔ Optically perfected polycarbonate lens blocks 99.9% of UV Rays
- ➔ Easy and quick lens replacement
- ➔ Lens made with Ultra-dura® hard coat for anti-scratch protection
- ➔ Passes ANSI Z87+ and CSA Z94.3 standards



SKU	Frame Color	Lens Tint/Coating	Diopter Strength
S0471	Black/Silver	Clear/Hardcoat	+1.5
S0472	Black/Silver	Clear/Hardcoat	+2.0
S0473	Black/Silver	Clear/Hardcoat	+2.5

Uvex Skyper®

- ➔ Wrap-around protective eyewear offers exceptional comfort, protection and fit
- ➔ Easy and economical lens replacement system
- ➔ Adjustable temple length and lens inclination
- ➔ Meets military V₀ ballistic test for impact
- ➔ Meets ANSI Z87+ (*High Impact*) and CSA Z94.3 standards



SKU	Frame Color/Lens Tint	Lens Coating
S1900X	Black/Clear	Uvextreme
S1904X	Black/SCT-Gray	Uvextreme

Uvex Genesis

- ➔ Exceptional comfort, protection and style
- ➔ Dual 9-base wrap-around lens provides uncompromised peripheral vision and superior protection
- ➔ Soft flexible fingers adjust and conform to almost any nasal profile to reduce slippage
- ➔ Soft elastomer browguard diffuses and deflects impact
- ➔ Easy and economical lens replacement system
- ➔ Adjustable temple length and lens inclination
- ➔ Meets Mil V₀ ballistic test for impact (*Protection against impact energies 7x higher than ANSI requires*)
- ➔ Meets ANSI Z87+ and CSA Z94.3 standards
- ➔ Lifetime frame guarantee



SKU	Frame Color/Lens Tint	Lens Coating
S3200X	Black/Clear	Uvextreme
S3201X	Black/Esspresso	Uvextreme
S3204	Black/SCT-Reflect 50	Ultra-dura
S3211X	Black/ SCT-Blue	Uvextreme

Uvex Genesis XC w/ optional Rx insert

- ➔ Extended wrap-around lens for extra cheek and extra side coverage (*up to 20% more than the standard Genesis® lens*)
- ➔ Rx lens insert holds Rx lenses firmly in place
- ➔ Soft, flexible nose fingers conform to fit a variety of nasal profiles
- ➔ Adjustable temples for custom fit
- ➔ Available with cushioned temples for all-day comfort
- ➔ Passes ANSI Z87+ and CSA Z94.3 standards
- ➔ Dura-streme™ technology option delivers Uvextreme® anti-fog protection on the interior of the lens and Ultra-dura® hard coat on the exterior of the lens for greater chemical and scratch resistance and longer lens life
- ➔ Meets Mil V₀ ballistic test for impact (*protection against impact energies 7x higher than ANSI and CSA require*)



SKU	Frame Color/Lens Tint	Lens Coating
S3300X	Black/Clear	Uvextreme
S3302	Black/SCT-Reflect 50	Ultra-dura

Uvex Protégé®

- ➔ Available in scratch-resistant Hardcoat or Uvextra AF anti-fog coating
- ➔ Proprietary Floating Lens design offers increased flexibility in fit
- ➔ Secure wrap-around brow expands to fit a wide range of users
- ➔ Ultra lightweight design at only 27.5 grams, weighs less than one ounce
- ➔ Soft temple tip pads provide a secure fit
- ➔ Soft, clear nose pads prevent slipping
- ➔ Complies with ANSI Z87+ (*High Impact*) standard
- ➔ XC version complies with ANSI Z87+ (*High Impact*) standard and CSA Z94.3
- ➔ Meets military V₀ ballistic test for impact (*7x greater than ANSI*)



SKU	Frame Color/Lens Tint	Lens Coating
S4200XC	Metallic Black/Clear	Hardcoat
S4200XXC	Metallic Black/Clear	Uvextra AF
S4201XC	Metallic Black/Gray	Hardcoat
S4202XC	Metallic Black/SCT-Reflect 50	Hardcoat

Uvex Classic™ Goggles

- Fits over most Rx spectacles
- Meets ANSI Z87+ (*High Impact*) and CSA Z94.3 standards
- Color/Lens Tint Lens: Clear Body/Clear
- Coating: Uvextreme
- Hood Indirect Vent

S350



Uvex Futura™ Goggles

- Wrap-around sports style provides excellent panoramic vision
- Frosted brow guard reduces glare
- Indirect venting increases air flow
- Two models: welding and dust/mist/impact/chemical splash
- Fits over most Rx eyewear
- Easy and economical lens replacement system
- Meets ANSI Z87+ (*High Impact*) and CSA Z94.3 standards
- Color/Lens Tint Lens: Clear/Clear
- Coating: Uvextreme
- Indirect Vent, Neoprene Band

S345C



Uvex Spoggle® Goggles

- Superior close-to-the-face coverage
- Suggested for dust and small particulates
- Soft, flame resistant, replaceable face foam and headband
- Replaceable lenses available
- Meets ANSI Z87+ (*High Impact*) standard
- Color/Lens Tint Lens: Brown and Black/Clear
- Coating: Uvextreme
- Flame Resistant Headband

S400X



Uvex Flex Seal®

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Provides exceptional chemical splash and impact resistance
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® anti-fog coating and indirect venting system minimize fogging
- Fits over most prescription eyewear
- Easy and economical lens replacement system
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears
- Meets ANSI Z87+ (*High Impact*) and CSA Z94.3 standards
- Uvextreme lens coating



SKU	Frame Color/Lens Tint	Lens Coating	Description
S3400X	Navy Body/Clear	Uvextreme	Neoprene Headband
S3405X	Navy Body/Clear	Uvextreme	Fabric Headband
S3410X	Navy Body/Gray	Uvextreme	Neoprene Headband

Uvex Stealth®

- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Easiest lens replacement system available
- Uvextreme® AF coating and indirect ventilation system minimize fogging
- Dura-streme™ technology option delivers Uvextreme anti-fog protection on the interior of the lens and Ultra-dura® hardcoat on the exterior of the lens for greater chemical and scratch resistance and longer lens life
- Quick-adjust headband
- Meets ANSI Z87+ (*High Impact*) and CSA Z94.3 standards



SKU	Frame Color/Lens Tint	Lens Coating	Description
S3960C	Gray and Gray/Clear	Uvextreme	Neoprene Band
S39610C	Teal and Gray/Clear	Uvextreme	Neoprene Band

uvex
by SPERIAN

Lens Cleaning

Canister with 100 Lens Cleaning Tissues

LCC100



100 Individually Packaged Lens Cleaning Towelettes

LCT100



Lens Cleaning Station with 16oz. Cleaning Solution 1200 Tissues

LCS20



Lens Cleaning Station with 8oz. Cleaning Solution 600 Tissues

LCS10



Gallon of Lens Cleaning Solution

GALSOL



Lens Cleaning Station

- ➔ Easy to wallmount
- ➔ Convenient and refillable
- ➔ Opens wide for easy access
- ➔ Metal cabinet 9" X 12" X 5" including: (2) 16 oz (500ml) bottles of "Anti-Fog" lens cleaner and (2) boxes of 280 sheets of lint-free tissues



1015C

Disposable Cleaning Station

- ➔ Enviro-Friendly cabinet
- ➔ Complete with pump dispenser of 16oz (500ml) "Anti-Fog" cleaning fluid and cleaning tissues
- ➔ No hardware required - hang it anywhere
- ➔ Nothing to fill, comes ready to use
- ➔ Instantly cleans eyeglasses, goggles and faceshields
- ➔ Removes toughest grime and grease
- ➔ Each station comes complete with a built-in pump dispenser that is filled with 16oz (500 ml) of "Anti-Fog" cleaning fluid
- ➔ Its ANTI-FOG action is significantly longer lasting than any other on the market



SKU	Description	Box/Tissue
LCS1	16 oz (500 ml) bottle	4 boxes
LCS2	16 oz (500 ml) bottle	2 boxes

Fog-Free Lens Cleaner

- ➔ Extra strength anti-fog solution
- ➔ Anti-static, non-abrasive, non-toxic, non-flammable, non-alcohol based, silicone free, biodegradable

SKU	Description
10204	Bottle of 4 oz (118 ml.)
10208	Bottle of 8 oz (236 ml.)
102016	Bottle of 16 oz (500 ml.)
1020160	Bottle of 1 gallon (4 liters)
70RP	Replacement spray pump for 1020160
1025	Lens cleaning tissues (280/box, 30 boxes/case)



Lens Cleaning Towelette

- ➔ Dispenser box of 100 lens cleaning towelettes
- ➔ Anti-Static, Anti-Fog formula
- ➔ Silicone and alcohol free
- ➔ Biodegradable

T1025T



Disposable Respirator Summary

- ➔ North offers a variety of disposable respirators to meet a variety of job applications.
- ➔ From economy to deluxe, cup style or flat fold, you can be sure to find the right respirator for your worksite.

SKU	Type	Style	Foam Pad	Nose Clip	Head Straps	Exh. Valve	Odor Relief
5130N95	N95	Cup	Open Cell	Straight Style	Elastic	No	No
7130N95, S	N95	Cup	Closed Cell	Curved Style	Elastic	No	No
7140N95, S	N95	Cup	Closed Cell	Curved Style	Elastic	Yes	No
8140P95	P95	Cup	Closed Cell Full Seal Area	Curved Style	Elastic	Yes	No
8145P95	P95	Cup	Closed Cell Full Seal Area	Curved Style	Adjustable	Yes	Yes OV, AG, OZ
8150P100	P100	Cup	Closed Cell Full Seal Area	Curved Style	Adjustable	Yes	No

Standard N95 Disposable Respirators



7130N95

7140N95

- ➔ North 7130N95 and 7140N95 disposable respirators are the disposable workhorse you have been looking for. Ideal when workers must wear masks for extended periods. Available with or without an exhalation valve. NIOSH approved N95 for use in non-oil environments.

SKU	Description	Packaging
7130N95, S	Disposable respirator without valve. Small or medium/large size	20 per Box
7140N95, S	Disposable respirator with valve. Small or medium/large size	10 per Box

Disposable Respirators



- ➔ When you are faced with a dirty job you need a dust mask that will measure up. The North 8140P95 is here to meet the challenge. NIOSH approved P95 for use in environments that contain oil based aerosols.

SKU	Description	Packaging
8140P95	Disposable respirator with valve. Universal size	10 per Box

DELUXE P95 & P100 DISPOSABLE RESPIRATORS



8144P95



8144P100

- ➔ These masks deliver when you require the most from your disposable respirator.
- ➔ The North 8145P95 also provides odor relief from nuisance levels of organic vapors, acid gases and ozone.
- ➔ North's 8145P95 is a NIOSH approved P95 and the 8150P100 is a NIOSH approved P100 for use in environments that contain oil based aerosols.

SKU	Description	Packaging
8145P95	N95 disposable respirator with valve, plus odor relief from nuisance level OV, AG and Ozone. Universal size with adjustable straps.	5 per Box
8150P100	P100 disposable respirator with valve. Universal size with adjustable straps	5 per Box

FILTER EFFICIENCIES

The National Institute of Occupational Safety and Health (NIOSH) classifies filters in two ways, type and efficiency. Using these classifications there are nine possible filter groups. The most commonly used are N95 as the most economical, and P100 providing the highest possible protection. The classifications are defined on the right.

Type	Efficiency
N Not for use in atmospheres that contain oil based aerosols.	95 95% minimum filter efficiency in removing particulates.
R Restricted to eight hours of service life if used in atmospheres that contain oil based aerosols.	99 99% minimum filter efficiency in removing particulates.
P Oil Proof. May be used without restrictions in atmospheres that contain oil based aerosols.	100 99.97% minimum filter efficiency in removing particulates.

7700 AND 5500 SERIES HALF MASKS

- ➔ The North 7700 half mask is the industry standard for comfort, fit and reliability.
- ➔ For over 25 years the North 7700 has proven itself, protecting workers in some of the harshest environments.
- ➔ Why settle for a copy, when you can have the original?
- ➔ The North 5500 is the economical choice for the occasional user, contractors or as a "visitor's mask".
- ➔ The North 5500 has many of the same features as the 7700 mask, but made with an elastomeric material.
- ➔ Cartridges and filters sold separately.
- ➔ All North Half Masks can be adapted to PAPR or Supplied Air.



SKU	Description
770030S	Silicone half mask, Small
770030M	Silicone half mask, Medium
770030L	Silicone half mask, Large
550030S	Elastomeric half mask, Small
550030M	Elastomeric half mask, Medium
550030L	Elastomeric half mask, Large



7600 Series Full Facepiece

- ➔ The 7600 Series Full Facepiece respirators are designed to provide eye, face and respiratory protection while ensuring optimal comfort and performance.
- ➔ Its dual flange silicone seal gives this facepiece superior fitting characteristics.
- ➔ The hard-coated polycarbonate lens provides over 200° field of vision and protects the wearer's eyes and face against irritating gases, vapors and flying particles. \
- ➔ The lens also provides excellent optics, is scratch resistant and meets ANSI standards for impact and penetration resistance.
- ➔ The 7600 Series Full Facepiece sets the standard for full facepiece protection.
- ➔ Cartridges and filters sold separately.
- ➔ North Full Facepieces can be adapted to PAPR or Supplied Air.



SKU	Description
760008A	Silicone full facepiece, Medium/Large
760008AS	Silicone full facepiece, Small
760008AW	Silicone full facepiece with welding attachment, Medium/Large
760008SW	Silicone full facepiece with welding attachment, Small



5400 Series Full Facepiece

- ➔ The 5400 Series provides the comfort and protection you would expect from North, at an unbeatable price.
- ➔ No other full facepiece in its price range offers such quality, engineering and attention to detail.
- ➔ Weighing only 14 ounces, the 5400's lightweight design offers a level of comfort that ensures greater worker acceptance.
- ➔ Plus, its facepiece seal is made from a soft, pliable elastomer material with high chemical resistance to assure excellent comfort, fit and performance.
- ➔ Cartridges and filters sold separately.
- ➔ North Full Facepieces can be adapted to PAPR or Supplied Air.












SKU	Description
54001	Elastomeric full facepiece, Medium/Large
54001S	Elastomeric full facepiece, Small
54001W	Elastomeric full facepiece with welding attachment, Medium/Large
54001SW	Elastomeric full facepiece with welding attachment, Small



Cartridges/Filters for Air-Purifying Respirators

SKU	Description	Pkg	
Protection From			
Gas And Vapor Cartridges			
75SC	Defender™ Multi-Purpose <i>Organic vapors, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide)</i>	Pair	
N75001	Organic Vapor <i>Organic vapors</i>	Pair	
N75002	Acid Gas Cartridge <i>Acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide) and formaldehyde</i>	Pair	
N75003	Organic Vapor & Acid Gas <i>Organic vapors and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide)</i>	Pair	
N75004	Ammonia & Methylamine <i>Ammonia and methylamine</i>	Pair	
N750052	Mercury Vapor Cartridge with ESLI <i>Mercury vapor and chlorine with End-of-Service Life Indicator (ESLI) for mercury</i>	Pair	
Combination Gas And Vapor Cartridges With P100 Particulate Filters			
75SCP100	Defender™ Multi-Purpose with P100 <i>Organic vapors, ammonia, methylamine, formaldehyde and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide); and 99.97% filter efficiency for all particulates</i>	Pair	
7581P100	Organic Vapor with P100 <i>Organic vapors; and 99.97% filter efficiency for all particulates</i>	Pair	
7582P100	Acid Gas with P100 <i>Acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide) and formaldehyde; and 99.97% filter efficiency for all particulates</i>	Pair	
7583P100	Organic Vapor & Acid Gas with P100 <i>Organic vapors and acid gases (chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide [escape], hydrogen fluoride and chlorine dioxide); and 99.97% filter efficiency for all particulates</i>	Pair	
7584P100	Ammonia & Methylamine with P100 <i>Ammonia and methylamine; and 99.97% filter efficiency for all particulates</i>	Pair	
75852P100	Mercury Vapor with ESLI and P100 <i>Mercury vapor and chlorine with End-of-Service Life Indicator (ESLI) for mercury; and 99.97% filter efficiency for all particulates</i>	Pair	

SKU	Description	Pkg	
Protection From			
Particulate Filters			
7580P100	P100 <i>99.97% filter efficiency for all particulates</i>	Pair	
75FFP100	Pancake: Low profile P100 filter for use under welding helmets <i>99.97% filter efficiency for all particulates</i>	Pair	
75FFP100NL	Pancake with odor relief: Low profile P100 filter for use under welding helmets <i>99.97% filter efficiency for all particulates; plus relief from odors caused by nuisance levels of organic vapors, acid gases and ozone</i>	Pair	
7506N95	N95 Prefilter <i>95% filter efficiency for non-oil based aerosol particulates</i>	10 per Pack	
7506R95	R95 Prefilter <i>95% filter efficiency for all particulates. Restricted to 8 hours service life if used in atmospheres containing oil-based aerosols</i>	10 per Pack	
7506N99	N99 Prefilter <i>99% filter efficiency for non-oil based aerosol particulates</i>	10 per Pack	
Particulate Filter Assemblies			
7535FFP100	Stack Pack: Pancake with Adapter <i>99.97% filter efficiency for all particulates Includes one pair of N750035 adapter to attach the Pancake to North cartridges. May not be used with the Defender cartridges.</i>	5 Pair filters & 1 Pair adapter	
7531N95	N95 Filter Assembly <i>95% filter efficiency for non-oil based aerosol particulates Includes 7506N95 prefilters, N750027 filter covers and N750015 filter retainers for use on half mask or full facepiece when cartridges are not used.</i>	1 Pair	
7531R95	R95 Filter Assembly <i>95% filter efficiency for all particulates. Restricted to 8 hours service life if used in atmospheres containing oil-based aerosols Includes 7506R95 prefilters, N750027 filter covers and N750015 filter retainers for use on half mask or full facepiece when cartridges are not used.</i>	1 Pair	

NORTH COMPACT AIR® PAPR SYSTEMS

- ➔ North by Honeywell offers two Powered Air-Purifying systems: one for fullfacepieces, and one for loose fitting covers and hoods.
- ➔ Both blower battery assemblies are belt mounted and are NIOSH approved with a range of cartridges and filters for protection from many hazardous environments.
- ➔ Both featured-packed North systems offer the power and versatility to keep workers comfortable during long, hot jobs. Because blower facilitates flow of air through filters or cartridges, workers are not fighting breathing resistance – yielding less worker fatigue.
- ➔ Applications: Hot, dirty environments where mobility is required and supplied air is not an option. Examples: Heavy Manufacturing, Chemical Plants, Refineries, Smelting Operations



CA102



CA102D



CA101



CA101D

FOR TIGHT-FITTING NORTH FACEPIECES: 5400, 5400W, 5500, 7600, 7600W, 7700 SERIES



SKU	Description
CA102	Compact Air Assembly with Standard back pad and nylon belt.
CA102D	Compact Air Assembly with washable Decon back pad and PVC belt (for decontamination)

CA102 and CA102D are NIOSH approved for use with North Facepieces to deliver a minimum of 4 CFM

FOR USE WITH ALL PRIMAIR SERIES HEAD COVERS



SKU	Description
CA101	Compact Air Assembly with Standard back pad and nylon belt.
CA101D	Compact Air Assembly with washable Decon back pad and PVC belt (for decontamination)

CA101 and CA101D are NIOSH approved for use with North Primair Series head covers to deliver a minimum of 6 CFM



CARTRIDGES AND FILTERS FOR PAPR

➔ Packed Box of 3 for Each

SKU	Description	
Protection From		
Gas And Vapor Cartridges		
4001	Organic Vapor <i>Organic vapor</i>	
4003	Organic Vapor and Acid Gas <i>Organic Vapor, Acid Gas (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Hydrogen Sulfide) and Formaldehyde Cartridge</i>	
4004	Ammonia and Methylamine <i>Ammonia and Methylamine</i>	
Combination Gas And Vapor Cartridges With Hepa Filters		
4001HE	Organic Vapor with HEPA <i>Organic Vapor Cartridge with HEPA (High Efficiency Particulate Air-purifying) filter, (99.97% minimum filter efficiency) for all particulates</i>	
4003HE	Organic Vapor and Acid with HEPA <i>Organic Vapor, Acid Gas (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide, Hydrogen Sulfide) and Formaldehyde Cartridge with HEPA High Efficiency Particulate Air-purifying) filter, (99.97% minimum filter efficiency) for all particulates</i>	
4004HE	Ammonia and Methylamine with HEPA <i>Ammonia and Methylamine Cartridge with HEPA (High Efficiency Particulate Air-purifying) filter, (99.97% minimum filter efficiency) for all particulates</i>	
HEPA (High Efficiency Particulate Air-Purifying) Filter		
40HE	HEPA Filter <i>HEPA (High Efficiency Particulate Air-purifying) filter, 99.97% minimum filter</i>	

Continuous Flow for Facepieces



CF2007 shown
with 5500 halfmask



CF2007 shown
with 76008A face piece



CF2007 shown with
76008AW facepiece

Cf2007 For Half Masks And Full Facepieces

- ➔ Convert your North half mask or full facepiece to continuous flow with the CF2007. This breathing tube attaches to North facepiece cartridge connectors, eliminating the need for special adapters or tools. NIOSH approved for use with North 5500, 7700, 5400 and 7600 Series including full facepieces with welding front.
- ➔ Facepieces, hoses and couplers sold separately.

SKU	Description
CF2007	Breathing tube with threaded connections to convert North facepieces to supplied air. Includes breathing tube and waist belt
CF2401	CF2007 breathing tube with 7600 full facepiece. Medium/Large
CF2401S	CF2007 breathing tube with 7600 full facepiece. Small

Half Masks With Pancake Filters

- ➔ Combine the ever-popular North 7700 half mask with North's low-profile design filters for a solution professional welders will appreciate.
- ➔ The North 7700's non-allergenic silicone provides superior fit without pressure points for all-day comfort.
- ➔ It can also be adapted to PAPR and Supplied Air without additional fit-testing.

SKU	Description
770030S	Silicone half mask - Small
770030M	Silicone half mask - Medium
770030L	Silicone half mask - Large
75FFP100NL	Particulate Filter – Pancake with odor relief: Low profile P100 filter for use under welding helmets 99.97% filter efficiency for all particulates; plus relief from odors caused by nuisance levels of organic vapors, acid gases and ozone Pair



BACKPACK ADAPTER

- ➔ The North Backpack Adapter relocates cartridges and filters out of the work zone, placing them on the user's back. Also reduces weight of mask. Oval hose design provides low profile under tight-fitting welding helmets.
- ➔ Adapts easily to North Full Facepiece and Half Mask air purifying respirators, by screwing securely to facepiece cartridge connectors.
- ➔ Welding Applications: for highly-heated areas, limited work space and tight-fitting welding helmets

SKU	Description
BP1002	Backpack Adapter*
BP1201S	Backpack Adapter with 7700 half mask - Small**
BP1201M	Backpack Adapter with 7700 half mask - Medium**
BP1201L	Backpack Adapter with 7700 half mask - Large**

* Facepiece and Cartridges sold separately. NIOSH approved for use with North 7700, 5500, 5400 and 7600 Series Facepieces.

Cartridges with End-of-Service-Life Indicators are not approved for use with the North Backpack Adapter.

** Cartridges sold separately.



BP1002 shown with
7700 Series Half
Mask and 7581P100
Cartridges



BP1201

Particulate Respirators w/Nuisance Odor

- ➔ 3M™ 8247 R95 with 3M™ recommended nuisance level organic vapor relief.
- ➔ For use in applications such as foundries, undercoating, petrochemical operations and agricultural situations where particles are present with concentrations of organic vapors below the OSHA PEL.
- ➔ The respirator filter is NIOSH certified to provide at least 95% efficiency against solid and liquid particles, including oils. Time use restrictions may apply.
- ➔ Advanced Electret Media
- ➔ Odor-Removing Filter Material
- ➔ R95
- ➔ 20 ea/box



8247

Welding Particulate Respirators

8212 N95

- ➔ The 8212 N95 respirator is for use when welding, torch cutting, soldering, brazing and working with molten metals. Helps provide protection when welding on galvanized and stainless steel. Fits easily under a welding hood. The respirator filter is NIOSH certified to provide at least 95% efficiency at removing solid and liquid particles (excluding those containing oil).
- ➔ Advanced Electret Media
- ➔ Adjustable Straps
- ➔ Cake-Resistant Filter Media
- ➔ Cool Flow Exhalation Valve
- ➔ Faceseal
- ➔ N95
- ➔ 10 ea/box



8212

8214 N95

- ➔ The 8214 N95 is NIOSH certified to provide at least 95% filter efficiency against non-oil particulate contaminants. It is designed for welding and metal fume applications with ozone or nuisance level odors (concentrations of organic vapors below the OSHA PEL). The 8214 is suited for maintenance, welding, torch cutting, brazing, soldering and metal pouring. Carbon layers trap nuisance level odors and ozone up to 10 times the OSHA PEL. Not for use above 10X PEL or express OSHA limitations.
- ➔ Advanced Electret Media
- ➔ Cake-Resistant Filter Media
- ➔ Cool Flow Exhalation Valve
- ➔ Faceseal
- ➔ N95
- ➔ 10 ea/box



8214

Particulate Respirators

8511 N95

- ➔ 3M™ 8211 N95 is NIOSH certified to have at least 95% filter efficiency at removing solid and liquid particles (excluding those containing oil). Workers will appreciate the added comfort and durability found in this respirator.
- ➔ Advanced Electret Media
- ➔ Cool Flow Exhalation Valve
- ➔ M-Noseclip
- ➔ N95
- ➔ 10 ea/box



8511

8515 N95

- ➔ 3M™ 8515 N95 is designed to help provide comfortable, reliable worker protection for applications such as welding, soldering, cutting, grinding and sanding. This respirator offers a number of benefits to you and your workers.
- ➔ Advanced Electret Media
- ➔ M-Nose Clip
- ➔ Cool Flow™ Exhalation Valve
- ➔ 3M™ Welding Web
- ➔ N95
- ➔ 10 ea/box



8515

8210 N95

- ➔ 3M™ 8210 N95 has been certified by NIOSH as being at least 95% efficient at removing solid and liquid particles (excluding those containing oil). The 8210 is designed to provide quality, reliable worker protection in applications such as grinding, sanding, sawing, sweeping and bagging.
- ➔ Advanced Electret Media
- ➔ N95
- ➔ 20 ea/box



8210

9211 N95

- ➔ 3M™ 9211 N95 is a valved, three panel filtering facepiece respirator. An adjustable nose clip helps provide a custom fit and secure seal.
- ➔ Soft cover web on inner panel
- ➔ Adjustable Nose Clip
- ➔ Individually packaged
- ➔ Lightweight, collapse-resistant design
- ➔ N95
- ➔ 10 ea/box



9211



6000 Series

- ▶ The lightweight and comfortable 3M™ 6000 Series low maintenance respirators offer a cost-effective solution to reusable respirators.
- ▶ With limited spare parts, cleaning and care of the face piece is fast and simple. Both half and full facepiece respirators are available in three sizes.

HALF FACE RESPIRATOR

SKU	Size
6100S	Small
6200M	Medium
6300L	Large

For use with 6000 series cartridges and 2000 series filters



FULL FACEPIECE

SKU	Size
6700S	Small
6800M	Medium
6900L	Large



7000 Series

- ▶ The 7000 series feature interchangeable cartridges and filters for a variety of applications, two facepiece styles to comfortably fit varying facial features, and a low-profile design of facepieces and cartridges/prefilters.

ULTRA-REUSABLE HALF FACEPIECE

SKU	Size
7500S	Small
7500M	Medium
7500L	Large



FULL FACE-SILICONE

SKU	Size
7800S-S	Small
7800S-M	Medium
7800S-L	Large



Face Shield Cover

- ▶ Use on 3M™ Full Facepieces 6000 Series to help protect the lens

6885



Face Shield Cover

- ▶ Use on 3M™ Half Facepieces 7500 Series

7581



CARTRIDGE FILTER HOLDER

- ▶ This holder is designed to be used with the 3M(tm) Half Facepiece Respirators 7500 Series

7586



Exhalation Valve

- ▶ Used with the 3M(tm) Half Facepiece Respirators 7500 Series

7583



Inhalation Gasket

- ▶ Used with the 3M(tm) Half Facepiece Respirators 7500 Series

7582



3M™ Respirator Selection Chart



5000 Series
Designed for simplicity and ease of use.



6000 Series
6000 series cartridges and 2000 series filters can be used with this respirator.










7000 Series
Wide variety of interchangeable cartridge and filter styles.



		RESPIRATOR Non-replaceable cartridge style		RESPIRATOR/CARTRIDGES Replaceable bayonet cartridge style	
Cartridge Type	NIOSH Approved For:	5000 Series Half Facepiece (<i>maintenance-free filter</i>)		6000 Series Half Facepiece; Drop Down Half; Full Facepiece	7000 Series 7500 Half Facepiece; 7800S Full Facepiece
OV Organic Vapor	Certain Organic Vapors	5101 5201 5301	Small Medium Large	6001	
OV/P100 Organic Vapor/P100	Certain Organic Vapors and Particulates	51911 52911 53911	Small Medium Large	60921	
AG Acid Gas	Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Chlorine Dioxide or Hydrogen Sulfide (<i>escape only</i>)			6002	
AG/P100 Acid Gas/P100	Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Chlorine Dioxide or Hydrogen Sulfide (<i>escape only</i>) and Particulates			60922	
OV/AG Organic Vapor/Acid Gas	Certain Organic Vapors, Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Hydrogen Sulfide (<i>escape only</i>) or Hydrogen Fluoride	5103 5203 5303	Small Medium Large	6003	
OV/AG/P100 Organic Vapor/Acid Gas/P100	Certain Organic Vapors, Chlorine, Hydrogen Chloride, and Sulfur Dioxide or Hydrogen Sulfide (<i>escape only</i>) or Hydrogen Fluoride and Particulates	51913 52913 53913	Small Medium Large	60923	
AM/MA Ammonia/Methylamine	Ammonia and Methylamine			6004	
AM/MA/P100 Ammonia/Methylamine/P100	Ammonia and Methylamine and Particulates			60924	
FM/OV Formaldehyde/Organic Vapor	Formaldehyde/Certain Organic Vapors			6005	
FM/OV/P100 Formaldehyde/Organic Vapor/P100	Formaldehyde and Certain Organic Vapors, and Particulates			60925	
MG/V Multi-Gas/Vapor	Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide (<i>escape only</i>) Ammonia/ Methylamine, Formaldehyde or Hydrogen Fluoride	5106 5206 5306	Small Medium Large	6006	
MG/V/P100 Multi-Gas/Vapor/P100	Certain Organic Vapors, Chlorine, Hydrogen Chloride, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Sulfide (<i>escape only</i>) Ammonia/ Methylamine, Formaldehyde or Hydrogen Fluoride and Particulates			60926	
HG Mercury	Mercury Vapor or Chlorine			6009	
HG/P100 Mercury/P100	Mercury Vapor or Chlorine and Particulates			60929	

3M™ Filter Selection Chart

Filter Type	NIOSH Approved For:	RESPIRATOR	RESPIRATOR/CARTRIDGES	
		Non-replaceable cartridge style	Replaceable bayonet cartridge style	
		5000 Series Half Facepiece (<i>maintenance-free filter</i>)	6000 Series Half Facepiece; Drop Down Half; Full Facepiece	7000 Series 7500 Half Facepiece; 7800S Full Facepiece
P95	Particulates		2071	
P95 HF with nuisance level Acid Gas*	Hydrogen Fluoride and Particulates		2076HR	
P95 with nuisance level Organic Vapor/Acid Gas*	Particulates		2078	
P100	Particulates	To use these filters for the 5000 series refer to the Retainers/Adapters for Pre-Filters below.	2091	
			7093	
			7093C	
P100 with nuisance level Acid Gas*	Particulates		2096	
P100 with nuisance level Organic Vapor*	Particulates		2097	

Pre-Filter for Attachment to Cartridges

- ➔ Filter Type N95
- ➔ NIOSH Approved For: Non-Oil Particulates
- ➔ 5000, 6000, 7000 Series

5N11



Fit Test Kits

3M's fit testing devices and procedures provide a simple and effective way of helping meet OSHA qualitative fit testing requirements. A fast, easy method for performing qualitative fit testing. Can be used with any particulate respirator or any gas and vapor respirator with particulate filter. Helps satisfy respiratory program requirements. Can be used during respirator training programs. Convenient, reliable and economical to use. Determines employee's taste threshold to fit solution.

Allows exercises to be performed in a test atmosphere. Use to test the seal of any respirator with a particulate prefilter.

QUANTITATIVE FIT TEST APPARATUS, SWEET

This kit contains:

- ➔ Laminated instruction booklet (*English/Spanish*).
- ➔ Sensitivity solution FT-11.
- ➔ Fit test solution FT-12.
- ➔ Two nebulizers FT-13.
- ➔ One hood FT-14.
- ➔ One collar assembly FT-15.
- ➔ Two sets replacement nebulizer inserts.



FT-10

QUANTITATIVE FIT TEST APPARATUS, SWEET

This kit contains:

- ➔ Durable, molded black plastic case with inside hinge straps and wide top pocket for extra literature.
- ➔ Easy to carry and convenient to use.
- ➔ All FT-10 materials.
- ➔ 3M™ Universal Fitting Instruction video.
- ➔ All 3M™ respirator fitting posters.
- ➔ Administrative Respiratory Protection Guide.



FT-20

QUANTITATIVE FIT TEST APPARATUS, BITTER

This kit contains:

- ➔ Laminated instruction booklet (*English/Spanish*).
- ➔ Sensitivity solution FT-31.
- ➔ Fit test solution FT-32.
- ➔ Two nebulizers FT-13.
- ➔ One hood FT-14.
- ➔ One collar assembly FT-15.
- ➔ Two sets replacement nebulizer inserts.



FT-30

RESPIRATOR CLEANING WIPES

- ➔ Alcohol-free cleaning wipes, individually packaged.
- ➔ 100 pouches per carton dispenser.
- ➔ 5 cartons per case.



504



Arsenal® Half-Mask Respirator Waist Pack

- ➔ Respirator Bags increase compliance and safety by keeping needed equipment at your side. 420D nylon.
- ➔ 420D Nylon w/PVC backing
- ➔ 5.5" X 7" x 3.5" main hold
- ➔ Plastic buckle closure
- ➔ Cover flap with hook and loop closure



5180

Arsenal® Full-Mask Respirator Bag

- ➔ Respirator Bags increase compliance and safety by keeping needed equipment at your side. 420D nylon.
- ➔ 420D Nylon w/PVC backing
- ➔ 9" x 6" x 3.5" main hold
- ➔ Hook & loop allows for easy attachment
- ➔ Cover flap with hook and loop closure



5181

Arsenal® Mouthbit Respirator Bag

- ➔ Respirator Bag increases compliance and safety by keeping needed equipment at your side.
- ➔ 420D Nylon w/PVC backing
- ➔ 5.5" x 5" x 3.5" main hold



5184



Storage

- ➔ OSHA and CSA require respirators to be stored in a clean and contaminant free environment. Protect your workers and your North respirators by storing them properly.

SKU	Description
-----	-------------

77BAG	Nylon carry bag for half masks. Includes Velcro closure and belt loops
-------	------------------------------------------------------------------------

76BAG	Nylon carry bag for full facepieces. Includes Velcro closure and belt loops
-------	-----------------------------------------------------------------------------



FP81F RITE-ON Comfort Harness

- ➔ Integrated back and shoulder pad – Conforms to the wearers shape to provide all-day comfort.
- ➔ Fast-action bayonet style connectors – Allows quick and easy donning.
- ➔ Extended D-ring option – Makes lanyard connection easier and safer.
- ➔ Sweat wicking pad fabric – Keeps wearers comfortable in hot conditions.
- ➔ Tangle-free pad design – Harness keeps its shape between use, aiding quick and easy donning.
- ➔ Lightweight polyester webbing – Offers superior UV and chemical resistance.
- ➔ Universal size with full adjustability – One size fits most.
- ➔ CSA approved and ANSI/OSHA compliant – Suitable for use in all industries throughout North America.



Fall Arrest

- ➔ Back D-ring – For fall arrest applications (CSA class A).

FP81F/1DBA

Vest Style Universal Harnesses

- ➔ Adjustable leg and shoulder straps and sliding chest strap – Allow wearers to find a safe and comfortable fit.
- ➔ Lightweight polyester webbing – Offers superior UV and chemical resistance.
- ➔ CSA approved and ANSI/OSHA compliant – Suitable for use in all industries throughout North America.

Fall Arrest

- ➔ Back D-ring – For fall arrest applications (CSA class A).
- ➔ Extended D-ring option – Makes lanyard connection easier and safer.
- ➔ Tongue and buckle leg strap option – Provides faster and easier donning.
- ➔ Universal size accommodates a wide range of body types.
- ➔ Lightweight polyester webbing – Offers superior UV and chemical resistance.



FP759/1DP

Confined Space

- ➔ Back, shoulder and side D-rings – For fall arrest, ladder climbing, descent, work positioning and confined space retrieval (CSA class APE).
- ➔ Universal size accommodates a wide range of body types.



FP759/5DP

Trend-X Cross-Chest Harnesses

- ➔ Trend-X cross-chest design – Places shoulder straps across the center of the chest for a comfortably natural fit. Allows unhindered access to breast pockets.
- ➔ Large back D-ring – For easier lanyard attachment.
- ➔ Adjustable leg and shoulder straps – Allow wearers to find a safe and comfortable fit.
- ➔ Universal size accommodates a wide range of body types.
- ➔ Lightweight polyester webbing – Offers superior UV and chemical resistance.
- ➔ CSA approved and ANSI/OSHA compliant – Suitable for use in all industries throughout North America.

Ladder Climbing

- ➔ Back and front D-rings – For fall arrest, ladder climbing and descent applications (CSA class ADL).

FP722/2DP



Confined Space

- ➔ Back, front, side and shoulder D-rings – For fall arrest, ladder climbing, descent, work positioning and confined space retrieval (CSA class APDLE).

FP722/6DP



Vest-Style Sized Harness

- ➔ Light-weight – Compact fittings and light-weight webbing combine to make this one of the lightest harnesses on the market.
- ➔ Sized harness – Available in S, M, L and XL for a “tailored” fit and feel.
- ➔ Nylon webbing – Offers a soft feel for improved comfort, as well as superior resistance to abrasion and alkaline chemicals.
- ➔ CSA approved and ANSI/OSHA compliant – Suitable for use in all industries throughout North America.



Fall Arrest

- ➔ Back D-ring – For fall arrest applications (CSA class A).

FP700/1D

Trauma Strap

- ➔ Suspension Trauma Safety Strap helps prevent the effects of suspension trauma after a fall
- ➔ Allows worker who is suspended to stand up in their harness to relieve pressure
- ➔ A safety accessory that can be attached to most harness brands/styles right in the field
- ➔ Installation to your harness is fast and efficient - just choke off to strap and it's ready
- ➔ Extremely compact and lightweight design stays out of the worker's way
- ➔ Deployment and operation is fool-proof, simply unzip, and hook straps together
- ➔ Continuous loop design allows for either one or two-foot suspension relief without pinching

9501403C



ExoFit™ Harness

- ➔ The materials are soft and lightweight, yet extremely durable. The shoulder, hip and leg padding is built-in so it can't slip. The breathable Dri-lex® lining guarantees you'll stay dry and comfortable every day. And the quick-release buckles are fast, efficient and totally secure!
- ➔ Incorporates a breathable Aero-Spacer™ Dri-Lex® lining that immediately draws moisture away from the body keeping the worker dry and comfortable all day long
- ➔ Ergonomic design incorporates built-in shoulder, hip and leg padding that always stays in place enhancing comfort and worker satisfaction
- ➔ Lycra® edging moves with you preventing uncomfortable rubbing or chafing enhancing comfort and mobility
- ➔ D-Rings at Back
- ➔ Quick connect buckle type
- ➔ Belt loops



SKU	Size
1107875C	Small
1107876C	Medium
1107877C	Large
1107891C	X Large

PRO™ Full Body Harnesses

- ➔ PRO™ Line Harnesses provide greater comfort and added safety-which translates to reduced worker fatigue and increased productivity.
- ➔ The great fit and lightweight hardware provides added safety, value and design without compromise. Protected labels, global certification and a variety of styles and sizes are some of the features that make the PRO™ Harness an easy choice.
- ➔ Built-in impact indicators for easy inspection
- ➔ Spring loaded torso buckles for quick and easy adjustment
- ➔ Globally accepted standards including ANSI, OSHA, CSA & CE with one harness
- ➔ PRO™ Harnesses with Comfort Padding features padding on shoulders, back and legs and quick connect buckles



Pro™ Standard Harness
Vest style with back D-Ring and pass thru legs
AB10113M/L



Pro™ Harness w/ Comfort Padding
Comfort padding on shoulders, back and legs and quick connect buckles
AB21013M/L

SKU	Style	D-Rings	Buckle Type
AB10113M/L	Vest	Back	Pass Thru
AB13013M/L	Vest	Back	Tongue Buckle
AB21013M/L	Vest Comfort Padding	Back	Quick Connect



Delta II Harnesses

- ➔ The Delta-II full body harnesses feature the patented Delta™ No-Tangle Pad for extra comfort throughout the neck, shoulders and back.
- ➔ This design holds the shape of the harness, making it easier to put on. This added comfort and ease of donning has greatly improved worker acceptance and reduced the probability of improper usage. Our patented spring-loaded "stand-up" back D-ring ensures quick and easy connection to your fall arrest device. A wide variety of models and options lets you find just the right harness for almost any work application.
- ➔ Patented spring-loaded stand-up back D-ring for quick and easy connection
- ➔ Book-style labels keep information and inspection logs readily available
- ➔ Forged alloy steel hardware for maximum strength and durability
- ➔ i-Safe – Every DBI-SALA harness now comes with i-Safe™, the Intelligent Safety System that incorporates RFID and web-enabled communications technologies, providing you with the ability to centrally track inspections, control field inventory and manage



Delta™ II Standard Harness

Ideal harness for all general purpose applications
1102000C



Delta™ Retrieval Harness

Shoulder D-rings for retrieval and rescue
1101254C



DELTA™ II Cross-Over Harness

Cross-over style with front D-ring; also ideal for female workers
1103270C

- ➔ Universal Size - One size fits most Medium and Large range

SKU	Style	D-Rings	Buckle Type
1102000C	Vest	Back	Tongue Buckle
1103321C	Vest	Back	Pass Thru
1110600C	Vest	Back	Quick Connect
1102008C	Positioning Vest	Back, Side	Tongue Buckle
1101254C	Retrieval vest	Back, Shoulder	Tongue Buckle
1102010C	Cross-over	Back, Front	Pass Thru
1103270C	Cross-over	Back, Front, Side	Pass Thru



Spring-loaded stand-up back D-ring for quick and easy connection.

EZ-STOP® II Shock Absorbing Lanyards with CSA E6 Classification

Are you compliant with the new CSA Z259 Standard?

Reduce Risk Today! Keep your workers safe with new CSA E6 Classified Equipment.

New Classification Guidelines

In 2007 CSA updated their standards for lanyards and energy absorbers by referencing all lanyards in one place, Z259.11-05. One of the major updates was splitting energy absorbing lanyards into two classes, E4 and E6. The reclassification provides individuals with different mass safe fall protection. E4 covers existing energy absorbing lanyards and the E6 class is new.



Energy Absorbing Classification Details					
CSA Class	Maximum Arresting Force	Maximum Elongation	Minimum Mass of Worker	Maximum Mass of Worker	Capital Safety Summary
E4	4.0 kN (900 lbf)	1.2 m (3.9 ft)	45 kg (100 lbs)	115 kg (254 lbs)	All existing CSG part numbers will now meet E4 classification. Tested to 140 kg (310lbs) and labeled to E4 classification of 115 kg (254 lbs)
E6	6.0 kN (1300 lbf)	1.75 m (5.7 ft)	90 kg (200 lbs)	175 kg (386 lbs)	New E6 classification models detailed here

SPECIFICATIONS

Webbing	DBI_SALA Polyester 1" (25mm); Protecta Polyester 1.75" (44mm)
Hardware	Zinc plated alloy steel
Labels	Vinyl
Capacity	E6 Models - minimum 200 lbs (90 kg), maximum 386 lbs (175 kg)
Standards	Meets or exceeds CSA Z259.11 standard for E6 classification

SKU	Type	Model	Description
1242225C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 3 ft web, self locking snap hooks
1242228C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 4 ft web, self locking snap hooks
1242226C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 6 ft web, self locking snap hooks
1242227C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 4 ft web, web choker and snap hook
1242229C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 4 ft web, Steel rebar hook (2-½" gate) and self locking snap hook
1242230C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 6 ft web, Steel rebar hook (2-½" gate) and self locking snap hook
1242250C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 6 Adjustable web, snap hooks
1242275C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 1.7 ft, Shock absorber only, self locking snap hook at one end, D-Ring at other end
1242375C	DBI-SALA E6	Single-Leg	EZ-Stop® II, 6 ft cable with self locking snap hooks
1242325C	DBI-SALA E6	Twin-Leg	EZ-Stop® II, 6 ft web, self locking snap hooks
1242325C	DBI-SALA E6	Twin-Leg	EZ-Stop® II, 6 ft web, Steel rebar hooks (2-½" gate) at leg ends and self locking snap hook
1242375C	DBI-SALA E6	Twin-Leg	EZ-Stop® II, 4 ft Coated web with snap hooks
AE5420000C	Protecta E6	Single-Leg	Protecta, 4 ft web, self locking snap hooks
AE5420001C	Protecta E6	Single-Leg	Protecta, 6 ft web, self locking snap hooks
AE5420002C	Protecta E6	Single-Leg	Protecta, 4 ft web, steel rebar hook (2" gate) and self locking snap hook
AE5420003C	Protecta E6	Single-Leg	Protecta, 6 ft web, steel rebar hook (2" gate) and self locking snap hook
AU5500000C	Protecta E6	Twin-Leg	Protecta, 6 ft web, steel rebar hooks (2" gate) and leg ends and snap hook



EZ Stop® II Shock Absorbing Lanyards

- ➔ Designed for versatility and are available in many variations. There is certain to be a model that will meet your fall arrest requirements from this popular product line.
- ➔ All EZ Stop® II lanyards utilize a controlled tearing action when subjected to fall arrest forces, limiting arresting forces to no more than 900 lbs.

EZ STOP® II SHOCK ABSORBING LANYARDS

- ➔ Heavy, double woven 1" (25 mm) polyester webbing and box stitching for durability and longevity



Single Leg

- ➔ 6' (1.8 m) length
- ➔ Standard hooks, 3600 lb. Gates

1220006C



Double Leg 100% Tie-off

- ➔ 6' (1.8 m) length
- ➔ Standard hooks, 3600 lb. Gates

1220406C

EZ STOP® RETRAX™

- ➔ EZ Stop® Retrax™ is the world's first retractable shock absorbing lanyard.
- ➔ Stays close to the body, reducing trip falls, dragging and snagging
- ➔ Unique spring technology retracts and expands from 2-½ to 6 feet for complete freedom of movement, added productivity and ultimate safety
- ➔ Adjustable retraction length allows the user to limit the retraction at any interval between 2-½ and 6 feet for more flexibility in applications



Single Leg

1221460C

Tie-Off Adaptors

- ➔ Pass-through design provides a safe and easy way to anchor a fall protection device to an overhead location and beyond normal reach
- ➔ 1-¾" (44 mm) polyester strap
- ➔ 3" (76 mm) wear guard
- ➔ Zinc plated steel hardware



SKU	Size
1003000	3' (.9 m)
1002103	3' (.9 m) Adjustable
1003006	6' (1.8 m)
1002106	6' (1.8 m) Adjustable

Glyder2™ Sliding Beam Anchor

- ➔ For complete horizontal mobility, designed for use with the Forcer2™ shock absorbing lanyard when used at the worker's feet.
- ➔ Easily installed and easily removed and taken to a new site.
- ➔ Integrated ratcheting adjustment system provides quick and easy installation and removal.
- ➔ NO MORE PINS AND CHAINS!
- ➔ Extremely lightweight at only 3.7 lbs. (1.66 kg), with a user capacity of 420 lbs. (189 kg). Fits flange 3-½" to 14" (9 cm to 35 cm) wide, up to 1-¼" (3 cm) thick

2104700



Fixed Beam Anchor

- ➔ Works horizontally or vertically.
- ➔ Fits 1-½" (38 mm) thick flange, 2-½ to 12" (63 to 304 mm) wide, larger models available

2108406



Rope Lifeline Assembly



- ➔ 5/8" (16 mm) polyester/polypropylene blend rope for strength and durability
- ➔ Snap hook at one end, tapered at the other
- ➔ 50 ft. (15 m) length

1202794C



Saflok® Carabiners

- ➔ Self-closing/self-locking gate for increased safety and security, steel construction, user friendly even with gloves.
- ➔ Compatible with most connecting rings

SKU	Description	
2000106	1-3/16" (30 mm) gate opening	
2000113	1-3/16" (30 mm) gate opening 3,600 lb gate rated	
2000108	2-3/16" (55 mm) gate opening	
2000114	2-3/16" (55 mm) gate opening 3,600 lb gate rated	
2000112	1 1/16" (17 mm) gate opening 3,600 lb gate rated	
AJ514A	Easy, one hand operation. 3/4" (19 mm) gate opening. Safe, self-locking double-lock mechanism. Forged steel, galvanized finish 5,000 lb. rating	

Rope Adjuster Lanyard

- ➔ Static type rope adjuster design that stays where you want it and moves when you move it
- ➔ Permanently attached EZ Stop® III shock absorbing lanyard limits arresting forces below OSHA's limits.
- ➔ Corrosion resistant construction
- ➔ 5/8" (16 mm) rope
- ➔ 3 ft. in length

1224005



Mobile Rope Grab

- ➔ Revolutionary design is less sensitive to rope variations - it works on worn rope with no nuisance lock-ups
- ➔ Mobile type, automatically follows worker providing maximum freedom of movement
- ➔ Utilizes both inertia and cam locking system for added safety - preventing "panic-grab" situations
- ➔ Energy absorbing design reduces the forces generated upon a worker in the event of a fall
- ➔ Attach or detach anywhere along the lifeline for added versatility
- ➔ Corrosion resistant stainless steel and thermoplastic construction
- ➔ Fits 5/8" diameter rope lifeline
- ➔ Use with 3 ft. EZ Stop® II shock absorbing lanyard

5000335C



Sealed Self Retracting Lifeline

- ➔ Stainless steel and cast aluminum housing for corrosion resistance
- ➔ 50 ft. 3/16" galvanized steel wire rope for durability
- ➔ Environmentally sealed design for safety, even in harsh environments
- ➔ Self adjusting disc brake for reliability
- ➔ Reserve lifeline retention system for added safety
- ➔ Self-locking swivel snap hook with impact indicator
- ➔ Swiveling anchorage loop to prevent twisting of lifeline

3403400C



Ultra-Lok® Self Retracting Lifeline

- ➔ The Ultra-Lok® web and cable SRL's are rugged, highly engineered devices that can be counted on for user safety, efficiency and comfort.
- ➔ Maximum durability with minimal weight
- ➔ Stainless steel working components for corrosion resistance
- ➔ Durable polyurethane housing and aluminum side plates
- ➔ Anti-ratcheting, twin disc brake system limits arresting forces to 900 lbs. (4kN) or less
- ➔ Smooth performance
- ➔ Fast, easy connection and greater flexibility
- ➔ 3/16" (5 mm) galvanized wire rope.
- ➔ Swivel hook

SKU	Size
3504430C	30' (9 m)
3405533C	20' (6 m)
3404450C	50' (15 m)



Talon™ Web Self Retracting Lifelines

- ➔ Talon™ Self Retracting Lifelines are engineered for reliable protection that locks when it should, won't lock when it shouldn't.
- ➔ Dependable quality in an economical model. Anti-ratcheting brake system limits arresting forces to 900 lbs, (kN) or less,
- ➔ Extremely lightweight design-under 3 lbs.!
- ➔ Direct harness attachment option
- ➔ Built in anchorage connector
- ➔ Greater freedom of movement without compromising safety
- ➔ Maintains compact size and weight for comfort and convenience

TALON- SELF RETRACTING LIFELINE

- ➔ 8' (2.4 m)
- ➔ 3/4" (19 mm) Nylon web line
- ➔ Swivel hook connector

3101001C

TALON- TWIN LEG SELF RETRACTING LIFELINE

- ➔ 6' (1.8m)
- ➔ 1" (25 mm) Nylon web line
- ➔ Rebar aluminum hook

3102000C



SAYFLINE™ Cable Horizontal Lifeline System

- ➔ The cable Sayflin™ system is highly portable and ideal for use in situations where welding, sparks or harsh environments are present or where minimal clearance exists. This all-metal system is durable enough to be left in place for long periods of time and light enough to be moved easily from one job to another. Engineered with DBI-SALA attention to quality and detail, the Sayflin™ system is a complete kit that is easily installed with no special tools or equipment.
- ➔ Lightweight and extremely portable allowing you to move it and reuse it over and over again
- ➔ Cable lifeline assembly and wedgegrip termination for easy adjustability and installation
- ➔ Zorbit™ shock absorber for added safety, it allows you to use a standard 5,000 lb. rated anchorage connector such as our tie-off adaptor, fixed beam anchor, D-ring anchorage plate, etc.
- ➔ 60' (18 m) long

7602060



TRIPOD & SALALIFT® II Rescue System

- ➔ This DBI-SALA system is ideal for typical manholes and combines our lightweight and portable aluminum tripod with the SALALIFT™ II Winch.
- ➔ The system is easily set-up by one worker and can be transported from one location to another.
- ➔ Complete confined space entry/retrieval system
- ➔ Includes tripod, winch and/or self retracting lifeline
- ➔ All systems are man-rated
- ➔ All mounting hardware and brackets are included
- ➔ 4' (2.1 m) tripod
- ➔ Winch: 60' (18 m) 1/4" (6.25 mm) galvanized
- ➔ Winch: 50' (15 m) 3/16" (5 mm) galvanized
- ➔ Weight: 133 lbs. (59.9 kg)

8304010C



Soft Pak – Energy Absorbing Lanyard

- ➔ Soft Pak shock absorbing lanyard design – Proven over years of service, the Soft Pak effectively limits maximum arrest force (MAF) to less than 900lbs.
- ➔ Easily visible deployment – The slightest deployment of the Soft Pak is clearly visible, aiding equipment inspection and identification of lanyards that have been subjected to a fall equivalent load and should be withdrawn from service.
- ➔ Lightweight polyester webbing – Offers superior UV and chemical resistance.
- ➔ Y-Lanyards available – Provide 100% tie-off.
- ➔ Wide range of connectors available – For connection to a variety of different sized anchor points.
- ➔ CSA approved and ANSI/OSHA compliant – Suitable for use in all industries throughout North America.

SINGLE LEG WITH SOFT PAK

SKU	Material	Type	Body Connector	Anchorage Connector	Length
FP26322/4	Polyester	1-3/4" Soft Pak	Snap Hook	Snap Hook	4'
FP26322/5	Polyester	1-3/4" Soft Pak	Snap Hook	Snap Hook	5'
FP26322/6	Polyester	1-3/4" Soft Pak	Snap Hook	Snap Hook	6'
FP26329/4	Polyester	1-3/4" Soft Pak	Snap Hook	Rebar/Ladder Hook	4'
FP26329/5	Polyester	1-3/4" Soft Pak	Snap Hook	Rebar/Ladder Hook	5'
FP26329/6	Polyester	1-3/4" Soft Pak	Snap Hook	Rebar/Ladder Hook	6'
FP22322/4	Nylon	1" Web	Snap Hook	Snap Hook	4'
FP22322/5	Nylon	1" Web	Snap Hook	Snap Hook	5'
FP22322/6	Nylon	1" Web	Snap Hook	Snap Hook	6'
FP22329/4	Nylon	1" Web	Snap Hook	Rebar/Ladder Hook	4'
FP22329/5	Nylon	1" Web	Snap Hook	Rebar/Ladder Hook	5'
FP22329/6	Nylon	1" Web	Snap Hook	Rebar/Ladder Hook	6'
FP27322/6	PVC Cable	1/4" PVC	Snap Hook	Snap Hook	6'
FP27329/6	PVC Cable	1/4" PVC	Snap Hook	Rebar/Ladder Hook	6'

Y-LANYARD WITH SOFT PAK

SKU	Material	Type	Body Connector	Anchorage Connector	Length
FP226222/6	Nylon	1" Web	Snap Hook	Snap Hook (2)	4'
FP226299/6	Nylon	1" Web	Snap Hook	Rebar/Ladder Hook (2)	5'
FP2562GG/6	Polyester	1" Web	Snap Hook	Scaffold Hook (2)	6'



FP26322/



FP27325/



FP22329/



FP2562GG/

Web Retracting Lanyards

- ➔ Retractable web lanyards are engineered to provide maximum protection in places where lanyards might get in the way.
- ➔ They will "lock up" in approximately 9" (230mm) thereby limiting the overall exposure to a fall by a considerable margin over a regular lanyard.
- ➔ They are available in various configurations to suit a variety of applications.
- ➔ All are equipped with 2" (50mm) webbing, a tough vinyl cover and mounting carabiner

SKU	Description	CSA Type	Length
FP0304	Self-retracting lanyard - 2" (50mm) webbing Swivel snap hook	Fall arrest Type 1	8ft (2.4m)
FP0401	Self-retracting lanyard - ¾" (20mm) webbing with Soft Pak energy absorber - Snap hook	Fall arrest Type 1	5ft (1.5m)
FP1/303W	Self-retracting lanyard - ¾" (20mm) Dyneema/polyester webbing Composite housing - Swivel load indicating snap hook	Fall arrest Type 1	10ft (3.0m)
FP1/304W	Self-retracting lanyard with shock absorber ¾" (20mm) Dyneema/polyester webbing - Composite housing Swivel load indicating snap hook	Fall arrest Type 2	12ft (3.4m)
FP1/306W	Self-retracting lifeline - ¾" (20mm) Dyneema/polyester webbing Composite housing - Swivel load indicating snap hook	Fall arrest Type 2	20ft (6m)



FP0304



FP0401



FP1/303W



FP1/304W



FP1/306W

Automatic Rope Grab With Park Feature

- ➔ FP562 Should be used for sternal connection only
- ➔ Rope grabs trail user without manipulation
- ➔ Bolt-action, quick closure system
- ➔ FP560 series rope grab are compatible with 3/4" rope

SKU	Description	Rope Type
FP561	Automatic rope grab with parking feature	16E & 16ST
FP562	FP561 with 6" (150mm) web lanyard with carabiner	16E & 16ST
FP563	FP561 with 2' (0.6m) web lanyard with snap hook	16E & 16ST



Automatic Rope Grab

- ➔ Rope grab will trail user without manipulation
- ➔ Rope grab will stop on a lifeline even when the panic lock is held open

SKU	Description	Rope Type
FP541	Automatic panic lock rope grab	16E & 16ST
FP542	FP541 with 2' (0.6m) Lanyard energy absorber with snap hook	16E & 16ST



Vertical Lifelines

- ➔ North provides a wide variety of lifelines to choose from. From economical 3-strand rope to premium, low stretch kernmantle ropes there is a lifeline for every vertical application.

SKU	Length	Description	Composition	Tensile Strength	Floats
FP16E/SP/25	25	5/8" (16mm)	Polyolefin fiber	8,100lbs (3680kgs)/36.00kN	Yes
FP16E/SP/50	50	3-strand			
FP16E/SP/100	100				
FP16E/PS/25	25	5/8" (16mm)	Co-polymer blend	10,000lbs (4540kgs)/44.44kN	Yes
FP16E/PS/50	50	3-strand			
FP16E/PS/100	100				
FP16ST/KL/25	25	5/8" (16mm)	Nylon	12,570lbs (5700kgs)/55.87kN	No
FP16ST/KL/50	50	Kernmantle			
FP16ST/KL/100	100				
FP16ST/KH/25	25	5/8" (16mm)	Polyester	14,775lbs (6700kgs)/65.58kN	No
FP16ST/KH/50	50	Kernmantle			
FP16ST/KH/60	60				
FP16ST/KH/100	100				



Self Retracting Lifeline

- ➔ Lifeline retracts under light tension
- ➔ Excellent for ladder climbing to keep the lifeline out of the way
- ➔ Multiple use - universal application
- ➔ Hands free vertical mobility
- ➔ Easy to use and install
- ➔ Minimizes fall distance
- ➔ Variety of lengths to choose from
- ➔ Increased user mobility in work area

SELF RETRACTING LIFELINES

SKU	Description	Length	Weight
Small housing			
FP1305S	3/16" (5mm) stainless cable with swivel load indicating snap hook	16ft (5m)	9.5lbs (4.3kgs)
Regular housing			
FP2/310S	3/16" (5mm) stainless cable with swivel load indicating snap hook	33ft (10m)	16lbs (7.3kgs)
FP2/315S	3/16" (5mm) stainless cable with swivel load indicating snap hook	50ft (15m)	18lbs (8.2kgs)
FP2/315K	1/4" (6mm) Dyneema cable with swivel load indicating snap hook	45ft (14m)	16lbs (7.3kgs)
Large housing			
FP3/320S	3/16" (5mm) stainless cable with swivel load indicating snap hook	65ft (20m)	29.5lbs (13.4kgs)
FP3/325S	3/16" (5mm) stainless cable with swivel load indicating snap hook	82ft (25m)	31lbs (14kgs)
FP3/333S	3/16" (5mm) stainless cable with swivel load indicating snap hook	110ft (33m)	33lbs (15kgs)
FP3/325K	1/4" (6mm) Dyneema cable with swivel load indicating snap hook	82ft (25m)	31lbs (14kgs)



FP1/305



FP2/315



FP3/333

Lifeline Accessories

SKU	Description
FP86	Drop forged D-shaped carabiner - 3/4" (19mm) gate opening
FP88	Auto locking carabiner, large gate opening 29/32" (23mm) Use on FP2 & FP3 series SRL



FP88



FP86

Confined Space

FP6600 SERIES TRIPOD

SKU	Stored Length	Extended Length	Weight	Personnel Capacity	Material Capacity
Tripods					
FP6600/7	4.5ft (1.4m)	7ft (2.1m)	29lbs (13kg)	310lbs (140kg)	1,000lbs (450kg)
FP6600/10	6ft (1.8m)	10ft (3m)	34lbs (15kg)	310lbs (140kg)	1,000lbs (450kg)
Accessories					
FP6630/7	Durable, zippered bag protects the tripod from damage and dirt while reducing carrying effort - for FP6600/7 tripod				
FP6630/11	Same as FP6630/7 - for FP6600/10 tripod				

SELF RETRACTING LIFELINE WITH RESCUE WINCH

- ▶ Easy to activate retrieval mode-one step activates winch process to save precious time
- ▶ 4.5:1 gear ratio-manageable 8 metres per minute retrieval speed

SKU	Description	Length	Weight
Regular housing			
FP2/415SR	3/16" (5mm) stainless cable with swivel load indicating snap hook	50ft (15m)	22lbs (10kgs)
Large housing			
FP3/425SR	3/16" (5mm) stainless cable with swivel load indicating snap hook	82ft (25m)	36.3lbs (16.5kgs)

PERSONNEL WINCH

- ▶ The same robust durability and strength of North's 3-way SRL's is found in the Personnel Winch. It can handle a variety of tasks including material handling, confined space entry/egress and rescue work. Swivel snap hook equipped.

SKU	Description	Length	Weight
FP2/715SR	3/16" (5mm) stainless cable with swivel load indicating snap hook	50ft (15m)	18.7lbs (8.5kgs)

BRACKETS AND ACCESSORIES

SKU	Description
FP6610/15	Mounting brackets for FP2 series SRL and winch housing types
FP6610/33	Mounting brackets for FP3 series SRL and winch housing type



FP6610/15



FP2/415SR



FP3/433SR








FP2/715SR

* Bracket sold separately



Flexible Anchorage Connectors


- Design to couple fall arrest lanyard to anchorage
- Each Flexible Anchorage connector has min strength of 5,000lbs (22kN)
- Can be used for a variety of fall arrest applications

SKU	Length	Description	
FP02/3	3' (0.9m)	Cable Sling - ¼" (6mm) galvanized steel cable with swaged eyes at each end - PVC coated against corrosion	
FP02/4	4' (1.5m)		
FP02/5	5' (1.5m)		
FP02/6	6' (2m)		
FP03/3	3' (0.9m)	Pass Through Anchor Sling - 2" (50mm) heavy-duty nylon web with small D-ring which passes through the large D-ring to form loop around anchor	
FP03/4	4' (1.5m)		
FP03/5	5' (1.5m)		
FP03/6	6' (2m)		
FP04/3	3' (0.9m)	Pass Through Anchor Sling - 1" (25mm) nylon sling material with 1 D-ring that is used as the anchor connector when the webbing is loop around anchor	
FP04/4	4' (1.5m)		
FP04/5	5' (1.5m)		
FP04/6	6' (2m)		
FP242/2	2' (0.6m)	Spectra® Web Loop Sling - Tiny'n Tough (T'nT) Sling is made of revolutionary Spectra webbing for lightweight, small size and exceptional strength - ¾" (19mm) web can be used without additional protective materials in concrete forming	
FP242/3	3' (0.9m)		
FP242/4	4' (1.5m)		
FP242/5	5' (1.5m)		
FP242/6	6' (2m)		
FP09/3	3' (0.9m)	Residential anchor sling - heavy-duty nylon web	

Fixed Anchorage Connector

- D-ring shape reduces rollout possibilities
- Mounting hardware required
- Bolt on D-ring
- Gate Opening (W) 4-¼" (197mm)
- Width (X) 2-¹⁵/₁₆" (75mm)
- Length (Y) 2-¹³/₁₆" (71mm)

FP3730



Squids® 3100 Tool Lanyard

- ➔ Tool Lanyard-Single Carabiner: Tethers tools to help worker prevent injury, damage and lost productivity from dropped tools.
- ➔ Stretchcord surrounded by tubular nylon webbing
- ➔ Lock stitching at both ends for extra security
- ➔ Maximum safe working capacity: 5 lbs. (2.26 kg)
- ➔ Aluminum carabiner
- ➔ Adjustable barrel lock for tool attachment
- ➔ Black, Lime
- ➔ Size Standard: 35" to 42" (.89m - 1.1m)
- ➔ Applications: Heavy Construction, Utilities, Ironworkers, Carpentry, Roofing, Masonry, Arborists



3100

Personal Attachment Heavy Tool Tethers – Super Coils

SKU	Description
TL1-3011	<ul style="list-style-type: none"> ➔ ¾" Super Coil ➔ 2 Aluminum Carabiners ➔ Tool attaches to person ➔ 15 lb. Tool Limit ➔ Retracted Length: 21" ➔ Extended Length: 42" ➔ 500 Kg Load-bearing carabiners
TL1-3012	<ul style="list-style-type: none"> ➔ ¾" Super Coil ➔ Aluminum Carabiner - Side Release Lanyard ➔ Tool attaches to person ➔ Side Release Lanyard allows tools to be interchanged on the same tether by using multiple S/R Lanyard w/ Barrel Lock Accessories ➔ 6 lb. Tool Limit ➔ Retracted Length: 25" ➔ Extended Length: 47" ➔ 500 Kg Load-bearing carabiner
TL1-3014	<ul style="list-style-type: none"> ➔ ¾" Super Coil ➔ Aluminum Carabiner - Fixed Lanyard ➔ Tool attaches to person ➔ 15 lb. Tool Limit ➔ Retracted Length: 25" ➔ Extended Length: 47" ➔ 500 Kg Load-bearing carabiners
AC0-0204	<ul style="list-style-type: none"> ➔ S/R Lanyard w/ Barrel Lock for Heavy Tool Tethers ➔ Attach this accessory to each tool you use and then simply change them in and out of your Tool Tether ➔ Nylon Lanyard Cord (6 lb tool limit)



Roofer's Kits



- ➔ Roofer's kit contain:
 - (1) Manual rope grab with Soft Pak energy absorber for travel restraint
 - (1) Light weight universal harness
 - (2) disposable roof anchors for temporary use with nails
 - (1) 5/8" (16 mm) co-polymer rope with thimble
 - (1) Carabiner
 - (1) Carrying bag.

SKU	Description
FP90/25	Roofer's kit – Universal Harness Size 25' (8m) Rope
FP90/50	Roofer's kit – Universal Harness Size 50' (15m) Rope

TEMPORARY HL KIT - CABLE



- ➔ The "SteelMan" Temporary Horizontal Lifelines provide a durable version of the rope lifeline.
- ➔ Galvanized steel cable resists additional wear and tear found in severe environments.
- ➔ This kit is ideally used in construction, the petrochemical industry and steel erection.
- ➔ It spans up to 60' (18 m) for up to 2 people.
- ➔ Kit Contains:
 - ➔ 60' (18m) of 3/8" (10mm) galvanized cable
 - ➔ 2 anchor slings,
 - ➔ Cable tensioner and cable clips
 - ➔ Soft Pak energy absorber
 - ➔ 2 carabiner connectors.

FP1002



Alberta Regulation First Aid Kits

NYLON BAG KITS (BULK, ZIPPERED)

SKU	Description
FAALT1SPEMS	#1
FAALT2SPEMS	#2: 13" x 9" x 4", with 2 handles and 2 belt loops, elastic fittings and compartments.
FAALT3SPEMS	#3: 15½" x 9" x 6", with 2 handles, elastic fittings and compartments.
FAALT4	#4: (nylon belt pouch kit)

ALBERTA BULK FIRST AID KITS

SKU	Description
Plastic Kits	
FAALT1PB	#1: 16 unit box
FAALT2PB	#2: 24 unit box
FAALT3PB	#3: 36 unit box
Metal Kits	
FAALT1MB	#1: 16 unit box
FAALT2MB	#2: 24 unit box
FAALT3MB	#3: 36 unit box
Bulk Kit Refills	
FAALT1RB	#1
FAALT2RB	#2
FAALT3RB	#3

KIT CONTENTS

Item	Kit #1	Kit #2	Kit #3	Kit #4
Antiseptic Wipe (BKZ)	10	10	24	-
Adhesive tape with spool 1" x 5 yds	1	1	2	-
Elastic bandage econo 3" x 5 yds	1	2	4	-
Triangular bandage	3	4	12	2
Plastic strips ¾" x 3"	25	50	100	-
Ziplock 8" x 10"	1	1	2	-
Conform bandage 3" x 5 yds I.W.	2	2	6	-
Gauze pad sterile 4" x 4"	10	20	50	-
Combine pad 8" x 10"	-	1	4	-
Safety pins assorted (12)	1	1	1	-
Scissor kit 4"	1	1	1	-
Kit tweezers	1	1	1	-
Pressure bandage 4"	2	3	6	-
Pressure bandage 6"	2	3	6	1
Nitrile gloves (large)	4	6	12	-
North FA&CPR guide bil	1	1	1	-
Rescue breather with 1 way valve	1	1	1	-
Eye pad oval sterile	-	1	2	-
Tubular gauze 5 yds w/applicator	-	-	1	-
Whistle plastic	-	-	-	1



FAALT1SPEMS



FAALT2SPEMS

S.O.S. Emergency Road Kit

➔ FASOS1ESAFE Zippered nylon bag 15-½ x 9" x 6", with 2 handles, elastic fittings and compartments.

➔ Kit Contents:

- ➔ (1) Auto first aid kit FACP
- ➔ (1) S.O.S. plastic flag
- ➔ (1) Booster cables
- ➔ (1) Wax flares, 2 per box
- ➔ (1) Matches - waterproof, 45 / box
- ➔ (2) Emergency candles
- ➔ (1) Safety goggles
- ➔ (1) Natural spring water bottle
- ➔ (4) Hot / cold foam cup, 7 oz.
- ➔ (1) Rescue emergency blanket
- ➔ (1) Work gloves (1 pair)
- ➔ (1) stove with fuel
- ➔ (1) Penlite c/w batteries
- ➔ (2) Instant coffee / cream / soup
- ➔ (4) Sugar package
- ➔ (2) Tea bag
- ➔ (1) Contents sheet
- ➔ (1) Aluminum container 5 x 4 x 1
- ➔ (1) Puncture seal tire inflator



FASOS1ESAFE

NORTH
by Honeywell

Conforming Gauze Bandage

- ➔ Self-adhering conforming elastic gauze bandage. Provides support without constriction. Open weave allows air to reach wound. For use as dressing for burns or general bandaging. Each roll individually wrapped. Length 5 yd (4.5m) stretched.



SKU	Description
GB/1416/2	2" x 5 yd (5 cm x 4.5 m), pack of 12
GB/1416/3	3" x 5 yd (7.5 cm x 4.5 m), pack of 12
GB/1416/4	4" x 5 yd (10 cm. x 4.5 m), pack of 12
GB/1416/6	6" x 5 yd (15 cm x 4.5 m), pack of 6

Gauze Bandage Rolls

- ➔ Made of finest quality surgical gauze.
- ➔ Individually wrapped.



SKU	Description
10 yd/9m lengths	
GB/1414A1	1" x 10 yd (2.5 cm x 9 m)
GB/1414A2	2" x 10 yd (5 cm x 9 m)
GB/1414A3	3" x 10 yd (5.5 cm x 9 m)
GB/1414A4	4" x 10 yd (10 cm x 9 m)
5 yd/4.5m lengths	
GB/1414B1	1" x 5 yd (2.5 cm x 4.5 m)
GB/1414B2	2" x 5 yd (5 cm x 4.5 m)
GB/1414B3	3" x 5 yd (7.5 cm x 4.5 m)
GB/1414B4	4" x 5 yd (10 cm x 4.5 m)

Gauze Pads (Sterile)

- ➔ Quality, highly absorbent gauze pads,
- ➔ individually wrapped.



SKU	Description
Pack of 25	
GB/1418A2	2" x 2" (5 cm x 5 cm)
GB/1418A3	3" x 3" (7.5 cm x 7.5 cm)
GB/1418A4	4" x 4" (10 cm x 10 cm)
Pack of 100	
GB/1418B2	2" x 2" (5 cm x 5 cm)
GB/1418B3	3" x 3" (7.5 cm x 7.5 cm)
GB/1418B4	4" x 4" (10 cm x 10 cm)

Combine Pads and Trauma Dressing (Sterile)

GB/1420/108
Sterile combine pads (18), 8" x 10" (20 cm x 25 cm)

GB/10301
Sterile trauma dressing (1), 10" x 30" (25 cm x 75 cm)



TELFATM Pads (Sterile)

- ➔ Exclusive, non-stick TELFA™ pad. Tiny perforations in plastic prevent sticking to wound.
- ➔ Individually wrapped.

TP/XF9
2" x 3" (5 cm x 7.5 cm), box of 100

TP/XF10
3" x 4" (7.5 cm x 10 cm) box of 100



Gauze Sponges (Non sterile)

- ➔ 8 Ply - Pack of 200

GB/1419/2
2" x 2" (5 cm x 5 cm)

GB/1419/3
3" x 3" (7.5 cm x 7.5 cm)

GB/1419/4
4" x 4" (10 cm x 10 cm)



Surgitube™ Tubular Gauze

- ➔ Used for holding bandages in place.
- ➔ 100% cotton.
- ➔ Surgitube tubular gauze with applicator, 5 yd (4.5m) roll

UGB/2195YD



Gauze Compress (Sterile)

- ➔ Gauze compress folded, 36" x 36" (91 cm x 91 cm), 1 per box

UGB1418/36



Elastocrepe™ Cotton Bandage

- ➔ Elastocrepe™ is made of high quality stretch cotton/rayon fabric with non-fraying edges. A central yellow line ensures accurate application and the special weave helps avoid excessive stretching.



SKU	Description
B/XF5	2" x 5 yd (5 cm x 4.5 m)
B/XF6	3" x 5 yd (7.5 cm x 4.5 m)
B/XF7	4" x 5 yd (10 cm x 4.5 m)
B/XF8	6" x 5 yd (15 cm x 4.5 m)

Elastoplast™ Adhesive Bandages (Stretched)

- ➔ A porous adhesive stretch bandage for non-slip support, without discomfort.



SKU	Description
B/1444/2	2" x 5 yd (5 cm x 4.5 m)
B/1444/3	3" x 5 yd (7.5 cm x 4.5 m)
B/1444/4	4" x 5 yd (10 cm x 4.5 m)

Self-Stick Bandages

- ➔ Sticks only to itself
- ➔ No loss of finger sensitivity
- ➔ Allows the skin to breathe
- ➔ Oil resistant (white)



SKU	Description
B/1417/1	1" x 10 yd (2.5 cm x 9 m)
B/1417/2	2" x 10 yd. (5 cm x 9 m)
B/1417/3	3" x 10 yd (7.5 cm x 9 m)

Esmarch Bandage

- ➔ Constrictive (one per box).

UB/1428E



Coban™ Self-Adherent Wrap

- ➔ Made of polyester fibres embedded with spandex elastic strands that provide a snug conforming fit.
- ➔ Requires no clips or ties to keep it in place.
- ➔ Adheres to itself not to skin or dressing.
- ➔ Lightweight and economical-not bulky.



SKU	Description
B/15821	2" x 5 yd (5 cm x 4.5 m)
B/15831	3" x 5 yd (7.5 cm x 4.5 m)
B/15841	4" x 5 yd (10 cm x 4.5 m)
B/15861	6" x 5 yd (15 cm x 4.5 m)

Elastic Bandage

- ➔ A quality elastic bandage at a low price.
- ➔ Machine washable.

- B/1426/2
2" x 5 yd (5 cm x 4.5 m)
- B/1426/3
3" x 5 yd (7.5 cm x 4.5 m)
- B/1426/4
4" x 5 yd (10 cm x 4.5 m)
- B/1426/6
6" x 5 yd (15 cm x 4.5 m)



Triangular Bandages

- ➔ A must in all First Aid kits, comes complete with 2 safety pins.

- B/1427
100% unbleached cotton, 40" x 56" x 40" (100 cm x 142 cm x 100 cm)

- UB/1427T
Tyvek, 40" x 56" x 40" (100 cm x 142 cm x 100 cm)



Arm & Wrist Band

- ➔ Provides firm support for strained arm or wrist, strained or weakened muscles and ligaments, yet permits continued activity. Velcro fastener.

- B/1428
Wrist band - Short

- B/1428A
Arm/Wrist band - Long



Adhesive Tape on Spool (Waterproof)

- ➔ A high quality, moisture resistant vinyl coated cotton tape ideal for protecting wounds and dressings from water penetration.
- ➔ Unwinds smoothly from spool.
- ➔ Tears easily. Strong adhesive keeps tape firmly in place, leaves no residue.



SKU	Description
B/1410/B5	1/2" x 5 yd (1.3 cm x 4.6 m)
B/1410/B1	1" x 5 yd (2.5 cm x 4.6 m)
B/1410/B2	2" x 5 yd (5 cm x 4.6 m)

Elastic Dressing Strips

- ➔ Highly flexible, elastic woven cloth
- ➔ Breathable and comfortable
- ➔ Strong adhesive
- ➔ Non-stick pad
- ➔ Latex free



SKU	Description
B/1442/1.5	1-1/2" x 1 yd (3.9 cm x 90 cm)
B/1442/2	2-1/2" x 1 yd (6.3 cm. x 90 cm)
B/1442/3	3" x 1 yd (7.5 cm. x 90 cm)
B/14425/1.5	1-1/2" x 5 yd (3.9 cm. x 4.5 m)
B/14425/2	2-1/2" x 5 yd (6.3 cm. x 4.5 m)
B/14425/3	3" x 5 yd (7.5 cm. x 4.5 m)

Elastoplast™ Elastic Adhesive Tape

- ➔ Conformable stretch fabric adhesive tape.
- ➔ Stretches with every movement.
- ➔ Unique open weave fabric lets your skin breathe for fast healing.
- ➔ Convenient spool.
- ➔ 1" x 5 yd (2.5 cm x 4.5 m)



B/1001

Hypoallergenic Surgical Tape

- ➔ Gentle to the skin
- ➔ Microporous - Breathable.
- ➔ Comfortable.
- ➔ Hypoallergenic adhesive.
- ➔ Can be use on fragile skin for repeated taped dressings.



SKU	Description
B/153051	1/2" x 10 yd (1.3 cm x 9 m)
B/153011	1" x 10 yd (2.5 cm x 9 m)
B/153021	2" x 10 yd (5 cm x 9 m)

Adhesive Fabric Squares (Sterile)

- ➔ Top quality adhesive fabric squares, available in various sizes.
- ➔ Packed in handy wrap of 100 squares.
- ➔ Sterile and individually wrapped.



SKU	Description
B/1439	1-1/2" x 1-1/2" (4 cm x 4 cm) I.W. 100/pack
B/1440	2" x 3" (5 cm x 7.5 cm) I.W. 100/pack
B/1440B	1-1/2" x 2-1/2" (4 cm x 6.5 cm) I.W. 100/pack
B/1441	(Assorted sizes) I.W. 100/pack

Adhesive Plastic Strips (Sterile)

- ➔ Porous adhesive plastic strip.
- ➔ Lets air in and moisture out.
- ➔ Non-adhering pad.
- ➔ Promotes healing, activated drainage.
- ➔ Sterile and Individually wrapped.



B/1445
3/4" x 3" (1.9 cm x 7.5 cm) 100/box

B/1446/C
1" x 3" (2.5 cm x 7.5 cm) 100/box

Adhesive Fabric Finger-Tip and Knuckle Band Dressings (Sterile)

- ➔ This form-cut elastic dressing can be stretched easily.
- ➔ Adaptable to all kinds of wounds, does not impair movement.
- ➔ Finger-tips available in small and large sizes.
- ➔ Sterile and individually wrapped.



SKU	Description
B/1433	Adhesive Finger-Tip Dressings Large I.W. 50/box
B/1433/100	Adhesive Finger-Tip Dressings Large I.W. 100/box
B/1434	Adhesive Finger-Tip Dressings Small I.W. 100/box
B/1435	Adhesive knuckle bands I.W. 100/box



Steri-Strip™ Skin Closures (Sterile)

- ➔ Made from porous, non-woven, rayon backed material.
- ➔ Reinforced with filaments for strength.
- ➔ Coated with hypoallergenic adhesive.
- ➔ Provides quick and easy wound closure. Sterile and individually wrapped.



SKU	Description
B/14545	1/8" x 3" (0.3 cm x 7.5 cm) I.W. 5/env.
B/145450	1/8" x 3" (0.3 cm x 7.5 cm) I.W. 50/env.
B/14555	1/4" x 3" (0.6 cm x 7.5 cm) I.W. 5/env.
B/145550	1/4" x 3" (0.6 cm x 7.5 cm) I.W. 50/env.

Butterfly Wound Closures (Sterile)

- ➔ Butterfly closure with super-stick adhesive.
- ➔ Holds wound edges firmly together.
- ➔ Ideal for smaller wounds.
- ➔ Sterile, waterproof, ready to use.
- ➔ Available in various sizes, individually wrapped.



SKU	Description
B/1453/M	Small/Medium I.W. 100/box
B/1453/L	Large I.W. 100/box

Adhesive Fabric Strips (Sterile)

- ➔ Top quality adhesive fabric strips, available in various sizes.
- ➔ Packed in handy box of 100 strips.
- ➔ Sterile and individually wrapped.



SKU	Description
B/1431SN	7/8" x 3" (2.3 cm x 7.5 cm) I.W.
B/1430D	3/4" x 3" (1.9 cm x 7.5 cm) I.W.
B/1431B	1" x 3" (2.5 cm x 7.5 cm) I.W.

Food Industry Metal Detectable Adhesive Bandage (Blue, Sterile)

B/37025/C
Fabric knuckle, 100/pkg

B/37025/18C
Fabric knuckle, 1,800 (bulk)

B/47025/C
Fabric finger tips 3", 100/pkg



Pressure Bandage (Sterile)

- ➔ Made of fine quality surgical gauze
- ➔ Non sticking
- ➔ Stretch gauze tails
- ➔ Convenient pocket size
- ➔ Individually wrapped and sterilized



SKU	Description
PB/1422/2	2" (5 cm)
PB/1422/3	3" (7.5 cm)
PB/1422/4	4" (10 cm)
PB/1422/6	6" (15 cm)

Elastic Pressure Dressings (Sterile)

- ➔ A fine quality elastic compression dressing.

PB/1422E
4-1/2" x 6 1/2" (11.3 cm x 16.3 cm)

PB/1423E
6" x 6" (15 cm x 15 cm)



Pressure Bandage (Sterile)

PRESS-STOP Pressure Bandage (Sterile)

- ➔ Stops bleeding quickly
- ➔ Non-stick pad
- ➔ Pocket construction

PB/1422PS56
5" x 6" (12.7 cm x 15 cm)

PB/1422PS3
5" x 6" (12.7 cm x 15 cm),
with pressure block



Ambulance

Pressure Bandage (Sterile)

- ➔ Extra absorbancy
- ➔ Non-stick pad
- ➔ Triple fold
- ➔ Unfolds to 5" x 16" (12.7 cm x 41 cm)

PB/1914
5" x 5" (12.7 cm x 12.7 cm)

Field Dressings (Sterile)

- ➔ Large pressure dressing, featuring a much thicker pad with long ties for larger wounds.
- ➔ Individually sealed in waterproof plastic pack and sterilized.

PB/1423
Universal fit 4" x 4" (10 cm x 10 cm)

PB/1423/15
Extra-large size 15" x 5 1/4" (37.5 cm x 13 cm)

NORTH
by Honeywell



SunX Sunscreen SPF 30

- ➔ 8" x 5-1/2" towelette contains enough sunscreen to cover the face, neck, arms and legs of the average size adult worker.
- ➔ Oil free, non-greasy, water/sweat resistant, PABA free
- ➔ Passed lineman's glove testing
- ➔ Cedar fragrance discourages insects
- ➔ Contains Aloe Vera Gel and Vitamin E
- ➔ Packaged in an easy to carry, leak-proof foil pouch



122000XC

Benzalkonium Chloride Antiseptic Towelettes

- ➔ Contains 0.4% benzalkonium chloride applied to each towelette.



A/1527
(100/pack)

UA/1527/10
(10/box)

Hand Cleansing Moist Towelettes

UA/1528/10
Moist towelette (10/box)

A/1528
Moist towelette (100/pack)



Dettol™ Antiseptic and Disinfectant

- ➔ For first aid, use at full strength as an antiseptic.
- ➔ For general disinfection or for application to sensitive skin dilute with water.

UA/1657/10
Swabs (10/box)

A/1657DA
Bottle (250 ml)

A/1657D500
Bottle (500 ml)

A/1657DG
Container (4 liters)



Instant Cold Compress

- ➔ Safe, simple and economical therapy.
- ➔ Gives instant relief from pain and swelling.
- ➔ Reacts in less than 3 seconds for immediate treatment.

V/1560
Large size

V/1559
Kit size

UV/1559
Kit size boxed



Instant Hot Pack Compress

- ➔ 6" x 9"
- ➔ Generate up to 60°C (140°F) instantly!
- ➔ To use, simply activate by squeezing to break inner bag. It's that easy!
- ➔ Single use

V/1561



Reusable Hot / Cold Compress

- ➔ An economical multipurpose compress!
- ➔ For cold therapy, store in freezer.
- ➔ For heat therapy, immerse in boiling water.
- ➔ Remains flexible regardless of temperature for ease of use.

V/1560/403



Hydrogen Peroxide

- ➔ Tropical solution 3% USP antiseptic.
- ➔ Use full strength as a cleansing agent for wounds and cuts.
- ➔ Dilute with equal parts of water as a mouthwash.

A/XF44
Bottle (115 ml)

A/XF11
Bottle (225 ml)

A/XF12
Bottle (450 ml)

A/XF13
Container (3.6 liters)



Tape Remover

- ➔ Removes adhesive, disinfects without pain, also an excellent cleaner.
- ➔ 100 ml.

V/1300A



Diagnostic Penlight

- ➔ Disposable diagnostic penlight
- ➔ Non-rechargeable pocket type
- ➔ Batteries included
- ➔ Pupil gauge
- ➔ Lightweight
- ➔ Focused intense light beam




V/PENLITE

Wooden splints



- ➔ Set of six in 3 pairs, sizes:
- ➔ 2" x 8" (5 cm x 20 cm)
- ➔ 3" x 10" (7.5 cm x 25 cm)
- ➔ 3" x 12" (7.5 cm x 30 cm)

S/1558



Aluminum/Foam Finger Splint



- ➔ Aluminum strip with 1/4" thick foam padding attached. Can be cut to length as required, molded to fit right position and taped to injured finger.



S/XF15

Aluminum foam finger splint
18" x 1/2" (46 cm x 1.3 cm) strips
(12/Pack).

S/XF16

Aluminum foam finger splint 18" x 3/4" (46 cm x 1.9 cm) strips (12/Pack).

Plastic Finger Guard



- ➔ Set of 12
- ➔ Protect injured fingers and toes. 3 sizes to fit any finger or toe with or without bandages.

S/1569



Emergency Eye Wash Wall Stations

- ➔ Wall Stations provide job site convenience and immediate accessibility.
- ➔ Visible with full emergency use instructions in front.
- ➔ Constructed of sturdy high-impact plastic.
- ➔ Holds 1 or 2 sealed or eye cup bottles.
- ➔ Four pre-drilled holes make wall mounting easy. Ideal for high eye hazard areas.

16 oz. Single 11" x 14"

E/A3827

Complete station Includes: (1) panel #E/A3832, (1) empty bottle with spill spout & eye cup, 16 oz. 500 ml) #E/A3836.

E/A3832

Panel only



32 oz. Single 14" x 17", with Mirror

E/A3825

Complete station Includes: (1) panel #E/A3830, (1) empty bottle with spill spout & eye cup, 32 oz. 1litre), #E/A3835.

E/A3830

Panel only



32 oz. Dual 14" x 17"

E/A3826

Complete station Includes: (1) Double panel #E/A3831, (2) empty bottle with spill spout & eye cup, 32 oz. (1 litre), #E/A3835.

E/A3831

Panel only. Size: 14" x 17". 32 oz. double bottles eye wash station (not shown).



32 oz. Dual 11" x 14", with Mirror

E/A3841

Complete station Includes: (1) double panel #E/A3838, (2) full squeeze bottles 32 oz. (1litre), #E/1507BISO

E/A3838

Panel only



by Honeywell

32 oz. Single 6-1/2" x 11" with Mirror

E/A3840

Complete station. Includes: (1) panel #E/A3837, (1) full squeeze bottle, 32 oz. (1litre), #E/1507BISO.

E/A3837

Panel only



32 oz. Single 6-1/2" x 17"

E/A3828

Complete station. Includes: (1) panel #E/A3833, (1) full squeeze bottle, 32 oz. (1litre), #E/1507BISO.

E/A3833

Panel only



16 oz. Triple 14" x 11"

E/A3829

Complete station Includes: (1) Triple panel #E/A3834, (3) squeeze bottles, 16 oz. (500 ml), #E/1507AISO.

E/A3834

Panel only



Economy Eye Wash Fountain

- ➔ Dependable, low cost emergency eye wash fountain, easily installed in any sink or basin. Does not require a plumber or special installation.

E/8125



Eye Wash Bottles with Spill Spout & Eye Cup

- ➔ Empty

E/A3835

32 oz. (1 litre)

E/A3836

16 oz. (500 ml)



Eye Wash Solution (Sterile Isotonic)

E/1507ISO

8 oz. (250 ml)

E/1507AISO

16 oz. (500 ml)

E/1507BISO

32 oz. (1 litre)

E/1507CISO

128 oz. (4 litres)



Servus ® PRM Safe-Toe Steel Toe

- ➔ Height of 15 in (38.1 cm)
- ➔ PVC upper fabric
- ➔ Self-cleaning outsole design
- ➔ Men's 3 to 15
- ➔ For temperatures up to 32° F (0° C)
- ➔ Safe-Toe steel toe
- ➔ Safe-Step steel midsole

75145C

SKU	Size
75145C/3	3
75145C/4	4
75145C/5	5
75145C/6	6
75145C/7	7
75145C/8	8
75145C/9	9
75145C/10	10
75145C/11	11
75145C/12	12
75145C/13	13
75145C/14	14
75145C/15	15



by Honeywell

Boot Sockette

- ➔ DeClaremont liner (Made in France),
- ➔ Sizes: 7(6-7), 9(8-9), 11(10-11), 12
- ➔ 24 pair / case

SKU	Size
120-7	6-7
120-9	8-9
120-11	10-11
120-12	12



N-Ferno® Warming Packs

- ➔ Self-contained packs add heat anywhere when exposed to air.
- ➔ To activate, just open the pack
- ➔ All natural ingredients heat up when they contact oxygen
- ➔ Seal from oxygen in Zip-Loc bag and reuse the next day
- ➔ Hand style warms up to 8 hours

6990

Hand Style warms up to 8 hours

6992

Toe Style warms up to 5 hours



Stitched, Plastic Cap Swivel Kneepads

- ➔ Exclusive grooved cap design prevents thread abrasion Patent #5537689
- ➔ Super tough, lightweight fabric covering
- ➔ Comfortable foam padding for extra knee protection
- ➔ One size fits all
- ➔ Comfortable, double straps with hook and loop fasteners



KP-295

Heavy Duty Leather Kneepads

- ➔ Designed for comfort, protection and support
- ➔ 1/2" Thick water-repellent felt lining
- ➔ One size fits all
- ➔ Riveted for extra strength
- ➔ Adjustable leather straps with steel buckles.



KP-300

Professional Hard Shell Kneepads

- ➔ Hard shell caps with tough durable caps and fabric.
- ➔ Thick foam padding and adjustable closures.
- ➔ Ideal for professional trades.



KP-303

Molded, Natural Rubber Kneepads

- ➔ Thick molded rubber for comfort and protection
- ➔ One size fits all
- ➔ Lightweight, yet durable
- ➔ Elastic straps with hook and loop fasteners



KP-308

Ultraflex Non-Skid Professional kneepads

- ➔ Sure-grip shell surface
- ➔ Thick foam inner pads for all-day comfort and protection
- ➔ Designed for tile-setters, plumbers, roofers
- ➔ Adjustable rubber straps to fit all sizes



KP-309

Durable Foam Pads

- ➔ Made of durable molded dense foam material.
- ➔ Two 1 1/4" elastic straps with hook and loop fastener.
- ➔ Designed for comfort and support in a lightweight pad.



KP-314

Durable Foam Knee Pads

- ➔ Made of durable molded dense foam material.
- ➔ Adjustable 1 1/4" elastic straps with hook and loop fasteners.
- ➔ Perfect for the Do-It-Yourselfer as well as the pro.



KP-315

Professional Gel Kneepads

- ➔ Special CLC "Comfort Zone" gel center provides maximum cushioning for all day wearability.
- ➔ Crafted from 1680D Ballistic nylon and 3/4" foam for increased comfort.
- ➔ Two strap fastening for added stability.
- ➔ Breathable Neoprene lower straps secure below the knee for comfort all day long.
- ➔ Large, low profile cap designed to prevent "roll-over" onto hard surface.
- ➔ Elastic upper straps with "buckle-style" fasteners for rapid fit.



KP-340

Professional Ultra-Flex Gel Kneepads

- ➔ Special CLC "Comfort Zone" gel center provides maximum cushioning for all day wearability.
- ➔ Super Accordion, Ultra-Flex construction for comfort and protection.
- ➔ Durable rubber straps for added stability.
- ➔ Maximum memory foam layer under gel center for greater comfort.
- ➔ Soft, flexible outer shell protects and grips most surfaces without scratching or scuffing.
- ➔ One size fits all.



KP-G361



Drivers - Grain Leather Cowhide

- Color coded bound hem
- Double shirred elastic wrist
- Industrial grade leather

SKU	Size
20-1-1571S	Small
20-1-1571M	Medium
20-1-1571L	Large
20-1-1571XL	X Large



Drivers - Grain Leather w/Split Back

- Color coded bound hem
- Double shirred elastic wrist
- Industrial grade leather

SKU	Size
20-1-1592S	Small
20-1-1592M	Medium
20-1-1592L	Large
20-1-1592XL	X Large



Drivers - Grain Leather Cowhide

- Keystone thumb
- Color coded bound hem
- Double shirred elastic wrist
- Standard grade leather

SKU	Size
20-1-1581M	Medium
20-1-1581L	Large
20-1-1581XL	X Large



Roper - Grain Leather Cowhide

- Keystone thumb
- Rolled cuff
- Clute cut back
- Snap back wrist
- Premium grade leather

SKU	Size
20-1-379S	Small
20-1-379M	Medium
20-1-379L	Large
20-1-379XL	X Large



Roper - Grain Leather Cowhide

- Keystone thumb
- Rolled cuff
- Clute cut back
- Snap back wrist
- Standard grade leather

SKU	Size
20-1-981XS	X Small
20-1-981S	Small
20-1-981M	Medium
20-1-981L	Large
20-1-981XL	X Large



Cotton/Canvas Back, Split Leather Palm

- Knit wrist
- Natural unbleached canvas back
- Single piece palm
- Industrial grade leather

30-1-LK86E



Fitters - Split Leather Cowhide

- Premium quality leather
- Solid color safety cuff
- Various colors available
- Heavy pile lined
- Select shoulder split

30-9-373A



Fitters - Split Leather Cowhide

- Premium quality leather
- Fleece lined
- Split patch palm
- Safety cuff

30-9-273PP



Fitters - Grain Leather Cowhide

- Premium quality industrial grade leather
- Cadet size
- Safety cuff
- Palm lined for comfort

40-1-1511W



Fitters - Grain Leather Cowhide

- Premium quality industrial grade leather
- Cadet size
- Safety cuff
- Completely unlined

40-1-6066IU



Fitters - Grain Leather Cowhide

- Premium quality leather
- Fleece lined
- Patch palm
- Safety cuff

40-9-173PP



Mitts - Grain Leather Cowhide

- Premium quality leather
- Pull over mitt w/elastic wrist
- Cotton bound hem

50-1-1549



Fitters - Grain Leather Cowhide

- Premium quality industrial grade leather
- Rubberized safety cuff
- Pile lined for extra warmth

40-9-4002I



Pile Liner

- 11" Acrylic pile mitt liner
- Outseam sewn for comfort

50-9-110



Mitts - Grain Leather Cowhide

- Premium quality leather
- Cotton bound hem
- Gauntlet cuff

50-1-1108XL



Pile Liner

- 12" 1-Finger acrylic pile mitt liner
- Outseam sewn for comfort

50-9-111



Mitts - Grain Leather Cowhide

- Premium quality leather
- Cotton bound hem
- 1-Finger mitt w/ gauntlet cuff

50-1-1108IXL



Welders - Split Leather Cowhide

- Premium quality leather
- 1-Finger mitt
- Lined back hand
- Fully welted seams
- Gauntlet cuff w/ gore

63-1-666B-1



Mitts - Grain Leather Cowhide

- Premium quality grade "A" leather
- Pull over mitt
- Double shirred elastic wrist
- Cotton bound hem

50-1-803IMP



Welders - Grain Leather Goat/Sheep

- 1-Finger split w/thumbstrap
- C-40 THINSULATE™ lined

SKU	Size
64-1-1241S	Small
64-1-1241M	Medium
64-1-1241L	Large
64-1-1241XL	X Large



Welders - Split Leather Moosehide

- 1-Finger chain saw mitt
- .35mm for protection

SKU	Size
60-1-1634S	Small
60-1-1634M	Medium
60-1-1634L	Large
60-1-1634XL	X Large



Welders - Grain Leather Sheepskin

- C-40 Thinsulate™ lined

SKU	Size
60-1-1700S	Small
60-1-1700M	Medium
60-1-1700L	Large
60-1-1700XL	X Large



Welders - Split Leather Deerskin

- Premium quality leather
- Tig welder
- Thumbstrap
- Gauntlet cuff

SKU	Size
60-1-1144S	Small
60-1-1144M	Medium
60-1-1144L	Large
60-1-1144XL	X Large



Welders - Split Leather Deerskin

- Pearl

SKU	Size
64-1-1141XS	X Small
64-1-1141S	Small
64-1-1141M	Medium
64-1-1141L	Large
64-1-1141XL	X Large



Welders - Split Leather Deerskin

- Premium quality leather
- Left hand patch heat protection
- Tig welder
- Gauntlet cuff w/gore
- Thumbstrap

SKU	Size
60-1-1144PS	Small
60-1-1144PM	Medium
60-1-1144PL	Large
60-1-1144PXL	X Large



Welders - Split Leather Moosehide

- Premium quality leather
- Tig welder
- Thumbstrap
- Gauntlet cuff w/gore

SKU	Size
60-1-1632M	Medium
60-1-1632L	Large
60-1-1632XL	X Large



Welders - Split Leather Cowhide

- Premium quality leather
- Weltd thumb and finger tips
- Cuff rivets

64-1-888



Welders - Split Leather Elkhide

- Premium quality leather
- Tig welder w/left hand heat patch
- Thumbstrap
- Gauntlet cuff w/gore

SKU	Size
60-1-1633S	Small
60-1-1633M	Medium
60-1-1633L	Large
60-1-1633XL	X Large



Welders - Split Leather Cowhide

- Premium quality leather
- Inside padded back for heat protection
- Gauntlet cuff w/gore
- Weltd thumb and index finger

SKU	Size
60-1-1500M	Medium
60-1-1500L	Large



Welders - Split Leather Cowhide

- ▶ Premium quality leather
- ▶ Gauntlet cuff w/gore
- ▶ Weltd thumb and index finger

SKU	Size
60-1-887M	Medium
60-1-887L	Large
60-1-887XL	X Large



Welders - Split Leather Cowhide

- ▶ Premium quality grade "A" leather
- ▶ Weltd thumb and index finger
- ▶ Fully lined for extra protection
- ▶ Gauntlet cuff w/gore

60-9-887-7



Welders - Grain Leather w/Split Black Cowhide

- ▶ Premium quality leather
- ▶ Full grain palm and index finger
- ▶ Split back
- ▶ Soft 5" gauntlet style cuff

SKU	Size
60-1-640M	Medium
60-1-640L	Large
60-1-640XL	X Large
60-1-6402XL	2X Large



Welders - Grain Deerskin/Split Back

- ▶ Premium quality leather
- ▶ Mig/Tig welders
- ▶ Gauntlet cuff

SKU	Size
64-1-777DXS	X Small
64-1-777DS	Small
64-1-777DM	Medium
64-1-777DL	Large
64-1-777DXL	X Large



Welders - Grain Leather Deerskin

- ▶ Premium quality leather
- ▶ Tig welder
- ▶ Grain palm w/split back
- ▶ Softness for comfort and durability
- ▶ Weltd thumb

SKU	Size
60-1-1705S	Small
60-1-1705M	Medium
60-1-1705L	Large
60-1-1705XL	X Large



Welders - Grain Leather Deerskin

- ▶ Premium quality leather
- ▶ Tig welder grain palm and index finger w/ split back
- ▶ Gauntlet cuff w/gore
- ▶ Weltd thumb

SKU	Size
60-1-1706S	Small
60-1-1706M	Medium
60-1-1706L	Large
60-1-1706XL	X Large



Utility - Grain Leather Cowhide

- ▶ Premium quality grade "A" leather
- ▶ Outside seams
- ▶ Weltd thumb and finger tips
- ▶ Gauntlet cuff w/gore

SKU	Size
64-1-1065C8.5	8.5
64-1-1065C9	9
64-1-1065C9.5	9.5
64-1-1065C10	10
64-1-1065C10.5	10.5
64-1-1065C11	11
64-1-1065C12	12



Utility - Grain Leather Cowhide

- ▶ Premium quality leather
- ▶ Weltd finger tips for extra wear
- ▶ Thumbstrap

SKU	Size
60-1-12749	9
60-1-127410	10
60-1-127411	11
60-1-127412	12



Utility - Grain Leather Cowhide

- ▶ Premium quality leather
- ▶ Weltd finger tips for extra wear
- ▶ 2" Cuff

SKU	Size
60-1-1274-2S	Small
60-1-1274-2M	Medium
60-1-1274-2L	Large
60-1-1274-2XL	X Large



Grey Split Leather Fitters Gloves

- ➔ "C" grade - cotton lined palm
- ➔ 2 in (5.08 cm)
- ➔ Plastified cuff
- ➔ Size: 10XL (Men)

2370LPBi



Fitters Gloves – Value Line

- ➔ Low cost grain cowhide leather fitters glove
- ➔ Gunn cut and wing thumb
- ➔ Patch palm - "C/D" grade cotton lined palm
- ➔ 2 in (5.08 cm) plastified cuff
- ➔ Size: 10XL (Men)

2870LPBi



Fitters Gloves – regular Line

- ➔ Cow grain fitter regular grade offer greater abrasion resistance
- ➔ Gunn cut and wing thumb
- ➔ Grain cowhide leather - "C" grade

2470LPBi

Cotton lined palm 2 in (5.08 cm) plastified cuff - Size: 10XL (Men)



L2470LPBi

Same as 2470LPBi - Size: 8XL (Ladies)

2470Rgi

Cotton lined palm 5 in (12.7 cm) rubberized cuff - Size: 10XL (Men)

Winter Fitters Gloves – Heavy Foam Fleece Lining

- ➔ Gunn cut and wing thumb
- ➔ "B" grade, heavy foam and fleece lining
- ➔ 2 in (5.08 cm) rubberized cuff

3370LCRBi

Grey split leather Size: 11XXL (Men)

3410LCRBi

Grain cowhide leather Size: 11XXL (Men)

L3470LCRBi

Same as 3470LCRBi – Size: 8XL (Ladies)



Winter Fitters Gloves – Thinsulate® Lining

- ➔ Cow grain fitter premium grade
- ➔ Thinsulate® lining, 100 gram
- ➔ Rubberized safety cuff design
- ➔ Application: Cold storage, winter construction,
- ➔ "B" grade – lined with Thinsulate®
- ➔ D-ring and snap hook
- ➔ 2 in (5.08 cm) rubberized cuff

5370TRBi

Grey split leather Size: 11XXL (Men)

5470TRBi

Grain cowhide leather Size: 11XXL (Men)



Roper's Gloves

- ➔ Roper glove with snap
- ➔ All grain cowhide leather
- ➔ Clute cut style
- ➔ Unlined

SKU	Size
148Ri/7S	Small
148Ri/8M	Medium
148Ri/9L	Large
148Ri/10XL	X Large



Driver's Gloves

- ➔ All grain cowhide leather
- ➔ Gunn cut style
- ➔ Unlined

SKU	Size
248Ri/7S	Small
248Ri/8M	Medium
248Ri/9L	Large
248Ri/10XL	X Large



Welding Gloves – Regular Line

- ➔ Fully lined welder glove
- ➔ One piece back - blue leather
- ➔ Wing thumb
- ➔ Grey leather palm
- ➔ Size: 10XL (Men)

1590BLAW



TIG & MIG Welding Gloves

- ➔ T.I.G. welder glove
- ➔ Very soft grain sheepskin leather
- ➔ Strap at thumb
- ➔ Split leather cuff

SKU	Size
786/8M	Medium
786/9L	Large
786/10XL	X Large
786/11XXL	2X Large



NORTH
by Honeywell

Viny-Task Series

Vinyl Disposables

- ➔ Vinyl powdered disposable gloves
- ➔ 5 mil (0.13mm) - 9" (23cm) - Rolled Cuff

SKU	Size
T525/S	Small
T525/M	Medium
T525/L	Large
T525/XL	X Large



Sensi-Task Series

Natural Rubber Disposables

- ➔ Natural rubber powdered disposable gloves
- ➔ 5 mil (0.13mm) - 9" (23cm) - Rolled Cuff

SKU	Size
T425/S	Small
T425/M	Medium
T425/L	Large
T425/XL	X Large



DEXI-Task Series

Examination & Industrial Grade

Nitrile Disposables

- ➔ Nitrile rubber powdered disposable gloves
- ➔ Blue
- ➔ 5 mil (0.13mm) - 9" (23cm) - Rolled Cuff

SKU	Size
LA049/S	Small
LA049/M	Medium
LA049/L	Large
LA049/XL	X Large



NITRI-GUARD Plus Series

Unsupported Nitrile

- ➔ Nitrile gloves
- ➔ Green
- ➔ 11 mil (0.28mm) - 13" (33cm), unflocked

SKU	Size
LA132G/7S	7S
LA132G/8M	8M
LA132G/9L	9L
LA132G/10XL	10XL
LA132G/XXL	11XXL



by Honeywell

Master Mining Series

Supported PVC Over Jersey Liner

- ➔ Gauntlet with Flare Cuff 14" (35.5cm)
- ➔ Double Dip
- ➔ Rough Sandy Finish
- ➔ Green
- ➔ Size 10XL

1214FWG



Red Cote Series

Supported PVC Over Interlock Liner

- ➔ Single Dip - Red/Maroon
- ➔ Knit wrist

SKU	Size
R20/8M	8M
R20/9L	9L
R20/10XL	10XL



Trawler King Series

Supported PVC Over Jersey Liner

- ➔ Double Dip
- ➔ Rough Sandy Finish
- ➔ Superior Quality
- ➔ Green

Knit Wrist

SKU	Size
820FWG/8M	8M
820FWG/9L	9L
820FWG/10XL	10XL



Gauntlet 12" (30 cm)

SKU	Size
840FWG/8M	8M
840FWG/9L	9L
840FWG/10XL	10XL



KEVLAR® Series

Knitted Kevlar® Gloves

- ➔ Cut and Heat Resistant
- ➔ Ambidextrous
- ➔ 100% Kevlar glove - lightweight

SKU	Size
62/6703/73	7S
62/6703/8M	8M
62/6703/9L	9L
62/6703/10XL	10XL



KEVLAR® Sleeves

- ➔ Cut and Heat Resistant
- ➔ Knitted
- ➔ Sleeve with thumb hole, Sigle Ply, Yellow

SLKW10S



Gauntlet – Cruiser

- Cruisers have long wearing black cowhide leather for extra durability and feature extra length and hard cowhide cuff for additional wind protection.
 - A Velcro® strap ensures easy wrist adjustment.
 - Sizes XS - XL
- 835-Size



Tack and Riding Gloves

GOATEE

- Pearl, full grain goatskin, Canadian roper style with a snap back.
- The Goatee is made from full grain goatskin and is a pearl color. It is Canadian Roper style with a snap back. Watson Made.
- Sizes 6-12.

741-Size



MANHANDLERS

- Tan, full grain cowhide, drivers style, elastic back, inset thumb.
- Sizes S-L.

1653-Size



DRIVERS

- Drivers is a Watson made product. It is a tan, full grain cowhide glove made in the Drivers style with a straight thumb.
- Sizes S-XL.

968-Size



HALF BACK

- Tan, full grain cowhide palm with a split cowhide back.
- Sizes S-XL.

969-Size



GUNSLINGER

- Tan, full grain cowhide, Canadian Roper style with a snap back.
- Sizes M & L.

377-Size



Watson Protech Series

FLEXTIME

- Soft full-grain leather palm with Spandex® back, hooded fingertips & Velcro® closure for snug fit.
- Sizes S-XL.

005-Size



PROTECH

- Soft, breathable Clarino® palm, Spandex® back, hooded fingertips & Velcro® closure.
- Sizes S-XL.

006-Size



PROTEC

- Full grain leather palm, Velcro® closure, Spandex® back, hard knuckle shell, Kevlar® stitched.
- Sizes M-XL.

580-Size



SHOK-BLOK

- Vibration absorbing gel pad palm/fingers, soft & breathable Clarino® palm with "Off Road" pattern.
- Spandex® back, Kevlar® stitched, & Velcro® closure.
- Sizes S-XL.

009BK-Size

Shok-Blok

9009W-Size

With Winter Liner



PROGRIP

- Waffled neoprene material for an extremely light/high performance glove, soft & breathable Clarino® palm with silicone dotted palm and fingers, slip-on wrist, sporty detail package.
- Sizes S-XL.

011-Size



Watson Protech Series

EXTREME

- ➔ Vibration absorbing gel pack heel & palm, soft & breathable Clarino® palm with "Off Road" pattern, Spandex® back, Reinforced palm & thumb, Reptile "Sure Grip" fingertips & Velcro® closure.
- ➔ Sizes S-XL.

010BK-Size



Outdoor & Casual Winter

FLEXTIME

- ➔ 3M Thinsulate® C40 lining for cold conditions
- ➔ Soft full-grain leather palm
- ➔ Spandex® back provides form-fitting memory
- ➔ Hooded fingertips for longer wear
- ➔ Velcro® closure for snug fit
- ➔ Sizes S-XL

9005W-Size



DURABULL

- ➔ Watson Made full grain cowhide leather Canadian Roper glove.
- ➔ Snap back for fit
- ➔ Cotton Lined for warmth
- ➔ Sizes 7-12

9436-Size



EXTREME

- ➔ Soft, warm fleece lining
- ➔ Reinforced palm & thumb for extra protection in critical wear areas
- ➔ 'Gel Cell' knuckle for added shock resistance
- ➔ Soft, breathable Clarino® palm with 'Sure-Grip' palm patch for added durability
- ➔ Spandex® back provides form-fitting memory
- ➔ Kevlar® stitched for maximum strength & durability
- ➔ Velcro® closure for a snug fit
- ➔ Sizes S-XL

9010W-Size



Full Grain Leather Work Gloves

ECONO GRAIN

- ➔ Economy grade cowhide
- ➔ Palm patched
- ➔ Grain leather provides oil and water repellency
- ➔ Rubberized safety cuff
- ➔ Fabric 100% cotton
- ➔ Size Large

A281BBL



RAWHIDE SERIES

- ➔ Leather Palm, hooded tips, knuckle straps, palm lined and safety cuffs.

A281EL

Grain cowhide. Size L

A281EWS

Grain cowhide. Size S

A281EXL RAWHIDE

B Grade cowhide. Size XL

281EXXL

Size Double Extra Large



GREY DOG

- ➔ A/B grade grain cowhide
- ➔ Full leather index finger
- ➔ Grain leather provides water and oil repellency
- ➔ Job-fitted for heavy duty and outdoor applications
- ➔ Fabric 100% cotton
- ➔ Size Large

833L



SELECT PIGSKIN

- ➔ B Grade genuine pigskin
- ➔ Full leather index finger
- ➔ Safety cuff
- ➔ Grain leather provides oil and water repellency
- ➔ Fabric 100% cotton
- ➔ Size Large

60753L



MS. LIBERTY

- ➔ A/B grade genuine pigskin
- ➔ Full leather index finger
- ➔ Rubberized safety cuff
- ➔ Grain leather provides water and oil repellency
- ➔ Fabric 100% cotton
- ➔ Size Small

6266S



Split Leather Work Gloves

MEAN MOTHER SERIES

- Split cowhide, red cotton.
- Premium grade split cowhide leather combo
- Full leather index finger
- Rubberized safety cuff
- Leather knuckle strap
- Leather hooded fingertips
- Job-fitted for drier general applications
- Fabric 100% cotton



104L

Large

105XL

Extra Large

A281BBL

INDUSTRIAL

KANGAROO 1 FINGER

- 1 finger pullover mitt full grain cowhide, gauntlet style.
- Larger fit to accommodate liners for extra warmth.
- Sizes 9-12

6351-Size



RAIL ROADER

- Heavy grain cowhide, out-seamed gauntlet.
- Sizes 9-12

405-Size



KANGOBUCK GAUNTLET

- Heavy grain cowhide, hooded finger tips, gauntlet.
- Sizes 9-12

685-Size



Full Grain Winter Lined

LEATHER PERFECT

- Tan, full grain cowhide palm with a split cowhide back, foam lined.
- Sizes S-XL.

91700-Size



WINTER GREY DOG

- Grey, full grain cowhide
- Foam Lined
- Sizes L and XL

9833-Size



PUFF DADDY

- Grey full grain cowhide, sherpa lined, patched palm.
- Size L.

94003IL



STORMIN NORMAN

- "A" Grade tan full grain pigskin leather
- Heavy cotton drill fabric
- Storm cuff locks in warmth
- Dupont ThermoLite® lined
- Sizes M-XL

9916-Size



BLUE NORTHERN

- Blue split cowhide, sherpa lined, with a PVC waterproof barrier.

5356L

Large

5354S

Small



ECONO SPLIT

- Grey split cowhide, fleece lined.
- Size L.

9104X-L



Full Grain Winter Lined

SHERPA SAM

- Grey, split cowhide, sherpa lined.
- Size L.

94004IL



Tundra Mitts

- These gloves and mitts offer serious cold protection.
- They are made from premium full grain pigskin and have a heavy pile lining and a Velcro® closure to keep the snow out and the warmth in!

SHORT MITT

- Tan
- Size L

92461



ONE FINGER MITT

- Tan
- Size L

92431L



ONE FINGER GAUNTLET

- Tan
- Size L - XL

92001-IF-Size



Mitts and Liners

WOOL 1 FINGER

- Wool/nylon blend 1 finger mitt.
- Size L.

628L



WOOL MITT LINER

- Wool/nylon blend mitt.
- Size L.

629L



SALT & PEPPER

- Black and white 8 oz.
- Cotton with a knit wrist.
- Size L.

4779L



WHITE KNIGHT

- Poly/cotton seamless knit.
- Size S-XL.

602-Size



POLAR KNITS

- Navy Thermostat™ insulating liner.
- Stretch to fit!

KT2



Welding Gloves

FIREBRAND

- This popular general purpose welding glove features Kevlar® stitched. It is a rust colored split cowhide gauntlet that is fully lined.
- Size L.

9238L



TIGGER

- Tan, split deerskin, Kevlar® stitched.
- Sizes S-XL.

2755-Size



SPLIT WELDER

- Split cowhide welding glove wool liner on back
- Kevlar® stitched.
- Sizes 9-13.

1035-Size

1035T-Size

- Same as above with Thinsulate® lining.



RAM TOUGH

- Full grain goatskin palm with a split cowhide back, Kevlar® stitched.
- Sizes 9-12.

2758-Size



Coated / Garden Gloves

BLUE CHIP

- Blue rubber coated palm, breathable knit cotton back.
- Sizes S-XL.

320-Size



BLUE DOTS

- Poly/cotton knit glove with blue plastic dots on the palm only.
- Sizes S-L.

416DBS-Size



WATSON GREEN

- Double dipped PVC gloves with a rough texture for better grip.
- Size L / 14" gauntlet.

WG14L



DURA GLO

- Green Hi-Vis color double dipped PVC glove.
- 100% cotton jersey shell and snug knit wrist.
- 14" Gauntlet, Size L

DG14 L



NITRO TOUGH

N230

Blue nitrile, palm coated, knit wrist. Sizes 7-10.

N250

As above. Sizes 8-10.

N115

- Marigold Nitrile Tough
- Foam nitrile. Sizes 7-9.



Disposable Gloves

BEST N-DEX

- Blue 4 mil nitrile disposable gloves.
- 100 gloves per dispenser.
- Sizes S-XL

G7005-Size



BEST N-DEX PLUS

- Blue 8 mil nitrile disposable gloves.
- 10" long with a rolled cuff.
- 50 gloves per dispenser.
- Sizes S-XL

8005PF-Size



WATSON SAF-T-PRO

- Disposable 5 mil latex.
- 100 gloves per dispenser.
- CFIA approved!

7777-Size

- Sizes S-XL.

6666-Size

As Above. Powder free.



WATSON SAF-T-PRO

- Disposable blue 5 mil nitrile.
- 100 gloves per dispenser.

8888-Size

- Sizes S-XL.

8888PF-Size

As Above. Powder free.



GREASE MONKEY

- Heavy weight black 8 mil nitrile
- Powder free
- 11" rolled cuff
- 50 gloves per dispenser.

5555PF-Size

- Sizes M-XL.



Cut resistant Gloves

BULLY

- Seamless Kevlar® knit shell with an ultra light, tough nitrile coated palm.
- Sizes S-XL.

352-Size



KEVLAR® PLUS

- Medium weight 100% Kevlar® gloves with PVC dots on both sides for extra grip.

1810

Men's One Size Only

1811

Ladies Size



JOMAC

- Cut and flame resistant 2-ply knit sleeve in a 10" length.

KS10



Chemical Gloves



SAF-T-PRO

- Yellow latex, serrated cuff, honeycomb pattern palm.
- Size S-XL

3333-Size



SAF-T-PRO

- Orange rubber latex, flock lined with a raised palm surface.
- Sizes S-XL

400-Size



SAF-T-PRO

- Heavy weight black latex, flock lined with a raised palm surface.
- Sizes S-XL


500-Size

Cuff Styles



Knit Wrist Drivers Slipon Bandtop Gauntlet Safety Cuff Elastic Cuff Silk Stitch Cinch Back

Glove Styles



Clute Cut
(Continuous Thumb)
CLUTE: Seamless palm for comfort in a canvas glove.

Gunn Cut
GUNN: Most popular in leather styles to remove seams from front wear areas of fingers to the back side of glove.


Reversible
(Fourchette Gussets)
REVERSIBLE: Canvas styles designed for wear on either hand for double wear (ambidextrous).

Wing Thumb
(Heel Pull)
WING THUMB: Tailored for "open" handed work with the seam off of the wear area (not recommended for grip or closed fist applications).

Leather Tips Knuckle Strap Elastic Band
CONTINUOUS THUMB: Engineered for "grip" work with the fist area partly closed, especially where the wear area is between the thumb and forefinger.

Shirred Elastic 3/4 Leather Back Wrap-Around Index
*TEST: Examine gloves on the work site to see if the wear area avoids the seams in the thumb crotch.

Types Of Leather



LEATHER: (Cow/Deer/Elk/Goat/Pigskin)

GRAIN: Smooth leather from hair side, long wearing.

SIDE: Firm texture, fewer markings.

SHOULDER: Extra layer cut from thick neck area, rough in texture.

BELLY: Flexible material for comfort.

SPLIT: Suede layer cut from meat side of thicker skins, less expensive.

WEIGHTS: 1/64" thickness per ounce.

"L" wt. 2 1/2 - 3 oz. "M" wt. 4 oz.
"LM" wt. 3 - 3 1/2 oz. "HM" wt. 5 oz. +

Linings

Thinsulate®

Dense synthetic microfibre construction providing double the insulating properties of other high loft linings. Fibre content 65% Olefin/35% Polyester.

Thermolite®

Interwoven Dacron® Polyester fibres, usually containing a Polyurethane Foam overlay. Provides excellent insulation properties even when damp. 65% Olefin/35% Polyurethane Foam. Sherpa - Raised cotton nap, usually a blend of 85% Acrylic/15% cotton. Provides excellent insulation, minimum dexterity and low insulating properties when wet.

Foam

Polyurethane Foam core with a cotton fleece overlay. Provides moderate, quick drying and comfortable insulation.

Fleece

Light weight combed cotton providing insulation and excellent dexterity.

COATED GLOVES

UNSUPPORTED: Not bonded to fabric liner (thinner surgical or janitorial type).

REGULAR: Knitwrist/bandtop/gauntlet lengths. Full coat/Palm coat/grip coatings.

IMPREGNATED: Material is coated before cutting & sewing, thus leaks at seams.

Coated Gloves	CHEMICAL RESISTANCE										WEAR RESISTANCE												
	Acid	Alkali	Chlorinated Solvent	Hydrocarbon Solvent	Acetone	Gasoline	Motor Oil	Grease	Water	Steam	Heat	Scuff	Abrasion	Flex	Stretch								
Ray Plastic	E	E	F	G	E	E	G	F	E	E	G	F	E	E	G	F							
Nitrone	E	E	G	G	E	E	G	F	F	E	G	G	F	E	E	G	F						
Latex Rubber	G	E	R	G	F	E	X	X	R	G	F	F	F	X	G	E	E	G	E	G	F		
Wet Grip Rubber	E	E	R	G	S	E	S	G	S	S	E	E	E	E	S	S	S	G	E	G	E	G	F

LEGEND: E = Excellent, G = Good, F = Fair, X = Not Recommended
The following chemical list is to be used as a guideline only. Watson Gloves cannot guarantee its accuracy. Please check for specific glove applications. Customer who use certain chemicals in a regular basis should test the manufacturer for various oil based products.



INSULATOR®

- ➔ Hand Warmer, 100% DuPont® ThermaStat Yarn®, Lightweight
- ➔ Hand warmer in cold, damp working environments
- ➔ May be used as an under glove
- ➔ May be worn on either hand
- ➔ Canadian Food Inspection Agency
- ➔ Handling chilled or refrigerated products, Fishing industry, Utilities, Construction, General maintenance
- ➔ One Size

78-101
Blue

78-150
White

**TNT® BLUE - NITRILE**

- ➔ Textured fingertips
- ➔ Provide three times the puncture resistance of competitive latex or vinyl gloves
- ➔ Textured fingertips for exceptional grip
- ➔ Durable yet soft for improved comfort
- ➔ Automotive, Manufacturing, Maintenance and cleanup, Intricate parts handling, Laboratory analysis/technical work
- ➔ 5 mils, rolled cuff, blue, 100 gloves/dispenser box
- ➔ Sizes: Small, Medium, Large, X-Large
- ➔ Canadian Food Inspection Agency

92-575-Size
Powdered

92-675-Size
Powder-free

**TOUCH N TUFF® NITRILE**

- ➔ Smooth fingertips
- ➔ Contains absolutely no fillers, silicones or plasticizers
- ➔ Provide three times the puncture resistance of competitive latex or vinyl gloves
- ➔ Smooth fingertips for exceptional grip
- ➔ Durable yet soft for improved comfort
- ➔ Manufacturing, Maintenance and cleanup, Intricate parts handling, Laboratory analysis/technical work, HazMat
- ➔ 5 mils, rolled cuff, teal, 100 gloves/dispenser box
- ➔ Sizes: 7, 8, 9, 10
- ➔ Canadian Food Inspection Agency

92-500-Size
Powdered

92-600-Size
Powder-free

**POWERFLEX® PLUS**

- ➔ 100% Kevlar® Liner with Crinkle Latex Coating
- ➔ Provides cut, abrasion and puncture resistance
- ➔ Superior wet and dry grip
- ➔ Seamless Kevlar® knit
- ➔ Uncoated back allows air to circulate which keeps hands cooler and drier
- ➔ Fully coated thumb provides added protection in this high-risk areas
- ➔ Ergonomically designed
- ➔ Unbelievable comfort
- ➔ Canning, Sheet metal, Glass handling, Recycling, Bottling
- ➔ Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 7, 8, 9, 10

80-600/Size

**POWER FLEX® T° HI VIZ YELLOW™**

- ➔ Cold Environment, Latex Coated, Acrylic Thermal Liner, Crinkle Finish
- ➔ Excellent insulation for cold environment
- ➔ Strong combination of abrasion, liquid repellence and dry grip
- ➔ Superior flexibility and dexterity
- ➔ Uncoated back allows for air circulation to keep hands drier
- ➔ Ergonomically designed for unmatched fit and comfort
- ➔ Fish industry, Cold storage, Winter, transportation, Unheated warehouses, Yard and field work, Freight handling
- ➔ Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 8, 9, 10, 11

80-400/Size

**POWERFLEX®**

- ➔ Latex Coated, Poly/Cotton Knit Liner, Crinkle Finish
- ➔ Soft seamless poly/cotton knit liner
- ➔ Superior wet and dry grip
- ➔ Combination of cut, abrasion and puncture resistance
- ➔ Fully coated thumb provides added protection in this high-risk area
- ➔ Uncoated back allows air to circulate which keeps hands cooler and drier
- ➔ Ergonomically designed, unbelievable comfort
- ➔ General maintenance, Shipping and receiving, Assembly, Concrete and brick handling, Lumber handling
- ➔ Caution: This product contains natural rubber latex which may cause allergic reactions in some individuals.
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 6, 7, 8, 9, 10

80-100/Size



Ansell

HYFLEX® 11-627

- ➔ Dyneema® Innovative Yarn Liner with Polyurethane Coating
- ➔ Exceptional cut resistance with an optimal level of Dyneema®
- ➔ Lycra® and nylon is combined for excellent dexterity
- ➔ Polyurethane palm coating for excellent grip
- ➔ Automotive, Metal, Glass aeronautics, White goods manufacturing
- ➔ Gray Dyneema®, Lycra® and nylon liner with gray polyurethane palm coating
- ➔ Sizes: 6, 7, 8, 9, 10

11-627/Size



HYFLEX® 11-800

- ➔ Foam Nitrile Coated, Knit Nylon Liner, Light Duty
- ➔ Excellent grip in light oil applications by channeling the oil away from the glove surface
- ➔ Foam coating is resistant to snags and abrasions
- ➔ Highest level of comfort and protection
- ➔ Automotive assembly, Handling small parts (especially where oil is present)
- ➔ Gray foam nitrile palm coated, white nylon liner
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 6, 7, 8, 9, 10, 11

11-800/Size



HYFLEX® 11-501

- ➔ With New Intercept Technology™ Developed by Ansell and DuPont
- ➔ Lightweight fit and feel with superior cut resistance
- ➔ Outstanding dexterity
- ➔ Superior HyFlex® oil grip, tactile sensitivity, dexterity and comfort
- ➔ Cut prevention improves productivity and profitability
- ➔ Automotive assembly, Sheet metal assembly, Handling sharp small parts, Handling glass
- ➔ Intercept Technology™ yarn liner with teal foam nitrile palm coating
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 6, 7, 8, 9, 10

11-501/Size



HYLITE®

- ➔ Nitrile Coated, Interlock Knit Lined, Medium-Duty
- ➔ Outwear cotton up to 12 to 1, light leather 5 to 1 and PVC coated gloves 3 to 1
- ➔ Exceptional snag, puncture, abrasion and cut resistance
- ➔ Extra comfort
- ➔ Assembly, Inspection, Medium duty material handling, Light fabrication, Shipping and receiving, Maintenance
- ➔ Palm coated, knitwrist
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 7, 8, 8.5, 9, 10

47-400/Size



HYFLEX® 11-500

- ➔ Stretch Kevlar® Liner with Foam Nitrile Palm Coating
- ➔ Cut resistant stretch Kevlar® liner provides a comfortable fit
- ➔ Excellent protection from nuisance nicks and abrasion
- ➔ Excellent choice when working with sharp edged materials and tools
- ➔ Extended cuff offers extra cut protection around the wrist
- ➔ Unique foam nitrile coating channels away oil from the surface of the gloves
- ➔ Sure grip in light oil applications
- ➔ Soil hiding black palm coating
- ➔ Automotive assembly, Handling sharp and/or pointed small parts, Handling wire harnesses, Sheet metal assembly, Durable goods assembly, Maintenance
- ➔ Stretch Kevlar® liner with black foam nitrile coating
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 6, 7, 8, 9, 10, 11

11-500/Size



SOL-VEX®

- ➔ Nitrile, Unsupported
- ➔ Better protection against snags, punctures, abrasions and cuts
- ➔ Outstanding combination of strength and chemical resistance. When exposed to aromatic and petroleum solvents, as well as caustics and animal fats won't swell, weaken or degrade
- ➔ Superior choice over rubber or neoprene
- ➔ Food processing (red meat, poultry, vegetables, fruit, dairy and canning), Automotive assembly and painting, Aerospace and automotive degreasing, Chemical processing, oil refining, petrochemicals, Machining operations using cutting oil and coolants, metal fabrication, Graphic arts, printing cleanup, Furniture manufacturing, Electronics (semiconductors, circuit board manufacturing)
- ➔ Flock lined, 15 mils, 13", green embossed
- ➔ Canadian Food Inspection Agency
- ➔ Sizes: 7, 8, 9, 10, 11

37-175/Size



Ansell

Disposable Coveralls Gen "Fr" Series

CE Type 5 & 6 for noxious dust and splash

NFPA701 and EN533 Index 1 for Flame Retardency



- ➔ The North Gen "FR" Coverall is made from a unique combination of non-woven fabrics and meets with CE Type 5 & 6 protection which means that it is resistant to noxious dust, oil & chemical splashes and also anti-static to meet with EN1149-1. The North Gen "FR" Coverall is also now Flame Retardant to NFPA701 and EN533 Index 1.
- ➔ The fabric is breathable and therefore very comfortable to wear - even for long periods of time. The North Gen "FR" Coverall is ideal for a wide range of applications and has been designed to be both practical and comfortable with a 2-way zip, elastic waist and a generous cut.
- ➔ Elastic wrist to reduce entry of contaminant
- ➔ Elastic ankles and waist to reduce inward contaminations
- ➔ 2 way zip with a resealable taped storm flap to reuse the garment
- ➔ Hood and enclosed neck to prevent inward contamination
- ➔ Ergonomic pattern for greater user comfort
- ➔ Silicon free components to prevent product contamination

SKU	Size
25596/S	Small
25596/M	Medium
25596/L	Large
25596/XL	X Large
25596/2XL	2X Large
25596/3XL	3X Large
25596/4XL	4X Large



Disposable Coveralls Gen "Pro" Series

CE Type 5 & 6 for noxious dust and splash



- ➔ The North Gen Pro Coverall is made from a unique combination of non-woven fabrics and meets with CE Type 5 & 6 protection which means that it is resistant to noxious dust and splash.
- ➔ The fabric is breathable and therefore very comfortable to wear - even for long periods of time.
- ➔ The North Gen Pro Coverall is ideal for a wide range of applications and has been designed to be both practical and comfortable with a 2-way zip, storm flap and a generous cut.
- ➔ Knitted cuffs improve interface with glove
- ➔ Elastic ankles and waist to reduce inward contaminations
- ➔ 2 way zip with a resealable taped storm flap to reuse the garment
- ➔ Hood and enclosed neck to prevent inward contamination
- ➔ Ergonomic pattern for greater user comfort
- ➔ Silicon free components to prevent product contamination

SKU	Size
-----	------

Coverall with attached hood, knitted cuff, elastic waist & ankles, 2 way zip and resealable storm flap, blue color

35596/S	Small
35596/M	Medium
35596/L	Large
35596/XL	X Large
35596/2XL	2X Large
35596/3XL	3X Large
35596/4XL	4X Large

Coverall with front zipper, attached hood, chest and hip pocket, elastic waist, closed neck, not CE certified, elastic face opening, wrists & ankles

35595/S	Small
35595/M	Medium
35595/L	Large
35595/XL	X Large
35595/2XL	2X Large
35595/3XL	3X Large

Boot cover with elastic top, 10" (25 cm) high


35767	One Size
-------	----------

TYVEK® Series 55 Disposable Clothing

- ➔ No other limited-use fabrics presently available in the market place offer the comparable protection and comfort as TYVEK®. Unsurpassed for dry particulate protection it is ideal when your workers are exposed to or involved with agriculture, asbestos abatement, dry chemical, dust & dirt, emergency medical service, spray and radioactive dust. Low linting and static-free until laundered.
- ➔ TYVEK® is made of Spunbonded Olefin
- ➔ Ideal for dry particulate protection
- ➔ Low-linting and anti-static
- ➔ Perform in many industrial and agricultural applications
- ➔ Overlock seams
- ➔ Generous sizing for added mobility and comfort


COVERALL WITH FRONT ZIPPER, COLLAR, ELASTIC WRISTS & ANKLES

SKU	Size
55545/S	Small
55545/M	Medium
55545/L	Large
55545/XL	X Large
55545/2XL	2X Large
55545/3XL	3X Large



COVERALL WITH FRONT ZIPPER, ATTACHED, ELASTIC FACE OPENING, WRISTS & ANKLES


SKU	Size
55595/S	Small
55595/M	Medium
55595/L	Large
55595/XL	X Large
55595/2XL	2X Large
55595/3XL	3X Large



Shoe cover

- ➔ 5" (13 cm) high with elastic top
- ➔ One size


55766



Shoe cover

- ➔ Shoe cover 5" (13 cm) high, friction coated, elastic top, skid resistant sole
- ➔ One size


55766FC



Flame Retardant & Flame Resistant Summer Weight Work Clothing

- ➔ This line of garments are made either of flame retardant Ultrasoft and Proban from Westex or flame resistant NOMEX® from DuPont. These materials have proven track records and are world recognized for their quality and durability.
- ➔ Excellent design for comfort and durability
- ➔ Available in sizes: 38 to 62 or S to 3XL as shown below
- ➔ Available in regular and tall lengths
- ➔ Available in two popular colors : Navy Blue and Royal Blue

SKU	Description
Flame retardant coverall made of 9 oz Westex Proban Cotton with front zipper closure. Sizes 38, 40, 42, 44, 46, 48,50, 52, 54, 56, 58, 60, 62	
CW175/B/Size	Blue, Regular
CW175/B/T/Size	Blue, Tall
CW175/RB/Size	Royal Blue, Regular
CW175/RB/T/Size	Royal Blue, Tall
Flame resistant coverall made with 6.2 oz NOMEX® IIIA fabric with front zipper closure, NFPA 70E category 1,NFPA 2112. Sizes 38, 40, 42, 44, 46, 48,50, 52, 54, 56, 58, 60, 62	
CN175/B/Size	Blue, Regular,
CN175/B/T/Size	Blue, Tall
CN175/RB/Size	Royal Blue, Regular
CN175/RB/T/Size	Royal Blue, Tall
Flame retardant coverall made of 9 oz. Indura Ultra Soft cotton with zipper closure, NFPA 2112, NFPA 70E, Category 2. Sizes 38, 40, 42, 44, 46, 48,50, 52, 54, 56, 58, 60, 62	
CIW175/RB/Size	Royal Blue




Flame resistant coverall made of 6.2 oz NOMEX® IIIA fabric with 2" yellow/silver retro-reflective stripes, NFPA 70E Category 1. Sizes S, M, L, XL, 2XL, 3XL

TN175YG/RB/Size	Royal Blue
Flame retardant coverall made of 9 oz. Indura Ultra Soft cotton with yellow-green and silver retro-reflective stripes and front zipper closure, NFPA 2112, NFPA 70E, Category 2. Sizes 38, 40, 42, 44, 46, 48,50, 52, 54, 56, 58, 60, 62	
TI175YGRB/Size	Royal Blue



Flame resistant men's shop coat made with 6.2 oz NOMEX® IIIA fabric Sizes S, M, L, XL, 2XL, 3XL

CN210	Royal Blue
--------------	------------



FLAME RETARDANT & FLAME RESISTANT WINTER WORK CLOTHING

- ➔ This insulated line of garments are made either of flame retardant Ultrasoft and Proban from Westex or flame resistant NOMEX® from DuPont. These materials have proven track records and are world recognized for their quality, durability, fire retardant and fire retardant capabilities. Outer shell made of either 9 oz Westex Proban or 6.2 oz fabric made of DuPont NOMEX® fiber. Inner lining made out of FR Modacrylic.
- ➔ Designed for comfort and durability
- ➔ Available in sizes S to 3XL
- ➔ Available in regular and tall lengths
- ➔ Available in two popular colors: Navy Blue and Royal Blue


SKU	Description
-----	-------------

Flame retardant insulated artic parka made of 9 oz Westex Proban Cotton (*outer shell*). Sizes S, M, L, XL, 2XL, 3XL

CW01LC/B/Size	Navy Blue
CW01LC/RB/Size	Royal Blue


Flame resistant insulated artic parka made with 6.2 oz NOMEX® IIIA fabric (*outer shell*) and Modacrylic (*lining*). Sizes S, M, L, XL, 2XL, 3XL

CN01LM/RB/Size	Royal Blue
-----------------------	------------



TN01LM/RB Flame retardant insulated artic parka made of Nomex IIIA (6.2 oz) (*outer shell*) with FR yellow-green and silver triple trim retro-reflective material and modacrylic lining. NFPA 70E HRC Category 1. Sizes S, M, L, XL, 2XL, 3XL

TN01LM/RB/Size	Royal Blue
-----------------------	------------




Flame retardant insulated bib overall with leg zipper, made of 9 oz Westex Proban. Sizes S, M, L, XL, 2XL, 3XL

CW130LC/B/Size	Navy Blue, Regular
CW130LC/B/T/Size	Navy Blue, Tall
CW130LC/RB/Size	Royal Blue, Regular
CW130LC/RB/T/Size	Royal Blue, Tall

Flame resistant insulated bib overall with leg zipper, made with 6.2 oz NOMEX® IIIA fabric (*outershell*) and Modacrylic (*lining*). Sizes S, M, L, XL, 2XL, 3XL

CW130LM/RB/Size	Royal Blue, Regular
CW130LM/RB/T/Size	Royal Blue, Tall



Flame resistant insulated coverall, made with 6.2 oz NOMEX® IIIA fabric (*outer shell*) and Modacrylic (*lining*). Sizes S, M, L, XL, 2XL, 3XL

CN150LN/RB/Size	Royal Blue, Regular
CN150LN/RB/T/Size	Royal Blue, Tall




Flame retardant insulated bomber jacket made of 9 oz Westex Proban Cotton (*outer shell*). Sizes S, M, L, XL, 2XL, 3XL

CW30LC/B/Size	Navy Blue, Regular
CW30LC/B/T/Size	Navy Blue, Tall
CW30LC/RB/Size	Royal Blue, Regular
CW30LC/RB/T/Size	Royal Blue, Tall

Flame resistant insulated bomber jacket made with 6.0 oz NOMEX® IIIA fabric (*outer shell*) and Modacrylic (*lining*). Sizes S, M, L, XL, 2XL, 3XL

CN30LM/RB/Size	Royal Blue, Regular
CN30LM/RB/T/Size	Royal Blue, Tall



Fr Economy Rainwear


45 SERIES

- ➔ Made from unsupported fire retardant PVC
- ➔ Light weight suit 20 mil thickness
- ➔ Electronically sealed seams
- ➔ Come in three pieces: bib pant, jacket and hood
- ➔ Economical protection for general clean-up, construction work
- ➔ Excellent value

85 SERIES

- ➔ Made from fire retardant PVC coated on polyester for extra strength
- ➔ Heavy weight suit 35 mil thickness
- ➔ Electronically sealed seams
- ➔ Come in three pieces: bib pant, jacket and hood
- ➔ Economical protection for general clean-up, construction work
- ➔ Excellent value

SKU	Description
45/Size	"FR Rain Suit" PVC rainsuit, 3 pieces (jacket, bib pant and hood) S to 3XL
85JPH/Size	"FR Rain Gear" fire retardant rainsuit, 3 pieces (jacket, bib pant and hood) S to 3XL
85C/Size	"FR Rain Gear" fire retardant coat, 48" (122 cm) long, with hood S to 3XL



Storm Master Supported Fire Retardant Rainsuit

- ➔ Supported .35mm FR rainsuit, PVC/Poly/PVC, 3pcs - jacket with hood and bib pant, (Sizes S-6XL) 18 suits/cs

578-Size



Storm Master Fire Retardant Raincoat

- ➔ Yellow supports FR raincoat, PVC/Poly/PVC, 48" length, (Sizes M-5XL) 20 pc/cs

580-Size



Custom Coveralls

North America's largest selection of sizes, colours and styles, in stock to give you fast delivery of coveralls, bibs, pants, jackets and parkas to make sure your organization is covered!

Our design team can custom tailor each garment for you or help you design a stock program for your organization. Whether you order one garment or 10,000, Winner Garment can deliver safety that fits!

DEAN is wearing a size 60 Nomex IIIA Fire Resistant coverall with high visibility striping. Style GT.797 is in stock in sizes 34-64 regular and tall



NO SIZE TOO
BIG

NO SIZE TOO
SMALL

Jordan is 20 months old and is wearing a size 2 Polyester/Cotton safety replica Kid's Coverall with high visibility striping. Style GT.786 is in stock from children's sizes 1-8.



CSA CLASS 2, LEVEL 2 TRAFFIC VESTS

- ➔ North has developed a complete line of Traffic Vests meeting the new CSA Standard. These vests offer superior protection compared to existing styles currently in use.
- ➔ North-Brite™ Multi-Directional Prismatic Reflective Material meets and exceeds CSA Level 2 requirements
- ➔ CSA Level 2 is the most rigorous requirement of brightness for Nighttime visibility (*Minimum of 330 Candle Power*)
- ➔ 360° horizontal stripe around body for maximum safety and visibility from all angles
- ➔ Fabric is lightweight, soft and comfortable
- ➔ Front: 2 vertical Stripes
- ➔ Back: "X"
- ➔ Fluorescent Orange background material meets CSA Table 2A (*optimum Daytime visibility*) - Table 2B calls for Bright background material
- ➔ Fluorescent Lime/Yellow background material meets CSA Table 2A (*optimum Daytime visibility*) - Table 2B calls for Bright background material

SKU	CSA	Waist/Sides	Sizes
Hi-Viz Orange Polyester Fabric With 2" Yellow North-Brite™ Reflective Material			
TV52B1/0/Size	Table 2A	(1) One 360° horizontal stripe around torso	M to 4XL
TV52C1/0/Size	Table 2A	(2) Two 360° horizontal stripes around torso	M to 2XL
Bright Orange Polyester Mesh With 2" Yellow North-Brite™ Reflective Material			
TV53E1/0/Size	Table 2B	(1) One 360° horizontal stripe around torso	M to 2XL
Hi-Viz Lime/Yellow Polyester Fabric With 2" Silver North-Lite™ Reflective Material			
TV52B4/0/Size	Table 2A	(1) One 360° horizontal stripe around torso	M to 4XL
TV52C4/0/Size	Table 2A	(2) Two 360° horizontal stripes around torso	M to 2XL
Bright Lime/Yellow Polyester Mesh With 2" Silver North-Lite™ Reflective Material			
TV53E4/0/Size	Table 2B	(1) One 360° horizontal stripe around torso	M to 2XL



Regular Traffic Vests

Yellow North-Brite™ Reflective Material On Bright Orange Fabric

- ➔ Canada's all time best selling vests
- ➔ Bright Orange Polyester Mesh is Fire Retardant
- ➔ North-Brite™ Reflective Material has omni-directional performance which has the highest level of reflectivity no matter which way the wearer twists, turns or bends
- ➔ 5 point "Tear-Away" feature on some models is ideal when there is danger of catching onto moving vehicles
- ➔ Offered in different styles to meet Provincial Standards of Ontario and British Columbia
- ➔ Bright Orange Polyester Mesh With 2" Yellow North-Brite™ Reflective Material

TV50RS

Front - 2 vertical stripes, Front velcro closure
 Back - "X"
 Adjustment - Elastic with buckle on both sides
 Size - Reg & XL



TV50RSTA

Front - 2 vertical stripes
 Back - "X"
 Adjustment - 5 point "Tear-Away" for quick release
 Size - Reg & XL



Blue/Green Mesh Traffic Vests

Yellow North-Brite™ Reflective Material On Polyester Mesh

- ➔ Polyester Mesh is Fire Retardant
- ➔ Ideal when different coloured vests are needed for quick identification of work crews on incident sites
- ➔ North-Brite™ Reflective Material has omni-directional performance which has the highest level of reflectivity no matter which way the wearer twists, turns or bends
- ➔ Adjustment - Front velcro closure Elastic with buckle adjustment on both sides
- ➔ Front - 2 vertical stripes
- ➔ Back - "X"
- ➔ Size - Reg & XL

TV50RSBLYL

Blue

TV50RSLG

Green



Surveyor's Vests

Yellow North-Brite™ Reflective Material On Bright Orange Fabric

- ➔ Bright Orange Cotton vest is loaded with features including multiple standard pockets + holders for communications devices such as radios or phones
- ➔ 6 front pockets
- ➔ 2 inside pockets (*pouch style with hook and loop closure*)
- ➔ Incorporates North-Brite™ Multi-Directional Prismatic Reflective Material
- ➔ Bright orange cotton fabric with 2" yellow North-Brite™ reflective material
- ➔ Front – 2 vertical stripes 3 snap closure in front on sides
- ➔ Back – "X"
- ➔ Sides – Horizontal Stripe
- ➔ Pockets – 8
- ➔ Size – M to 2XL



TV98CY/O

Yellow/Silver/Yellow Reflective Material On Bright Orange Fabric

- ➔ Bright Orange Cotton vest is loaded with features including multiple standard pockets + holders for communications devices such as radios or phones
- ➔ 3 front pockets (*bottom pockets are pouch style with hook and loop closure*)
- ➔ 1 inside pocket on right side
- ➔ 1 front and side pockets (*holders*) for phone/accessories
- ➔ Incorporates Yellow/Silver/Yellow Reflective Material
- ➔ Bright orange cotton fabric with 2" yellow/silver/yellow reflective material
- ➔ Front – 2 vertical stripes 4 snap closure in front
- ➔ Back – "X"
- ➔ Pockets – 4
- ➔ Size – M to 2XL



TV98CYG/O

North-Brite™ Reflective Material On Red Polyester Fabric

- ➔ Bright Red Polyester vest is loaded with features including multiple standard pockets + holders for communications devices such as radios or phones
- ➔ 6 front pockets
- ➔ 4 inside pockets (*pouch style with hook and loop closure*)
- ➔ 1 large pouch style pocket in back
- ➔ 2 holders for phone/accessories
- ➔ Incorporates North-Brite™ Multi-Directional Prismatic Reflective Material
- ➔ Red polyester fabric vest (*PVC backing*) with 2" North-Brite™ reflective material
- ➔ Front – 2 vertical stripes on shoulders 4 snap closure in front
- ➔ Back – "X" + 2 horizontal stripes below "X"
- ➔ Pockets – 10
- ➔ Size – M to 2XL



TV99NY/R

Traffic Sash Belts

Yellow North-Brite™ Reflective Material On Bright Orange Fabric

- ➔ Standard style with vertical stripes
- ➔ Ideal for the trucking and forestry industries
- ➔ Lightweight and comfortable
- ➔ 2" Yellow North-Brite™ reflective material
- ➔ Front – Sewn on Orange Nylon Fabric 2 vertical stripes Adjustable velcro closure
- ➔ Back – "X"
- ➔ Adjustment – Pass-through plastic D ring adjustable belt
- ➔ Size – M to 2XL



TV25

Yellow/Silver/Yellow North-Lite™ Reflective Material On Bright Orange Fabric

- ➔ Yellow/Silver/Yellow North-Lite™ Reflective Material sewn on Orange Nylon Fabric
- ➔ Elastic adjustable belt
- ➔ Front – Elastic adjustable belt
- ➔ Back – "X"
- ➔ Adjustment – Adjustable velcro closure Sewn on Orange Nylon Fabric 2 vertical stripes
- ➔ Size – M to 2XL



TV24

Yellow/Silver/Yellow North-Lite™ Reflective Material

- ➔ Constructed from elasticized Yellow/Silver/Yellow North-Lite™ Reflective Material
- ➔ Fully adjustable
- ➔ Front – Elasticized reflective belt 2 vertical stripes
- ➔ Back – "X"
- ➔ Adjustment – Adjustable buckles
- ➔ Size – One



TV20E

CSA Approved Traffic Vests

- ➔ Tear Away Design
- ➔ 4" DYNA-LITE™ Orange/Silver/Orange Glass bead. CSA compliant reflective material
- ➔ CSA compliant hi-visibility Yellow/Green tough wear polyester material
- ➔ Meets CSA Z96-02 and ANSI Class 2 Level 2 requirements
- ➔ Horizontal 360 degree stripe around the body plus 2 vertical stripes in front and an X on the back providing the worker total protection as they move to be seen from all angles
- ➔ 5 Point tear away Velcro for added protection (*tear away shoulders, tear away sides, tear away front*)
- ➔ 2 Inside front storage pockets
- ➔ Machine washable

TSV2YG19REG

Lenient REG size to 'Fit-Most'

TSV2YG19XL

XL size for over winter clothing & larger torso's



Regular Traffic Vests

- ➔ 2 Vertical stripes and X on back – Velcro closure – adjustable sides
- ➔ 2" DYNA-BRITE™ Lime prismatic CSA compliant reflective material
- ➔ DYNA-BRITE™ omni directional reflective material offering the greatest visibility for moving workers
- ➔ Bright Orange hi-visibility polyester mesh material
- ➔ "FR" fire retardant polyester material
- ➔ Velcro front fastening adjustment

TSV0P01REG

Regular

TSV0P01XL

XL



Surveyors Vests

- ➔ 2" DYNA-LITE™ Yellow/Silver/Yellow glass bead material
- ➔ 2 Vertical and X back reflective striping
- ➔ Hi-visibility Orange cotton material
- ➔ 3 Front pockets (*bottom pockets are pouch style with closure*)
- ➔ 1 Inside right pocket
- ➔ Front and side pockets for radio or phone etc.
- ➔ 4 Snap front fastening adjustments

TSSVOG26 REG

Regular

TSSVOG26XL

XL



- ➔ NOTE: DYNA-LITE™ & DYNA-BRITE™ reflective materials exceeds CSA requirement of 330 candela for a higher protection factor.



Basic Sash Belt

- ➔ 2" DYNA-BRITE™ Yellow/Green prismatic reflective material
- ➔ Hi-visibility Orange backing material
- ➔ 2 Vertical stripes and X back
- ➔ Adjustable D-RING waist belt
- ➔ Adjustable chest elastic fasteners
- ➔ Size Reg only

TSHOP30



Sash Belt

- ➔ 2" DYNA-BRITE™ Yellow/Green prismatic reflective material
- ➔ Hi-visibility Orange backing material
- ➔ 2 Vertical stripes and X back
- ➔ Adjustable D-RING waist belt
- ➔ Adjustable chest elastic fasteners
- ➔ Front buckle made with reflecting composite
- ➔ 360 degree horizontal reflective stripe around

TSHOP31REG

Regular

TSHOP31XL

XL



Reflective Elasticised Harness

- ➔ 1" DYNA-LITE™ Silver/Yellow/Green of reflective elasticized material
- ➔ 360 degree horizontal stripe around torso
- ➔ 2 Vertical and X back reflective striping
- ➔ Adjustable buckles
- ➔ Size Reg only

TSHG32



➔ NOTE: DYNA-LITE™ & DYNA-BRITE™ reflective materials exceeds CSA requirement of 330 candela for a higher protection factor.



Traffic Cuffs & Sleeves

- ➔ Lightweight and comfortable
- ➔ Provides added safety when worn with safety garment
- ➔ Incorporates various types/styles of Reflective Material


SKU	Description	Size
SCS10	Traffic Cuff - PVC with Yellow North-Brite™ with velcro closure	10" long
SCS12	Traffic Cuff - Orange Polyester Mesh with Yellow North-Brite™ - velcro closure	9" long
SCS14	Traffic Armband - Nylon with Yellow North-Brite™ with velcro closure	
SCS16	Traffic Armband - Yellow North-Brite™ with velcro closure	



Traffic Cones

- ➔ Injection molded LDPE (*Low Density Polyethylene*)
- ➔ UV resistant stabilizer
- ➔ Non fading unlike lower cost dipped or flow molded cones
- ➔ Non porous surface is resistant to both dirt and grease
- ➔ Non sticking when stacked vs dipped or flow molded cones

SKU	Description	Weight
1617/12	12" Orange LDPE	13oz (350g)
1617/18	18" Orange LDPE	1.5 lb (690g)
1617/28	28" Orange LDPE	3.8 lb (1740g)



Barricade Tape

- ➔ Made of strong polyethylene
- ➔ Thickness: .002mil.
- ➔ Can be quickly placed to provide warning of physical hazards or dangerous situations

SKU	Legend	Color	Size
CT3YE1/100	CAUTION	Yellow	3" x 100'
CT3YE1/200	CAUTION	Yellow	3" x 200'
CT3YE1/1000	CAUTION	Yellow	3" x 1000'
CT3YE2/100	CAUTION - DO NOT ENTER	Yellow	3" x 100'
CT3YE2/200	CAUTION - DO NOT ENTER	Yellow	3" x 200'
CT3YE2/1000	CAUTION - DO NOT ENTER	Yellow	3" x 1000'
CT3YE7/100	DANGER	Yellow	3" x 100'
CT3YE7/200	DANGER	Yellow	3" x 200'
CT3YE7/1000	DANGER	Yellow	3" x 1000'
CT3YE57/100	DANGER - AUTHORIZED ENTRY ONLY	Yellow	3" x 100'
CT3YE57/200	DANGER - AUTHORIZED ENTRY ONLY	Yellow	3" x 200'
CT3YE57/1000	DANGER - AUTHORIZED ENTRY ONLY	Yellow	3" x 1000'
CT3YE6/100	DANGER - DO NOT ENTER	Yellow	3" x 100'
CT3YE6/200	DANGER - DO NOT ENTER	Yellow	3" x 200'
CT3YE6/1000	DANGER - DO NOT ENTER	Yellow	3" x 1000'
CT3RE8/100	DANGER - DO NOT ENTER	Red	3" x 100'
CT3RE8/200	DANGER - DO NOT ENTER	Red	3" x 200'
CT3RE8/1000	DANGER - DO NOT ENTER	Red	3" x 1000'
CT3RE9/100	DANGER	Red	3" x 100'
CT3RE9/200	DANGER	Red	3" x 200'
CT3RE9/1000	DANGER	Red	3" x 1000'



Re-Pulpable Cotton Barricade Tape

- ➔ 100% strong woven cotton material is ideal where plastic tape cause contamination.
- ➔ Tape will break down if accidentally introduced into the system.
- ➔ Fully biodegradable.

SKU	Legend	Color	Size
CT3YE1C	CAUTION	Yellow	3" x 150'
CT3RE9C	DANGER	Red	3" x 150'



OSHA Specifications



DANGER (DA)

Used for an imminently hazardous situation which has a high probability of death or severe injury. It should not be considered for property damage unless personal injury risk is present.



CAUTION (CA)

Used for a hazardous situation which may result in minor or moderate injury. CAUTION should not be used when there is the possibility of death or severe injury. It may also be used to alert against unsafe practices.



SAFETY FIRST (SA)

This sign indicates general instructions relative to safe work practices, reminders of proper safety procedures and the location of safety equipment



NOTICE (NA)

Used to indicate a statement of company policy as the message relates directly or indirectly to the safety of personnel or protection of property.

NOTICE should not be used in place of DANGER or CAUTION.

Material	Size	Laminated	Gauge	Mounting	Service	UV Resistance	Chemical Resistance	Impact Resistance
Plastic	ST 10" x 14" (254 x 355mm)	NO	.030	Drilled Hole	Temp. -20° F (-28° C) 175° F (79° C)	1-3 years	Fair	Fair
Vinyl	VY 10" x 14" (254 x 355mm)	NO	.005	Self Adhesive	Temp. -0° F (-18° C) 170° F (77° C)	2 years	Good	Good

Safety Signs – As Per OSHA Standards



CA0069/3ST



CA0105/3ST



CA0109/3ST



CA0119/3ST



CA0193/3ST



CA0215/3ST



CA0223/3ST



CA0233/3ST



CA0307/3ST

CA0307/3VY



NA0013/3ST

NA0013/3VY



NA0125/3ST



NA0131/3ST

Safety Signs – As Per OSHA Standards



DA0068/3ST
DA0068/3VY



DA0099/3ST



DA0135/3ST
DA0135/3VY



DA0149/3ST



DA0157/3ST
DA0157/3VY



DA0163/3ST
DA0163/3VY



DA0195/3ST
DA0195/3VY



DA0205/3ST



DA0209/3ST



DA0218/3ST
DA0218/3VY



DA0221/3ST
DA0221/3VY



DA0261/3ST



DA0290/3ST
DA0290/3VY



DA0323/3ST
DA0323/3VY



DA0343/3ST



DA0349/3ST



DA0351/3ST



DA0377/3ST



DA0393/3ST
DA0393/3VY

Fire Signs



FAA0051/ST



FAA0053/ST



FAA0055/ST


Tags

- ➔ Tags are 3" x 5-3/4" (76 x 146 mm), made of rugged stain and mildew resistant 20mil styrene.
- ➔ The textured surface allows you to write all important information.
- ➔ The tags are sold in packs of 25 identical tags with fasteners.
- ➔ *These tags are also available with grommets for greater strength.




ELA230/1

ELA230G/1*



ELA250/1

ELA250G/1*




ELA235/1

ELA235G/1*



ELA290/1

ELA290G/1*



ELA255/1

ELA255G/1*



EEA010/A

EEA010G/A*



EEA303

EEA303G*

Safety Signs – As Per OSHA Standards



SA0026/3ST



SA0028/3ST



SA0029/3ST

SA0029/VY



SA0033/3ST



SA0060/3ST

SA0060/3VY

Padlocks

- ➔ 4 pin tumbler security
- ➔ Standard steel shackle
- ➔ Solid brass lock body is stylish and strong



130 Series

- ➔ 1-3/16" (30 mm) wide

SKU	Description	A	B	C
130D	Keyed Different	3/16" (5 mm)	5/8" (16 mm)	9/16" (14 mm)
130KAD	Keyed Alike	3/16" (5 mm)	5/8" (16 mm)	9/16" (14 mm)


140 Series

- ➔ 1-9/16" (40 mm) wide


SKU	Description	A	B	C
140D	Keyed Different	1/4" (6 mm)	7/8" (22 mm)	13/16" (21 mm)
140DLH	Keyed Different 2" (51 mm) Shackle	1/4" (6 mm)	2" (51 mm)	13/16" (21 mm)

Weather Tough Padlocks

- ➔ 2-1/8" (54mm) wide laminated steel body for superior strength
- ➔ Hardened boron alloy shackle for superior cut resistance
- ➔ 5-spool pin tumbler cylinder for added pick resistance
- ➔ Removable cylinder can be replaced or repinned
- ➔ Dual ball bearing locking mechanism resists pulling and prying
- ➔ Body and cylinder covers protect locks from water, dirt and grime
- ➔ Heavy steel bodies withstand forcible attacks



SKU	Description	A	B	C
6121	Keyed Different	5/16" (8 mm)	1-1/8" (29 mm)	7/8" (22 mm)
6121LJ	Keyed Different - Long Shackle	5/16" (8 mm)	2-1/2" (63 mm)	29/32" (23 mm)
6121KA	Keyed Alike	5/16" (8 mm)	1-1/8" (29 mm)	7/8" (22 mm)



Safety Padlocks

- ➔ 1-1/2" (3.8cm) wide 1-3/4" (4.4cm) tall Xenoy body
- ➔ Designed exclusively for Lockout/Tagout applications
- ➔ Durable, lightweight, non-conductive Xenoy lock body
- ➔ Customize on-site with permanent, write-on labels
- ➔ Compliance with OSHA "one employee, one lock, one key" directive
- ➔ High security, reserved-for-safety cylinder
- ➔ Key retaining-ensures that padlock is not left unlocked
- ➔ Keyed different 6-pin tumbler cylinder



SKU	Description	Vertical Shackle Clearance (B)
410RED	Keyed Different	1-1/2" (38 mm)
410LTRED	Keyed Different, Extra length shackle	3" (72 mm)
410KARED	Keyed Alike	1-1/2" (38 mm)
410KALTRED	Keyed Alike, Extra length shackle	3" (72 mm)

Aluminum Padlocks

- ➔ 1-9/16" (4cm) wide red aluminum body, 1/4" (6mm) shackle
- ➔ Baked on powder-coated finish stays bright
- ➔ Ideal for corrosive and tough environments
- ➔ High visibility color plus high security
- ➔ Keyed different 5-pin tumbler cylinder
- ➔ 6-pin cylinder available
- ➔ Laser Engraving
A name...logo...key number
- ➔ Personalize 6835 Safety Padlocks with an Employee Photo. Order 6835-5700 contains six photo I.D. labels for 6835



SKU	Description	Vertical Shackle Clearance (B)
6835RED	Keyed Different	1-1/16" (27 mm)
6835LFRED	Keyed Different, Extra length shackle	1-9/16" (40 mm)
6835LTRED	Keyed Different, Extra length shackle	3" (72 mm)
6835KARED	Keyed Alike	1-1/16" (27 mm)
6835KALFRED	Keyed Alike, Extra length shackle	1-9/16" (40 mm)
6835KALTRED	Keyed Alike, Extra length shackle	3" (72 mm)


Master Lock

General Security Padlocks

- ➔ Reinforced laminated lock bodies
- ➔ Double locking mechanisms provide extra pry resistance (1-1/8" bodies are single locking)
- ➔ Pin tumbler key security: 4 and 5 pin cylinders
Master keyed and reserved systems available
Thousands of key changes
- ➔ For perimeter and storefront gates, tool cribs, construction equipment, vending and truck doors, general use
- ➔ Hardened steel and alloy shackles for extra cut resistance (1-1/8" bodies are not hardened)
- ➔ Proprietary rustproofing for longer life
- ➔ Full range of sizes to best suit your application



SKU	Description	Vertical Shackle Clearance (B)
7 Series		
➔ 1-1/8" (29 mm) w/ laminated steel body.		
➔ Shackle Diameter A: 3/16" (5 mm), C: 1/2" (13 mm)		
7	Keyed Different	9/16" (14 mm)
7LF	Keyed Different, Extra length shackle	1-1/2" (38 mm)
7LJ	Keyed Different, Extra length shackle	2-1/2" (63 mm)
7KA	Keyed Alike	9/16" (14 mm)
3 Series		
➔ 1-9/16" (40 mm) w/ laminated steel body.		
➔ Shackle Diameter A: 9/32" (7 mm), C: 5/8" (16 mm)		
3	Keyed Different	3/4" (19 mm)
3LF	Keyed Different, Extra length shackle	1-1/2" (38 mm)
3LJ	Keyed Different, Extra length shackle	2" (51 mm)
3KA	Keyed Alike	3/4" (19 mm)
3MK	Master Keyed	3/4" (19 mm)
1 Series		
➔ 1-3/4" (44 mm) w/ laminated steel body.		
➔ Shackle Diameter A: 5/16" (8 mm), C: 3/4" (19 mm)		
1	Keyed Different	15/16" (24 mm)
1LF	Keyed Different, Extra length shackle	1-1/2" (38 mm)
1LJ	Keyed Different, Extra length shackle	2-1/2" (63 mm)
1LN	Keyed Different, Extra length shackle	5-3/4" (15 cm)
1KA	Keyed Alike	15/16" (24 mm)
1KALN	Keyed Alike, Extra length shackle	5-3/4" (15 cm)
5 Series		
➔ 2" (51 mm) w/ laminated steel body.		
➔ Shackle Diameter A: 3/8" (10 mm), C: 15/16" (24 mm)		
5	Keyed Different	1" (25 mm)
5LF	Keyed Different, Extra length shackle	1-1/2" (38 mm)
5LJ	Keyed Different, Extra length shackle	2-1/2" (63 mm)
5KA	Keyed Alike	1" (25 mm)
5MK	Master Keyed	1" (25 mm)



Master Lock

Economy Padlock

- ➔ 1-3/4" (44mm) wide laminated steel body w/ standard steel shackle
- ➔ Shackle length adjusts from 2-3/4" (7cm) to 5-3/8" (14cm)
- ➔ Warded locking mechanism minimizes jamming from dirt and grime
- ➔ Adjustable shackle ensures snug fit to the locked item
- ➔ Removable adjustable shackles provide maximum application flexibility
- ➔ Shackle Dimensions
A: 9/32" (7 mm)
C: 13/16" (21 mm)
- ➔ Keyed Different

517D



Resettable Combination Padlocks

- ➔ Set your own combination convenience and security
- ➔ Resettable to any of 10,000 personalized combinations
- ➔ 4-digit direct dial operation
- ➔ 2" (51mm) wide body
- ➔ Heavy hardened shackle provides high resistance to cutting and prying



SKU	Description	Vertical Shackle Clearance (B)
175	Brass resettable	1" (25 mm)
175LH	Brass resettable, extra length shackle	2-1/4" (57 mm)
176	Brass resettable, with key override	7/8" (22 mm)
176LH	Brass resettable, with key override, extra length shackle	2-1/8" (54 mm)

General Purpose Hasps

- ➔ Hard steel bodies for strength
- ➔ Hardened steel staples resist cutting and sawing
- ➔ Hardened steel locking eyes for strong cut resistance
- ➔ Tamper proof hinges help resist prying




SKU	Description	Accepts Shackle Dia. Up To
702D	2-1/2" (64 mm) Hard wrought steel body	9/32" (7mm)
703D	3-1/2" (89 mm) Hard wrought steel body	11/32" (9mm)
704D	4-1/2" (110 mm) Hard wrought steel body	1/2" (13mm)
706D	6" (150 mm) Hard wrought steel body w/ Reinforced Plate	9/16" (14mm)

Combination Security

- ➔ Reinforced stainless steel outer case
- ➔ Hardened steel shackle for cut and saw resistance
- ➔ 1525 has key control override for supervisory access

1500 Series

- ➔ 1-7/8" (48 mm) w/ stainless steel body.
- ➔ Shackle Diameter
A: 9/32" (7 mm), C: 13/16" (21 mm)



SKU	Description	Vertical Shackle Clearance (B)
1500	Combination Different	3/4" (19 mm)
1500LF	Combination Different, Extra length shackle	1-1/2" (38 mm)
1500LH	Combination Different, Extra length shackle	2" (51 mm)

1525 Series

- ➔ 1-7/8" (48 mm) w/ stainless steel body.
- ➔ Shackle Diameter
A: 9/32" (7 mm), C: 13/16" (21 mm)



SKU	Description	Vertical Shackle Clearance (B)
1525	Combination Different	3/4" (19 mm)
1525LF	Combination Different, Extra length shackle	1-1/2" (38 mm)
CNTLKEY	Control Key	n/a

Grip Tight™ Circuit Breaker Lockout

- ➔ Innovative patent-pending Grip Tight™ design effectively locks out circuit breakers
- ➔ Adjust to breaker with simple thumb turn and then close clamping handle for a tight grip on the toggle
- ➔ Great strength with universal fit
- ➔ Compact device is easy to carry and easy to store
- ➔ Accepts all American Lock and Master Lock safety padlock shackles and lockout hasp diameters
- ➔ Durable construction with powder coated steel and reinforced polymer for operation in harsh environments



491B

Tall and wide toggles

493B

Standard single and double toggles

Steel Lockout Hasp

- ➔ Lockout by multiple workers at each lockout point
- ➔ Keeps equipment inoperative while repairs or adjustments are made
- ➔ Control cannot be turned on until last worker's padlock is removed from hasp
- ➔ Heavy gauge steel jaw with red vinyl coated handle
- ➔ Holds up to 6 padlocks



420


1-3/4" x 4-1/2" with 1" inside jaw diameter

421

2-3/8" x 5" with 1-1/2" inside jaw diameter

Labeled Red Lockout Hasp

- ➔ Red lockout with tagout identification for multiple workers
- ➔ Features an easy-to-apply 'snap-on' advantage with its spring-loaded locking arm
- ➔ Fits more lockout points than alternative rivet-hinge labeled lockout hasp
- ➔ Anodized aluminum and stainless steel construction for combined corrosion-resistance and strength
- ➔ Complete with high visibility, re-usable write-on safety labels (*English, French & Spanish*) - identify the responsible person, then erase for the next job
- ➔ Dimensions are 2-7/8" x 7" with 1-3/4" x 2-1/8" inside jaw diameter, holds up to 5 padlocks



427

Aluminum Lockout Hasp

- ➔ Lockout by multiple workers at each lockout point
- ➔ Keeps equipment inoperative while repairs or adjustments are made
- ➔ Control cannot be turned on until last worker's padlock is removed from hasp
- ➔ Dual jaw, spark resistant aluminum
- ➔ Dimensions are 2" x 5-7/8" with 1" & 1-1/2" inside jaw diameter, holds up to 8 padlocks



429

**Master
Lock.**

Latch Tight™ Group Lock Boxes

Storage Devices Capture Keys For Effective Lockout of Large Equipment

- ➔ Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorized employee places their personal padlock on the lock box.
- ➔ When work is complete, employees take their personal padlocks off the lock box, freeing the keys inside. Keys inside can not be accessed until the last employee removes their padlock
- ➔ All Master Lock group lock boxes feature an exclusive, patent pending Latch Tight™ locking mechanism that prevents keys from being accessed until the last padlock or lockout hasp is removed from the box. Provides the highest level of security available in a group lock box.
- ➔ Lockout Message on box is in three languages -English, Spanish, and French
- ➔ Durable powder coated finish with stainless steel handle
- ➔ 503RED and 503YLW can be mounted to wall or carried from job to job Available in red or yellow. Accepts 14 padlocks or lockout hasps.
- ➔ 498A is a portable solution. Available in red. Accepts 12 padlocks or lockout hasps.
- ➔ Each box holds hundreds of keys. 503 also includes organized storage for 12 keys in back of box.



SKU	H	L	W
503RED	12-3/4"	3-1/2"	6-3/8"
503YLW	12-3/4"	3-1/2"	6-3/8"
498A	6"	9-1/4"	3-3/4"

Key Safes



- ➔ Organize key storage at home or the office
- ➔ Heavy duty construction withstands abuse
- ➔ Variety of sizes for multiple keys
- ➔ Portable or wall mount units available

7100D

Heavy duty key safe holds 45 keys. 11-3/4" (29.8cm) x 9-3/8" (23.8cm) x 3" (7.6cm)

7102D

Heavy duty key safe holds 20 keys. 7-3/4" (19.7cm) x 6-1/4" (15.9cm) x 3" (7.6cm)

Plastic Key Tags and Hangars

- ➔ Fits most key cabinets and key racks
- ➔ No 7117D snap hook design fits slotted and key style key cabinets, boards etc.

7116D

Plastic key tags; 20 tags per bag

7117D

Plastic key holder; 20 holders per bag



Padlock Stations

Virtually Indestructible, the Strongest Stations Available

- ➔ Integrated, one-piece molded construction eliminates loose parts
- ➔ Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations
- ➔ Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- ➔ Exclusive translucent cover protects contents
- ➔ Lockable to prevent loss of valuable safety lockout padlocks. Recommend using a combination lock for simple access control.
- ➔ Innovative hinge holds cover open for easy product selection
- ➔ Available with your choice of designed for safety Xenoy™, Aluminum or Steel padlocks in 4, 10 or 20 lock formats
- ➔ Safety Hasps and Tags included
- ➔ PLUS, a no-charge Safety Lockout Padlock Key Charting System is available to you. Simply return the enclosed mail-in card after your purchase. Master Lock will supply a Registered System number, maintain a record of the padlock key cuts provided with your station and ensure that there is no unwanted padlock key cut duplication on your future orders – this is critical for Safety Lockout



1483BP410



1484BP410

Master Lock Model #	Description	Size (H x W x L)
410RED Xenoy™ Padlock	3RED Steel Padlock	
1483BP410	1483BP3 10-Lock Station. Contains 10 Padlocks; 2-420 Hasps; 2 -497A Tags (12/pack).	15-1/2" x 22" x 1-1/4"
1484BP410	1483BP3 20-Lock Station. Contains 20 Padlocks; 4 -420 Hasps; 4 -497A Tags (12/pack)	22" x 22" x 1-3/4"

Master Lock

