

# Industrial Vacuum ACCESSORIES





54 Winter St., Holyoke, MA 01040

413.532.4030

info@Ruwac.com, www.Ruwac.com

Dear Customer,

Congratulations on the purchase of your new Ruwac Industrial Vacuum Cleaner! We stand behind every vacuum we manufacture and pride ourselves in only recommending machines and components that are best suited for your application. Our goal is to exceed all of your expectations.

We also want you to be aware of everything that Ruwac offers. This accessory catalog provides you with information on our most popular packages and tools, compares our variety of hoses and introduces you to our central vacuum products and separation systems.

Need something that you cannot find in this catalog? Please, call us. If we do not already carry it, we will find it for you.

Because your business is unique we want to provide individual solutions for your housekeeping needs. Ask us for a Needs Assessment and we will make sure you get just the right vacuum and accessories for your housekeeping needs.

Sincerely,

The Ruwac Team

## CONTENTS

<b>Packages:</b> .....	3 - 5
<b>Hoses and Adapters:</b> .....	6 - 7
<b>Tools and Wands:</b> .....	8 - 11
<b>Accessories:</b> .....	11
<b>Pre-Separators:</b> .....	12 - 13
<b>Central System Components:</b> .....	14 - 15
<b>Appendix:</b> .....	15

Independently owned and operated, Ruwac, U.S.A. is the exclusive North American partner of Ruwac Industriesauger GmbH of Germany, a highly respected world leader in industrial vacuum systems. All design, engineering, drafting and manufacturing of Ruwac U.S.A. products takes place in our own ISO-9001 certified, 65,000 ft<sup>2</sup> production facility in Holyoke, Massachusetts.

## We Vacuum Everything!



Food Grade Tools and Hoses - See Page 3 for a package.



Easily vacuum fine materials to heavy bulk materials with Ruwac tools. Check out the Deluxe Floor and Hand Packages at the bottom of page 3.



Turn your vacuum into a floor sweep. Find the 32" Ruwac Signature Floor Tool on page 10.

Combustible dust is not a problem for Ruwac's static-conductive tools. After all, Ruwac wrote the book on Combustible Dust Housekeeping. Ask for your free guide today.



Overhead cleaning tools reach where other tools cannot. Stay OSHA compliant - visit page 5 for the overhead cleaning packages and page 9 for individual tools.



## Light Duty - 1.5" Hose Packages



Includes a 1.5" ID collection hose with 1.5" tools, and is ideal for use with any Ruwac vacuum designed for light to medium duty applications. Inlet connectors sold separately.

**Includes:** #3534 - 1.5" ID Flexible, anti-static vinyl hose w/two 1.5" rubber cuffs; #3502 - 54" two piece aluminum wand; #3512H - 14" plastic floor tool w/horsehair bristles; #3517GR - 14" double-bladed natural rubber squeegee floor tool; #350711 - 11" gray plastic crevice tool; #3527 - orange car wash utility tool; #350809 - 9" flexible rubber vacuum nozzle; #3520H - 3" aluminum round brush w/horsehair bristles.

Part #	Description
151510	<i>Lightweight General Cleaning Accessory Package:</i> 10' x 1.5" Hose & 1.5" Tools
151525	<i>Lightweight General Cleaning Accessory Package:</i> 25' x 1.5" Hose & 1.5" Tools

## Light Duty - 2" Hose Packages



Includes a 2" ID collection hose with 1.5" tools, and is ideal for use with any Ruwac vacuum designed for light to medium duty applications.

**Includes:** #5027 - 2" ID Flexible, anti-static vinyl hose w/two stainless steel connectors; #5222BL - 2" x 1.5" button lock reducer; #3502 - 54" two piece, aluminum wand; #3512H - 14" plastic floor tool w/horsehair bristles; #3517GR - 14" double-bladed natural rubber squeegee floor tool; #350711 - 11" gray plastic crevice tool; #3527 - orange car wash utility tool; #350809 - 9" flexible, rubber vacuum nozzle; #3520H - 3" aluminum round brush w/horsehair bristles.

Part #	Description
152010	<i>Lightweight General Cleaning Accessory Package:</i> 10' x 2" Hose & 1.5" Tools
152025	<i>Lightweight General Cleaning Accessory Package:</i> 25' x 2" Hose & 1.5" Tools

## Floor Cleaning Package

**#1 Seller**



Designed for use with any portable machine with a standard Ruwac 2" inlet or central systems with 2" flap valves.

**Includes:** #5027 - 2" ID Flexible, anti-static vinyl hose w/two stainless steel connectors; #5003-BL - 45" chrome single bend wand w/friction fit; #5060 - 20" Ruwac Signature aluminum floor tool w/rollers & squeegee.

Part #	Description
202010F	<i>Floor Cleaning Accessory Package:</i> 10' x 2" Hose & 2" Tools
202025F	<i>Floor Cleaning Accessory Package:</i> 25' x 2" Hose & 2" Tools

## Hand Held Package



Can be used with floor cleaning accessory packages for applications requiring different or additional 2" utility tools. Parts 5010 and 5016 tools are button lock for package 202000H-BL for use with Ruwac hoses.

**Includes:** #5010-BL - 18" chrome, angled wand for hand held tools; #5016-BL - 15" aluminum crevice tool; #5011 - 5" oil resistant rubber utility tool; #5012 - 4.5" yellow plastic, car wash utility tool (not shown); #5007 - 4" wooden round brush w/horsehair bristles; #5013 - standard rubber nozzle.

Part #	Description
202000H	<i>Hand Held Tools Accessory Package:</i> 2" Tools
202000H-BL	<i>Hand Held Tools Accessory Package:</i> 2" Tools with button lock

## DELUXE - Floor & Hand Packages

**Ruwac Signature Product**



Ideal for general floor cleaning with larger particles. Designed for use with any portable machine with a standard Ruwac 2" inlet or central systems with 2" flap valves. Also included in this package are hand held vacuum accessories.

**Includes:** #5027 - 2" ID Flexible, anti-static vinyl hose w/two stainless steel connectors; #5003-BL - 45" chrome single bend wand w/friction fit; #5010-BL - 18" chrome, angled wand for hand held tools; #5060 - 20" Ruwac Signature aluminum floor tool w/rollers & squeegee; #5016-BL - 15" aluminum crevice tool; #5011 - 5" oil resistant rubber utility tool; #5012 - 4.5" yellow plastic, car wash utility tool; #5007 - 4" wooden round brush w/horsehair bristles; #5013 - standard rubber nozzle.

Part #	Description
202010	<i>General Cleaning Accessory Package:</i> 10' x 2" Hose & 2" Tools
202025	<i>General Cleaning Accessory Package:</i> 25' x 2" Hose & 2" Tools

## Heavy-Duty - 2" Hose & Tool Packages



2" tools are great for larger piles of dry material and general housekeeping and the extra strength, Heavy-Duty, vinyl hose is what you need for abrasive materials and abusive environments.

**Includes:** #5029 - 2" ID Heavy-duty, vinyl hose w/stainless steel cuffs; #5003-BL - 45" chrome single bend wand w/friction fit; #5010-BL - 18" chrome, angled wand for hand held tools; #5060 - 20" *Ruwac Signature* aluminum floor tool w/rollers & squeegee; #5016-BL - 15" aluminum crevice tool; #5011 - 5" oil resistant rubber utility tool; #5012 - 4.5" yellow plastic, car wash utility tool (not shown); #5007 - 4" wooden round brush w/horsehair bristles; #5013 - standard rubber nozzle.

Part #	Description
202010HD	<i>Heavy-Duty Cleaning Accessory Package:</i> 10' x 2" Hose & 2" Tools
202025HD	<i>Heavy-Duty Cleaning Accessory Package:</i> 25' x 2" Hose & 2" Tools

## Heavy-Duty Floor Cleaning Packages




Ideal for collecting larger particles or in more abusive environments. Use with any Ruwac portable vacuum with a standard 2" inlet or central systems with 2" flap valves.

**Includes:** #5029 - 2" ID Heavy-duty, vinyl hose w/two stainless steel connectors; #5003-BL - 45" chrome, single bend wand w/friction fit; #5060 - 20" *Ruwac Signature* aluminum floor tool w/rollers & squeegee.

Part #	Description
202010FHD	<i>Heavy-Duty Floor Cleaning Accessory Package:</i> 10' x 2" Hose & 2" Tools
202025FHD	<i>Heavy-Duty Floor Cleaning Accessory Package:</i> 25' x 2" Hose & 2" Tools

## Wet Collection Packages



Includes 1.5" tools and is ideal for use with any Ruwac vacuum designed for wet applications. Use with Ruwac WSP and SPS35 vacuums.

**Includes:** #3516EL - 1.5" ID Plastic, crushproof hose w/two 1.5" rubber cuffs & 2" x 1.5" reducer button lock elbow; #3517NR - 14" neoprene rubber floor squeegee w/ABS plastic body; #3502 - 54" aluminum two piece wand.

Part #	Description
151510W	<i>Wet Collection Accessory Package:</i> 10' x 2" Hose & 1.5" Tools
151525W	<i>Wet Collection Accessory Package:</i> 25' x 2" Hose & 1.5" Tools

## Wet/Sump Collection Packages



Includes a 2" ID collection hose and a 1.5" ID hose for use with wet/sump vacuums equipped with return pumps. All parts are corrosion-resistant for wet applications. Use with WSP-250 Immersion Separator.

**Includes:** #5014C - 2" ID Plastic, crushproof hose w/one 2" rubber cuff & one cam lock; #3516C - 1.5" ID x 10' Plastic, crushproof hose w/two cam locks for return pump; #5003 - 45" chrome single bend wand w/friction fit; #5010 - 18" chrome, angled wand for hand held tools; #5060 - 20" *Ruwac Signature* aluminum floor tool with rollers & squeegee; #5016 - 15" aluminum crevice tool w/button lock; #5011 - 5" oil resistant rubber utility tool.

Part #	Description
202010SPS	<i>Wet/Sump Collection Accessory Package:</i> 10' x 2" Hose & 2" Tools
202025SPS	<i>Wet/Sump Collection Accessory Package:</i> 25' x 2" Hose & 2" Tools

## Wet Mess No Problem



Ruwac's SumpPro Wet Vacuum Series is engineered to vacuum and pump at the same time. Emptying is as easy as flipping a switch. Our pump removes liquids at 38 gallons per minute, and the vacuum features an 8" discharge plate for solid matter. The compression cast composite housing will never dent or rust. The float assembly monitors liquid intake thus, eliminating the chance for overflow.

**Learn more at [www.Ruwac.com](http://www.Ruwac.com)  
or call 800.736.6288.**





ACCESSORY PACKAGES

HOSES & ADAPTERS

TOOLS

ACCESSORIES

PRE-SEPARATORS

CENTRAL SYSTEMS

## Food Grade Packages



Ideal for food grade applications needing special food grade utilities to eliminate cross-contamination while handling food particles. Inlet connectors sold separately.

Part #	Description
151510FG	Food Grade Accessory Package: 10' x 1.5" Hose & 1.5" Tools
151525FG	Food Grade Accessory Package: 25' x 1.5" Hose & 1.5" Tools

**Includes:** #3500 - 1.5" ID Transparent urethane, static-conduction hose w/connectors; #3520FG - 3" aluminum round brush w/food grade bristles; #3509FG - 9" aluminum wall brush w/food grade bristles; #3502 - 54" aluminum two piece wand.

## Overhead Cleaning Packages

**OSHA  
Compliant**



Wands and tools for overhead cleaning. When both wands are connected they reach over 10' in height.

Part #	Description
1560OHDEX	Overhead Cleaning Accessory Package: 1.5" Tools
2060OHDEX	Overhead Cleaning Accessory Package: 2" Tools

**1560OHDEX Includes:** #3509H - 9" aluminum wall brush w/horsehair bristles; #3545 - 4-6" metal pipe cleaning tool w/nylon bristles; #356160 - two 60" aluminum wands w/tool coupling.

**2060OHDEX Includes:** #5220-BL - 2" BL x 2" Chrome steel hose connectors; #3509H - 9" aluminum wall brush w/horsehair bristles; #5037-BL - 54" aluminum extension wand w/one tapered end and button lock and one 2" ID end; #5038 - 54" aluminum extension wand w/2" ID x 1.5" tool coupler; #3545 - 4-6" metal pipe cleaning tool w/nylon bristles.

## Explosion Proof Packages - 1.5" Tools



Includes a Static-Conductive hose with molded carbon impregnated cuffs and a variety of Static-Conductive tools for use with Ruwac's FRV Vacuums.

Part #	Description
151510DEX	Explosion Proof Cleaning Accessory Package: 10' x 1.5" Hose & 1.5" Tools
151525DEX	Explosion Proof Cleaning Accessory Package: 25' x 1.5" Hose & 1.5" Tools

**Includes:** #3500 - 1.5" ID Urethane, static-conductive hose, w/two 1.5" molded cuffs; #3502 - 54" aluminum two piece wand; #3507 - 11" aluminum crevice tool; #3520C - 3" round static-conductive brush w/carbon impregnated nylon bristles; #3512AM - 14" metal floor brush w/anti-static bristles; #5225-BL - 2" button lock reducer x 1.5".

## Explosion Proof Package - 2" Tools



Includes a Static-Conductive hose with molded carbon impregnated cuffs and a variety of Static-Conductive tools for use with Ruwac's FRV Vacuums.

Part #	Description
202025DEX	Explosion Proof Cleaning Accessory Package: 25' x 2" Hose & 2" Tools

**Includes:** #504025 - 2" ID Transparent urethane hose w/molded cuffs; #5003S-BL - 45" stainless steel, single bend button lock wand w/friction fit; #5016S - 15" stainless steel crevice tool; #5060 - 20" Ruwac Signature aluminum floor tool w/rollers and squeegee; #5220-BL - 2" BL x 2" chrome steel hose connectors.

## FRV Series

## Combustible Dust Hazardous Locations

### Explosion Proof Vacuums

Designed for collecting & containing very fine explosive dusts. Whether doing light general housekeeping in your plant or heavy pickup in and around production equipment and storage areas, the exceptional cleaning power, durability and safety of our explosion-proof vacuums have made the FRV Series the vacuum of choice for combustible dust everywhere.

ETL Certified to UL Standards for Combustible Dust Collection (Class I, Division 1 & 2, Group D & Class II, Div 1 & 2, Group F & G)



Intertek



Product	Diam	1'	10'	15'	25'	50'	Bend Radius	Lbs/Ft
	1.25"	2095	209510 <sup>a</sup>	209515 <sup>a</sup>	209525 <sup>a</sup>	209550 <sup>a</sup>	2"	0.216
	1.5"	3516	351610 <sup>a</sup>	351615 <sup>a</sup>	351625 <sup>a</sup>	351650 <sup>a</sup>	3"	0.296
	2"	5014	501410 <sup>a</sup>	501415 <sup>a</sup>	501425 <sup>a</sup>	501450 <sup>a</sup>	4"	0.52
	3"	7012	701210 <sup>a</sup>	701215 <sup>a</sup>	701225 <sup>a</sup>	701250 <sup>a</sup>	5"	0.592
	4"	N/A	N/A	N/A	1003725 <sup>a</sup>	N/A		
	1.25"	2095SC	209510SC <sup>c</sup>	209515SC <sup>c</sup>	209525SC <sup>c</sup>	209550SC <sup>c</sup>	2"	0.216
	1.5"	3516SC	351610SC <sup>c</sup>	351615SC <sup>c</sup>	351625SC <sup>c</sup>	351650SC <sup>c</sup>	3"	0.296
	2"	5014SC	501410SC <sup>c</sup>	501415SC <sup>c</sup>	501425SC <sup>c</sup>	501450SC <sup>c</sup>	4"	0.25
	1.25"	2097	209710 <sup>a</sup>	209715 <sup>a</sup>	209725 <sup>a</sup>	209750 <sup>a</sup>	0.5"	0.17
	1.5"	3534	353410 <sup>a</sup>	353415 <sup>a</sup>	353425 <sup>a</sup>	353450 <sup>a</sup>	0.75"	0.23
	2"	5027	502710 <sup>b</sup>	502715 <sup>b</sup>	502725 <sup>b</sup>	502750 <sup>b</sup>	1"	0.32
	2.5"	2084	N/A	N/A	N/A	N/A		
	3"	7013	701310 <sup>b</sup>	701315 <sup>b</sup>	701325 <sup>b</sup>	701350 <sup>b</sup>	5"	0.62
	4"	10027	1002710	1002715	1002725	N/A	6"	1.08
	1.5"	3501	350110	350115	350125	350150	2"	0.42
	2"	5001	500110 <sup>b</sup>	500115 <sup>b</sup>	500125 <sup>b</sup>	500150 <sup>b</sup>	3"	0.59
	3"	7010	701010 <sup>b</sup>	701015 <sup>b</sup>	701025 <sup>b</sup>	701050 <sup>b</sup>	4"	1.1.8
	4"	10001	1000110 <sup>b</sup>	1000115 <sup>b</sup>	1000125 <sup>b</sup>	1000150 <sup>b</sup>	6"	1.95
	1.5"	3539	353910	353915	353925	353950	2.75"	0.46
	2"	5029	502910 <sup>b</sup>	502915 <sup>b</sup>	502925 <sup>b</sup>	502950 <sup>b</sup>	4.63"	0.62
	3"	7016	701610 <sup>b</sup>	701615 <sup>b</sup>	701625 <sup>b</sup>	701650 <sup>b</sup>	7"	1.0
	1.5"	N/A	350010 <sup>d</sup>	350015 <sup>d</sup>	350025 <sup>d</sup>	N/A	1.5"	2.1
	2"	N/A	N/A	N/A	504025 <sup>d</sup>	N/A		
	2.5"	2082	N/A	N/A	N/A	N/A		
	3"	N/A	N/A	N/A	702525 <sup>a</sup>	N/A		
	1.25"	2030	N/A	N/A	203025	N/A	2"	0.33
	1.5"	3531	N/A	N/A	353125	N/A	3"	0.43
	2"	5032	N/A	N/A	503225	N/A	4"	0.58
	2.5"	2079	N/A	N/A	207925	N/A	5"	0.89
	3"	7032	N/A	N/A	703225	N/A	6"	1.25
	1.25"	N/A	N/A	N/A	209825	N/A	1.9"	0.21
	1.5"	N/A	N/A	N/A	359825	N/A	2"	0.24
	2"	N/A	N/A	N/A	509825	N/A	2.5"	0.3
	1.5"	3529	352910 <sup>b</sup>	352915 <sup>b</sup>	352925 <sup>b</sup>	352950 <sup>b</sup>	3"	0.46
	2"	5015	501510 <sup>b</sup>	501515 <sup>b</sup>	501525 <sup>b</sup>	501550 <sup>b</sup>	5"	0.62
	3"	7002	700210 <sup>b</sup>	700215 <sup>b</sup>	700225 <sup>b</sup>	700250 <sup>b</sup>	7"	1

Cuffs not included unless otherwise noted as follows: <sup>a</sup> Rubber cuffs included. <sup>b</sup> Stainless steel cuffs included. <sup>c</sup> Static-conductive cuffs included. <sup>d</sup> Carbon impregnated molded cuffs included. Weight & bend radius subject to change without notice.

## Y-Adapters

Y-adapters are typically used for attaching or detaching hoses or tools during vacuuming without loss of vacuum pressure. They can be placed at the vacuum inlet or hose end to allow for multiple operators or tools.

### 1.25" Two Flap Valves

Use w/two 1.25" hoses or tools.

Part #	Description
9715	2" OD
9715-BL	2" BL
9723	2.5" OD



Four flap valves are also available.

### 1.5" Y-Adapter

Use w/two 1.5" hoses or tools.

Part #	Description
90119	1.5" OD
90121	2" OD
90121-BL	2" BL



### 2" Y-Adapter

Use w/two 2" hoses or tools

Part #	Description
90120	2" OD
90120-BL	2" BL
90132-BL	2.75" BL
90129	3" OD



### 3" Y-Adapter

Use w/two 3" hoses or tools.

Part #	Description
90128-BL	2.75" BL
90013Z	3" OD
90131	4" OD
90131-BL	4" BL





	Plastic, Crushproof	Static-Conductive Plastic, Crushproof	Flexible Vinyl, Anti-Static	Heavy-Duty, Smooth Bore Rubber	Heavy-Duty Vinyl	Transparent, Urethane with Molded Cuffs	Black Urethane	Transparent, Heavy-Duty Urethane	Grounded & Static-Conductive Urethane	Stainless Steel
<b>Dry</b>	x	x	x	x	x	x	x	x	x	x
<b>Wet</b>	x	x	x		x	x	x			
<b>Static Dissipating</b>		x		x					x	x
<b>Grounded</b>			x		x	x	x	x	x	x
<b>Crushproof</b>	x	x		x	x			x		x
<b>Smooth Bore</b>				x	x	x	x	x	x	
<b>Abrasion Resistant</b>				x	x			x	x	x
<b>Light Duty</b>			x			x			x	
<b>Medium Duty</b>	x	x					x			
<b>Heavy-Duty</b>				x	x			x		x
<b>Oils &amp; Coolants</b>	x									
<b>Explosion Proof</b>			x		x	x	x	x	x	x
<b>Food Grade</b>						x		x		x
<b>Wire Supported</b>			x		x	x	x	x	x	
<b>Temperature</b>	-20° to 140°	-30° to 140°	-20° to 150°	-40° to 150°	0° to 120°	-60° to 160°				
<b>Misc</b>		Carbon black	Reinforced with synthetic yarn	Carbon black	Reinforced w/ multiple spirals of wire, woven w/ nylon cord	Carbon impregnated cuffs				

ACCESSORY PACKAGES

HOSES & ADAPTERS

TOOLS

ACCESSORIES

PRE-SEPARATORS


CENTRAL SYSTEMS

## Connectors and Reducers

Specifically designed for Ruwac utilities and tools. The dimension labeled "ID" (inside diameter), fits inside another connector or tool. Button Locks (BL) are designed to fit Ruwac vacuum inlets; available in 2", 2.75", and 4" diameters. All are constructed of chrome steel unless otherwise noted.


### Hose to Tool Connector

Part #	Description
5221	2" OD to 2" ID, fits BL
7019	2.75" ID fits BL to 3" OD




### 2" & 2.75" Inlet Connector

Part #	Description
5220-BL	2" BL to 2" OD
30009-BL	2.75" BL to 2" OD
7018-BL	2.75" BL to 3" OD




### 4" Inlet Connector

Part #	Description
906392	4" OD to 2" OD
906392-BL	4" BL to 2" OD
300024	4" OD to 2.75" ID
300024-BL	4" BL to 2.75" ID
10038-BL	4" BL to 4" ID




### Hose to Hose Connector

Part #	Description
90986	1.5" ID
90988	2" ID
90310Z6	3" ID
10038	4" ID




### 2" & 2.75" Reducer

Part #	Description
5222	2" OD to 1.5" OD w/tool coupler, stainless steel
5222-BL	2" BL as above
5223	2" OD to 1.5" OD
5225-BL	2" BL to 1.5" OD
904376-BL	2.75" BL to 2" OD



### 4" Reducer

Part #	Description
90632	4" OD to 2" OD
90639	4" OD to 2.75" ID
90638Z	4" OD to 3" OD
906362-BL	4" BL to 1.5" OD
90639-BL	4" BL to 2" OD





## Static-Conductive Rubber Body

**Ruwac EXCLUSIVE**

*Essential for OSHA & NFPA Compliance*

### 4" Round Brush



**Part #** 35652  
**Description** 4" Brass and nylon bristle brush

### 6" Crevice Tool



**Part #** 35654  
**Description** 6" Crevice tool

### 8" Bent Nozzle



**Part #** 35653  
**Description** 8" Bent nozzle

### 5" Utility Tool



**Part #** 35656  
**Description** 5" Utility tool

### Bulk Pick-up Tool



**Part #** 35651  
**Description** Bulk pick-up tool

### 12" Nozzle with 90° Bend



**Part #** 35655  
**Description** 12" Flexible nozzle w/90° bend

## Plastic Body

### 14" Floor Squeegee

ABS Plastic Body (Double Bladed)



**Part #** 3517GR Natural rubber  
3517NR Neoprene rubber  
3517RF Rubber fabric bladed  
3517TP Thermal plastic serrated  
3517BN White Buena-N rubber

### 14" Floor Brush

ABS Plastic Body (Slotted Front Bristles)



**Part #** 3512SN Nylon bristles  
3512SH Horsehair bristles

### 14" Floor Brush

ABS Plastic Body



**Part #** 3512H Horsehair bristles  
3512N Nylon bristles  
3512T Tampico bristles

### 14" Floor Squeegee

ABS Plastic Body



**Part #** 3513 Felt bladed  
3514 Fiber bladed

### 14" Carpet Tool

ABS Plastic Body



**Part #** 351101 Comb like for shag carpets  
3511 Scalloped face  
351102 Smooth hard plastic face

### 20" Floor Tool

ABS Plastic Body (Double Bladed)



**Part #** 3519 20", Nylon serrated bristles

### Utility Tool

Plastic body



**Part #** 3527  
**Description** Orange car wash utility

### 11" Crevice Tool


Plastic body



**Part #** 350711  
**Description** 11" Gray crevice

### 17" Crevice Tool

Plastic body



**Part #** 350717  
**Description** 17" Gray crevice

### Upholstery Tool

ABS Plastic body



**Part #** 3506 5" Upholstery tool  
3506B Slide on nylon brush for #3506

### Narrow Universal Brush

ABS Plastic body



**Part #** 3526  
**Description** Toothbrush style, narrow brush

## Rubber Body

### 9" Vacuum Nozzle

Rubber



**Part #** 350809  
**Description** 9" Flexible nozzle

### 22" Vacuum Nozzle

Rubber



**Part #** 350822  
**Description** 22" Flexible nozzle

### Neoprene Rubber Squeegee (NR)

Black neoprene rubber which is oil resistant. Ideal for machine shops, but may leave marks with some solvents.

### Rubber Fabric Squeegee (RF)

Stiff, laminated rubber and fabric. Abrasion resistant conveyor belt-like media. Great for concrete and wood floors.

### Thermal Plastic Serrated Squeegee (TP)

Combination of flexible plastic and synthetic rubber. Oil resistant and will not mark floors. Somewhat stiffer than neoprene and is ideal for clean-up of abrasive materials.

### Natural Rubber Squeegee (GR)

This is also known as gum rubber, a non-marking, very flexible rubber. Recommended for general clean-up of materials such as powder paint. May be used on stainless steel and other smooth surfaces.

### Buena-N Rubber Squeegee (BN)

Also known as nitrile rubber. Ideal for most dry and wet chemical cleanup. Non-marking and resistant to strong oils and cleaning solvents.





ACCESSORY PACKAGES

HOSES & ADAPTERS

TOOLS

ACCESSORIES

PRE-SEPARATORS

CENTRAL SYSTEMS

**Metal Body**

**Best Seller**

**9" Wall Brush**  
Aluminum Body




Part #	Description
3509FG	9" Food grade bristle brush
3509H	9" Horsehair bristle brush
3509N	9" Nylon bristle brush

**14" Floor Brush**  
Metal Body




Part #	Description
3512HM	Horsehair bristle brush
3512AM	Anti-static bristle brush
3512NM	Nylon bristle brush
3512TM	Tampico bristle brush

**14" Floor Squeegee**  
Metal Body (Double Bladed)




Part #	Description
3517RFM	Natural rubber squeegee
3517NRM	Neoprene rubber squeegee
3517TPM	Thermal plastic serrated squeegee
3517BNM	White Buena-N rubber squeegee

**14" Floor Squeegee**  
Metal Body




Part #	Description
3513M	14" Felt bladed squeegee
3514M	14" Fiber bladed squeegee

**18" Floor Tool**  
Aluminium Body




Part #	Description
3518	18" Nylon bristles, adjustable rollers and rubber squeegees

**Upholstery Tool**  
Aluminum body




Part #	Description
3505	5" Upholstery tool
3505SQ	5" Rubber squeegee

**Floor Tool**  
Aluminium Body



Part #	Description
351512	12" Body Gulper with Flat Bottom
351518	18" Body Gulper with Flat Bottom

**14" Carpet Tool**  
Metal Body




Part #	Description
3511M	14" Scalloped face carpet tool

**Upholstery Tool Brush**


Part #	Description
3505B	Optional slide on nylon brush

**11" Crevice Tool**  
Aluminum body



Part #	Description
3507	11" Crevice

**24" Crevice Tool**  
Aluminum body



Part #	Description
350724	24" Crevice


**1.5" Wands**

**8" x 1.5" ID Straight**  
Aluminum




Part #	Description
3562	Tool coupling wand

**28" Crevice Tool**  
Aluminum body




Part #	Description
350728	28" Crevice

**18" Bulk Pick-up Nozzle**  
Aluminum body




Part #	Description
3528	18" Nozzle

**1.5" ID Straight**  
Aluminum



Part #	Description
356054	54" Friction fit wand
356060	60" Friction fit wand
356136	36" Tool coupling wand
356154	54" Tool coupling wand
356160	60" Tool coupling wand

**Utility Tool**  
Aluminium Body



Part #	Description
3504	6" Utility
3504A	Optional clamp on brush assembly

**3" Round Brush**  
Aluminum Body



Part #	Description
3520FG	Food grade bristle brush
3520H	Horsehair bristle brush
3520N	Nylon bristle brush
3520C	Nylon bristle brush, carbon impregnated
3520T	Tampico bristle brush

**Pipe Tool**  
Stainless Steel




Part #	Description
3544	1-3" Nylon bristles
3545	4-6" Nylon bristles
3546	6" Nylon bristles

**RuWac RECOMMENDED**

**5" Round Brush**  
Aluminum Body

Part #	Description
3510H	5" Horsehair bristle brush
3510N	5" Nylon bristle brush
3510T	5" Tampico bristle brush

**1.5" ID Single Bend**  
Aluminum



Part #	Description
356323	23" Overhead wand
356354	54" Overhead wand
356360	60" Overhead wand

**Horsehair Bristle (H)**  
Dense, soft, fine bristle. Best suited for smooth surfaces & walls.

**Tampico Bristle (T)**  
Fiber bristles, bleached white and heat resistant. Ideal for scrubbing caked dirt and debris on floors and walls.

**Nylon Bristle (N)**  
Recommended for general clean up on uneven floors & sticky

dust. Man-made synthetic fiber, abrasion & chemical resistant.

**Fiber Bladed**  
Paper fibers which have been emulsified, hardened, cut and sanded. Not flexible. Great for cleaning round and abrasive surfaces where scrapping may be required.

**Felt Bladed**  
Ideal for polished floors, wood, linoleum and other smooth surfaces.

**54" x 1.5" ID Double Bend**

Part #	Description
350201	One piece, aluminum wand
3502S	One piece, stainless steel wand
3502	Two piece, aluminum wand

### Plastic Body

#### 4.5" Utility Tool

Plastic Body



Part #	Description
5012	Yellow, car wash utility



Wonder what tools are right for your application?

Call your distributor or Ruwac at 800.736.6288 for a needs assessment.

We will be glad to assist you in choosing the right tools.

### Wood Body

#### 4" Round Brush

Wood Body



Part #	Description
5007	4" Round brush

#### 12" Brush

Wood Body



Part #	Description
5006	12" Curved w/horsehair bristle brush

#### 12" Brush

Wood Body



Part #	Description
5009	12" Horsehair bristle brush

### Rubber Body

#### Nozzle

Rubber Body



Part #	Description
5024	Flexible, pointed nozzle

#### 3" Brush

Rubber Body



Part #	Description
5034	3" Rubber body brush

### 2" Wands

#### 18" x 2" ID Angle



Part #	Description
5010	Chrome wand
5010-BL	Chrome w/button lock wand
5010-S	Stainless steel wand
5010S-BL	Stainless steel w/BL wand

### Metal Body

#### 15" Crevice Tool

Aluminum Body



Part #	Description
5016	15" Crevice
5016-BL	15" Crevice w/button lock

#### 15" Crevice Tool

Stainless Steel Body



Part #	Description
5016S	15" Crevice
5016S-BL	15" Crevice with button lock

#### 45" x 2" ID Single Bend



Part #	Description
5003	Friction fit, chrome wand
5003-BL	Friction fit, chrome w/BL wand
5003-S	Friction fit, stainless steel wand
5003S-BL	Friction fit, stainless steel w/BL wand

#### 24" Crevice Tool

Chrome Body



Part #	Description
5008	24" Crevice tool
5008-BL	24" Crevice tool w/button lock

#### 32" Floor Tool

Aluminum Body

Includes squeegee & brush



Part #	Description
5018	32" Floor sweep assembly, 2" inlet
7004	32" Floor sweep assembly, 3" inlet
5018CA	Replacement brush
5018DA	Replacement squeegee

#### 20" Floor Tool

Aluminum Body



Part #	Description
5060	20" Floor tool w/rollers & squeegee
5060A	Replacement squeegee for floor tool

#### For Wet Applications

Includes two squeegees

501832-2	Use with WSP 2000 SumpPro
501832-4	Use with WSP 4000 SumpPro

#### For Overhead Cleaning



Part #	Description
5037	45" Tapered end wand
503730	45" w/30° end wand
5037-BL	45" Tapered end w/BL wand
5037Ext-BL	54" BL Tapered end & 2" OD BL wand
5038	54" Wand w/1.5" tool coupler
5038-C	54" Single bend wand w/1.5" tool coupler

#### 8" Bulk Pick-up Tool

Aluminum Body



Part #	Description
5031	8" Bulk pick-up tool

#### 18" Bulk Pick-up Tool

Aluminum Body



Part #	Description
5080	18" Bulk pick-up tool
5080-BL	18" Bulk pick-up tool w/button lock

#### Double Bend Kit



Part #	Description
5039	56" Aluminum w/steel grooved end wand
5026	13" Gulper w/brass base plate



**Static-Conductive Rubber Body**



*Essential for OSHA & NFPA Compliance*

**4" Round Brush**  
 Rubber Body  
**Part # Description**  
 50652 4" Brass & nylon bristle brush  
 50652-BL 4" Brass & nylon bristle brush w/BL



**6" Crevice Tool**  
 Rubber Body  
**Part # Description**  
 50654 6" Crevice tool  
 50654-BL 6" Crevice tool, with button lock



**8" Bent Nozzle**  
 Rubber Body  
**Part # Description**  
 50653 8" Bent nozzle  
 50653-BL 8" Bent nozzle with button lock



**5" Utility Tool**  
 Rubber Body  
**Part # Description**  
 50656 5" Utility tool  
 50656-BL 5" Utility tool with button lock



**Bulk Pick-up Tool**  
 Rubber Body  
**Part # Description**  
 50651 Bulk pick-up tool  
 50651-BL Bulk pick-up tool with button lock




**12" Nozzle with 90° Bend**  
 Rubber Body  
**Part # Description**  
 50655 12" 90° Bend flexible nozzle  
 50655-BL 12" 90° Bend flexible nozzle w/BL



**Micro Clean Filter**

Low loading, state-of-the-art filtration system filters to 0.5 microns.

Part #	Description
20091	13 ft <sup>2</sup>
30091	28 ft <sup>2</sup>
32970	48 ft <sup>2</sup>
40004	118 ft <sup>2</sup>
20093	13 ft <sup>2</sup> metallized, grounded
30093	28 ft <sup>2</sup> metallized, grounded



**HEPA Filter**

DOP tested at 99.997% efficient at 0.3 microns


Part #	Description
35211	40 ft <sup>2</sup>
30122	51 ft <sup>2</sup>



**Hydrophobic Filter**

Sub-micron filtration, 22 ft<sup>2</sup> per filter.

Part #	Description
10005289	For NA35 (requires 2)



**SPS250 Filters**

Part #	Description
9308F	Filter Bag Cotton insert for 9 gallon chip basket
09932000	Cartridge filter Coalescing Media

**NOMEX Filters**

For high temperature applications.

Part #	Description
20094	13 ft <sup>2</sup>
30094	28 ft <sup>2</sup> Use in standard
32971	48 ft <sup>2</sup> portable
40003	118 ft <sup>2</sup> vacuums.

**Cartridge Filters**

Cartridge filters for FA2000

Part #	Description
10000092	80/20
10000093	PTFE
10000192	NANO fiber

**Filter Bags**

Use with Bulk Separator (p. 12)

Part #	Description
9707	Burlap, 30 gallon
9760	Burlap, 55 gallon
9771	Cotton sateen, 30 gallon
9770	Cotton sateen, 55 gallon
9764	Light weight, paper, 55 gallon

**Tool Basket**



Tool basket can be added to any Ruwac vacuum. Holds all standard tools sold as standard packages. Includes wire basket and four cable ties.

Part #	Description
25176	Tool Basket Kit

**Containment Insert**



Part #	Description
30000	Containment insert for DS2 machines
24000	<b>Static-Conductive</b> - Disposable dust pan liner, 9 gallon dust pans. Use with WS, AV, DS1 & FRV Vacuums.

**Plastic Bag Insert**

Part #	Description
970500	6 ml for 30 gal Drum (75 QTY)
970501	4 ml for 55 gal Drum (sold each)
970500C	<b>CONDUCTIVE</b> - 4 ml for 30/55 gal Drum (sold each) <b>Required for explosion proof applications</b>

info@Ruwac.com

Any of RUWAC's industrial vacuums can be equipped with one of our specialty pre-separation systems. They are available in 30 or 55 gallon drums and in 1/2 to 4 cubic yards self-tipping dumpsters. Simply attach the separator before the vacuum for added capacity of dry and wet materials. For those areas where 9 gallons is sufficient, just disconnect the pre-separator and use the vacuum by itself. All pre-separators can be used with an existing Ruwac or other manufacturer's vacuum or central vacuum system.

**Pre-Separator 30 Dry or Wet**

**Featured**

**Bulk Collection**



- 12 Gauge steel interceptor lid with urethane top coat
- 2" (50 mm) or 2.75" (70 mm) inlet/outlet
- 30 Gallon drum
- Drum dolly with Heavy-Duty 3" casters
- Swivel cart connector
- Connecting hose from drum to vacuum
- Positive closure float for liquid collection
- Manual bottom discharge valve for wet separation
- Available in stainless steel
- Great for pea stone and gravel, large concrete chips and debris, plastic pellets and powder paint reclamation, water and other liquids like oils and coolants.



Lid for Wet



Materials such as lint, felt, cotton, Styrofoam® or even paper dust will compact inside of a traditional vacuum filtration system. Ruwac's bulk separation systems will separate all of the fibrous material while compacting at a ratio up to 3 to 1, keeping the vacuum filters clean and maintenance free.



Optional Tipping Assembly

- 12 Gauge steel interceptor lid with urethane top coat
- 2" (50 mm) or 2.75" (70 mm) inlet/outlet
- 30 Gallon drum
- Internal screen for included 30 gallon burlap bag insert
- Bottom loading filter element
- 10 Gauge drum dolly w/Heavy-Duty 3" casters
- Swivel cart connector
- Connecting hose from drum to vacuum

Adder	Description
R	Equalizer Kit (Necessary for Plastic Bag Liners)
U	Float System for Liquid Applications
Z	55 Gallon Capacity Drum, Lid & Dolly
MM	Tipping Assembly for 30 Gallon Drum
NN	Tipping Assembly for 55 Gallon Drum
EX	Conductive Casters (required for all explosion proof applications)

**For additional collection bag insert options see Accessories on page 11.**

Adder	Description
Z	55 Gallon Capacity Drum, Lid & Dolly
9707	Filter Bag, Burlap, 30 Gallon
9760	Filter Bag, Burlap, 55 Gallon
NN	Tipping Assembly for 55 Gallon Drum

**Dumpster Separator**



- 7 Gauge collection container 100% continuously MIG welded
- Self dumping hopper with counter balanced return
- Exclusive 5/8" flame cut rocker with 1" "s" stop
- Air tight lid
- Inlets up to 6" in diameter
- Fork lift pockets

**Available in 1/2, 3/4, 1, 1.5 and 2 cubic yard capacity.**

**ASK your SALES REP for more details!**

**Immersion Separator**



**Request additional information on Ruwac's Explosion Proof Vacuums and Immersion Separators**

For over 30 years Ruwac's portable immersion separation systems have been safely collecting aluminum, titanium and other Group E explosive dusts or glowing media. With 100% of the intake air being completely submerged in turbulent liquids, the chance of an outside ignition source entering the vacuum is safely ruled out. Contact us today with your specific application to see if an immersion separator may be your solution.

- 11 Gauge stainless steel construction
- 20 - 400 Gallon liquid capacity
- "Ruwac Signature" perforated dispersion screen system
- Stainless steel de-misting pad mist filter
- Lexan® sight glass for liquid detection
- 2" Full port ball valve for waste discharge
- Front access door w/adjustable locking hinges for sludge discharge
- Top access door with gas spring
- Heavy-duty industrial 6" casters
- Hydrophobic after filter
- Automatic liquid detection shut-off
- Hydrogen venting
- Inlets up to 8"
- Automatic water fill
- Spray down interior back flush nozzles
- Fully grounded
- Specially designed anti-static tool packages available.

**Cyclone**

If fine powders and dust are clogging your vacuum's filters prematurely you need Ruwac's High Efficiency Cyclone, "HEC" pre-separation system - effective at removing 97% of fine dust and debris from the air stream before reaching the vacuum filter, creating a safer environment for all.

- 16 Gauge steel cyclone lid with urethane top coat
- 30 Gallon capacity drum
- Drum dolly with Heavy-Duty 3" casters
- Swivel cart connector
- Connecting hose from drum to vacuum
- Innovative cyclone lid eliminates abrasion within the chamber
- Engineered for high velocity vacuum systems
- Available for central or custom vacuum systems
- Multitude of accessories & collection container options
- 8, 12 & 14 Gallon cyclone sizes

**Ruwac Signature Product**



**Connector Hose:** The included connector hose is grounded and attaches to any vacuum. Ask us how!

**10 Gauge Powder Coated Steel Cyclone:** Available in 8", 12" and 14" diameters. This RUWAC ORIGINAL DESIGN keeps dust in the drum - no re-entrainment into the airstream. The internal rubberized drop out chamber eliminates abrasion within the chamber. (OPTION: 12" stainless steel.)

**Cyclone Lid:** Unclasp to completely remove lid for easy and quick dumping.

**30 Gallon Drum:** Powder coated steel. (OPTION: 55 gallon drum.)

**Sturdy Base:** The Heavy-Duty drum caddy (10 gauge steel) rest on 3" casters and attaches easily to your vacuum with the "H" Bracket swivel cart connector for easy movability.

Adder	Description
R	Equalizer Kit (Necessary for Plastic Bag Liners)
Z	55 Gallon Capacity Drum, Lid & Dolly
MM	Tipping Assembly for 30 Gallon Drum
NN	Tipping Assembly for 55 Gallon Drum
970500	6 ml Plastic Bag Inserts for Drum (75 QTY)
970500C	Conductive Plastic Bag Insert for Drum
EX	Conductive Casters (required for all explosion proof applications)
SS	Stainless Steel Cyclone and Drum (30 gallon only)
	Stationery Lift Assembly
	Mobile Lift Assembly

Model:	HEC 8	HEC 12	HEC 14
Cyclone Diameter:	8"	12"	14"
CFM Range:	100 - 250	250 - 350	375 - 525
Inlet:	2"	2.75"	4"
Capacity:	30 gallons	30 gallons	30 gallons
Lid Diameter:	19.75"	19.75"	19.75"
Dimensions (drum and caddy):	21" x 21" x 63"	21" x 21" x 65"	21" x 21" x 68"
Weight (drum and caddy)	50 lbs	50 lbs	50 lbs
Dimensions (lid only):	21" x 21" x 29"	21" x 21" x 31"	21" x 21" x 34"
Weight (lid only):	22 lbs	30 lbs	34 lbs

### Mobile HEC Lifting Assembly

Empty your HEC system without any heavy lifting. The Mobile HEC Lifting Assembly is ergonomically correct for easily dumping the drum. Simply lift the arm assembly and tilt the drum to empty. Drum, tipping drum assembly, cyclone and vacuum are not included.

- Mobile HEC lid lifting assembly
- Ergonomically correct
- Mechanism easily lifts cyclone lid for quick and safe dumping
- Mounting kits available for 8" 12" and 14" HEC systems 30 or 55 gallon tipping and non-tipping drums
- Arm assembly has positive lock system while in the up position
- Arm assembly has rollers with bearings to insure smooth lifting
- Also available as stationary units

### Ask for the HEC-XLT Package TODAY

**ALL the STANDARDS PLUS:**

**Equalizer Kit:** Want to use plastic bags for easy disposal? The Vacuum Equalizer Kit (VEK) keeps the plastic bag from being sucked into the cyclone. Six millimeter plastic bags are available.

**Tipping Drum:** Designed for easy dumping, the tipping drum includes a heavy-duty powder coated steel base with forklift pockets. It won't tip until you are ready to release the spring activated locking assembly. Will support up to 1200 lbs.

## Air-Tight Blast Gate Valve



Truly "air-tight" blast gates operate manually or pneumatically and utilize a two part, self-sealing gasket assembly to completely isolate outside air, guaranteeing no air leakage across the valve or into the atmosphere. Designed to withstand 16 Hg" of negative pressure. Available in Zinc Plate or Stainless Steel.

- Air-tight across the blast gate up to 16 Hg"
- Air-tight self-sealing gasket assembly
- Manual or pneumatic operation
- Stainless steel or zinc plated steel
- Coils available in 24V AC/DC or 110V AC
- Standard with straight ends OD
- Requires 70 Psi (130 Psi max. air pressure)
- Uses push lock air hose connectors
- Available in 2", 3", 4" 6" and 8" OD

### Manual Blast Gate

Zinc Plated

Part #	Size
1502	2"
1503	3"
1504	4"
1506	6"
1508	8"

### Manual Blast Gate

Stainless Steel

Part #	Size
1502S	2"
1503S	3"
1504S	4"
1506S	6"
1508S	8"

### Pneumatic Blast Gate

Zinc Plated

Part #	Size
1502PN	2"
1503PN	3"
1504PN	4"
1506PN	6"
1508PN	8"

### Pneumatic Blast Gate

Stainless Steel

Part #	Size
1502PNS	2"
1503PNS	3"
1504PNS	4"
1506PNS	6"
1508PNS	8"

### Coil Voltage

Required for Pneumatic Only

Part #	Solenoid
6765	12V DC
6760	24V DC
6770	24V AC
6780	110V AC

### Valve Gaskets,

Replacement

Part #	Size
1502G	2"
1503G	3"
1504G	4"
1506G	6"
1508G	8"

## Flexi-Vac Swing Arm



Vacuum when and where you need it on your production line with the Flexi-Vac Swing Arm Assembly for central vacuum systems.

- 16' Reach swing arm assembly
- 5' Flexible, grounded, urethane, wire reinforced vacuum hose
- Pivot points with ball bearing assemblies and adjustable brakes
- Swivel mounting plate for wall (180° radius) or beam (360° radius) mounting
- Heavy-duty construction
- Reinforced supports with compressed air supply lines

### Optional Service Module:


- Two - 15 amp, 110V electrical outlets for vacuum assist tools
- 2" Overhead vacuum connections for vacuum assist tools
- Compressed air connections with regulated and unregulated air
- Contains pressure gauge and power switch

## Tubing and Fittings



Ruwac offers central vacuum components from 2" to 12" in diameter to meet any application. Ruwac recommends compression couplers for all joint connections and we offer heat shrink fittings as an alternative. Utility Y's range in all sizes, from 1.5" to 3", with custom fittings available.

- Aluminium tubing
- Galvanized steel tubing
- Carbon steel tubing
- Stainless steel tubing
- Wall thickness ranges from 20-11 gauge
- 1.5", 2" and 2.75" inlet valves
- Optional valve micro switches for low voltage remote starting



## Central Vacuum Systems




With over 30 years of proven installations, Ruwac will customize your central vacuum system with the correct vacuum producer, filtration unit, collection container and tubing system for your needs. Our professional engineers will help you meet OSHA and NFPA requirements to present a safe working environment for your employees and properly collect the material in question. We specialize in:

- Multi-user systems
- Specialty separation systems
- Explosion venting
- Isolation / suppression
- Vacuum assist sanding
- Point of source collection
- Wet / dry / explosive materials
- Bulk containment systems
- Wet collectors
- Cyclones
- Specialty controls / PLC's
- General housekeeping

With every proposal we provide a CAD drawing of the completed vacuum system layout. Whatever your application, we will work with you to provide a cost effective solution to your vacuuming needs.

Reviewing your housekeeping requirements? Let us assist you with a Needs Assessment Evaluation.



Containment: DS2 Machine Insert.....	11	Tools: 1.5" - Metal, Floor, 18".....	9
Containment: Plastic Bag Insert.....	11	Tools: 1.5" - Metal, Pipe, 1-3".....	9
Containment: Plastic Bag Insert, Conductive.....	11	Tools: 1.5" - Metal, Pipe, 4-6".....	9
Containment: Static-Conductive Pan Liner.....	11	Tools: 1.5" - Metal, Pipe, 6".....	9
Central: Blast Gates.....	14	Tools: 1.5" - Metal, Round Brush, 3".....	9
Central: Fittings.....	14	Tools: 1.5" - Metal, Round Brush, 5".....	9
Central: Tubing.....	14	Tools: 1.5" - Metal, Upholstery, 5".....	9
Connectors: 2" Inlet.....	7	Tools: 1.5" - Metal, Upholstery Brush, 5".....	9
Connectors: 2.75" Inlet.....	7	Tools: 1.5" - Metal, Utility.....	9
Connectors: 4" Inlet.....	7	Tools: 1.5" - Metal, Wall, 9".....	9
Connectors: Hose to Hose.....	7	Tools: 1.5" - Plastic, Carpet, 14".....	8
Connectors: Hose to Tool.....	7	Tools: 1.5" - Plastic, Crevice Tool, 11".....	8
Filters: Bag, Burlap.....	11	Tools: 1.5" - Plastic, Crevice Tool, 17".....	8
Filters: Bag, Cotton.....	11	Tools: 1.5" - Plastic, Floor Brush, 14".....	8
Filters: Bag, Cotton Sateen.....	11	Tools: 1.5" - Plastic, Floor Squeegee, 14".....	8
Filters: Bag, Paper.....	11	Tools: 1.5" - Plastic, Floor Squeegee, 14", Dbl Bladed.....	8
Filters: Cartridge.....	11	Tools: 1.5" - Plastic, Floor, 20".....	8
Filters: FA2000 Filters.....	11	Tools: 1.5" - Plastic, Universal Brush, Narrow.....	8
Filters: HEPA.....	11	Tools: 1.5" - Plastic, Upholstery Brush, 5".....	8
Filters: Hydrophobic.....	11	Tools: 1.5" - Plastic, Upholstery, 5".....	8
Filters: Micro Clean.....	11	Tools: 1.5" - Plastic, Utility.....	8
Filters: Micro Clean, Grounded.....	11	Tools: 1.5" - Rubber, Nozzle, 22".....	8
Filters: NA35 Filters.....	11	Tools: 1.5" - Rubber, Nozzle, 9".....	8
Filters: NOMEX.....	11	Tools: 1.5" - Static-Conductive, Bulk Pick-up.....	8
Filters: SPS250 Filters.....	11	Tools: 1.5" - Static-Conductive, Crevice, 6".....	8
Flexi-Vac Swing Arm Assembly.....	14	Tools: 1.5" - Static-Conductive, Nozzle, 12".....	8
Hoses: Plastic, Crushproof.....	6	Tools: 1.5" - Static-Conductive, Nozzle, 8".....	8
Hoses: Plastic, Crushproof, Static-Conductive.....	6	Tools: 1.5" - Static-Conductive, Round Brush, 4".....	8
Hoses: Rubber, Heavy-Duty, Smooth Bore.....	6	Tools: 1.5" - Static-Conductive, Utility.....	8
Hoses: Stainless Steel.....	6	Tools: 2" - Metal, Bulk Pick-up, 8".....	10
Hoses: Urethane, Black.....	6	Tools: 2" - Metal, Bulk Pick-up, 18".....	10
Hoses: Urethane, Static-Conductive.....	6	Tools: 2" - Metal, Crevice, 15".....	10
Hoses: Urethane, Transparent.....	6	Tools: 2" - Metal, Crevice, 24".....	10
Hoses: Urethane, Transparent, Heavy-Duty.....	6	Tools: 2" - Metal, Floor, 20".....	10
Hoses: Vinyl, Flexible, Anti-Static.....	6	Tools: 2" - Metal, Floor, 20", Replacement Squeegee.....	10
Hoses: Vinyl, Heavy-Duty.....	6	Tools: 2" - Metal, Floor, 32".....	10
Packages: Explosion Proof - 1.5" Tools.....	5	Tools: 2" - Metal, Floor, 32", Replacement Brush.....	10
Packages: Explosion Proof - 2" Tools.....	5	Tools: 2" - Metal, Floor, 32", Replacement Squeegee.....	10
Packages: Floor & Hand.....	3	Tools: 2" - Metal, Gulper, 13".....	11
Packages: Floor Cleaning Kit.....	3	Tools: 2" - Plastic, Utility, 4.5".....	10
Packages: Food Grade.....	5	Tools: 2" - Rubber, Brush, 3".....	10
Packages: Hand Held Kit.....	3	Tools: 2" - Rubber, Nozzle.....	10
Packages: Heavy-Duty - 2" Hose & Tool.....	4	Tools: 2" - Static-Conductive, Bulk Pick-up.....	11
Packages: Heavy-Duty Floor Cleaning.....	4	Tools: 2" - Static-Conductive, Crevice, 6".....	11
Packages: Light Duty - 1.5" Hose.....	3	Tools: 2" - Static-Conductive, Nozzle, 90° Bend, 12".....	11
Packages: Light Duty - 2" Hose.....	3	Tools: 2" - Static-Conductive, Nozzle, Bent, 8".....	11
Packages: Overhead Cleaning.....	5	Tools: 2" - Static-Conductive, Round Brush, 4".....	11
Packages: Wet Collection.....	4	Tools: 2" - Static-Conductive, Utility, 5".....	11
Packages: Wet/Sump Collection.....	4	Tools: 2" - Wood, Brush, 4".....	10
Pre-Separator: Bulk.....	12	Tools: 2" - Wood, Brush, 12".....	10
Pre-Separator: Cyclone.....	13	Wands: 1.5" - Double Bend, 54".....	9
Pre-Separator: Dry.....	12	Wands: 1.5" - Single Bend, 23".....	9
Pre-Separator: Dumpster.....	12	Wands: 1.5" - Single Bend, 54".....	9
Pre-Separator: Immersion.....	13	Wands: 1.5" - Single Bend, 60".....	9
Pre-Separator: Wet.....	13	Wands: 1.5" - Straight, 36", Coupling.....	9
Reducers: 2".....	7	Wands: 1.5" - Straight, 54".....	9
Reducers: 2.75".....	7	Wands: 1.5" - Straight, 54", Coupling.....	9
Reducers: 4".....	7	Wands: 1.5" - Straight, 60".....	9
Tool Basket.....	11	Wands: 1.5" - Straight, 60", Coupling.....	9
Tools: 1.5" - Metal, Bulk Pick-up, 18".....	9	Wands: 1.5" - Straight, 8".....	9
Tools: 1.5" - Metal, Carpet, 14".....	9	Wands: 2" - Angle, 18".....	10
Tools: 1.5" - Metal, Crevice, 11".....	9	Wands: 2" - Double Bend, 56".....	10
Tools: 1.5" - Metal, Crevice, 24".....	9	Wands: 2" - Single Bend, 45".....	10
Tools: 1.5" - Metal, Crevice, 28".....	9	Wands: 2" - Overhead, 45".....	10
Tools: 1.5" - Metal, Floor Brush, 14".....	9	Wands: 2" - Overhead, 54".....	10
Tools: 1.5" - Metal, Floor Gulper, 12".....	9	Y-Adapters: 1.25" Flap Valves - Two.....	6
Tools: 1.5" - Metal, Floor Gulper, 18".....	9	Y-Adapters: 1.5".....	6
Tools: 1.5" - Metal, Floor Squeegee, 14".....	9	Y-Adapters: 2".....	6
Tools: 1.5" - Metal, Floor Squeegee, 14", Dbl Bladed.....	9	Y-Adapters: 3".....	6





# Superior Performance, Cost Effective Solutions

Supplying industrial vacuum equipment worldwide, we pride ourselves in providing cost effective solutions for general housekeeping to point-of-source extraction while utilizing our unique, state-of-the-art filtration and vacuum systems. Let us assist you with all of your vacuuming needs.

## Some of the vacuum systems we offer:

- 110 Volt Vacuums
- Air Operated Vacuums
- HEPA Vacuums
- Clean Room Vacuums
- Central Systems up to 125 HP
- Explosion Proof Vacuums
- Continuous Duty Vacuums
- Separation Systems
- Wet Vacuums
- Sump Vacuums
- Vacuum Assist Sanding Systems
- Vacuum Assist Welding Systems
- Fume Extractors
- Reverse Pulse Filter Cleaning
- Point of Source Extraction
- Bulk Material Recovery Systems
- Immersion Separators
- Dumpster Vacuums
- Trailer Mounted Vacuums
- Gasoline Driven Vacuums
- Custom Designed Vacuum Systems



**Ask your distributor for a  
Vacuum Needs Assessment.**

## Also available:

- Pipes, Tubing and Fittings

**Ask for our other product catalogs.**

